



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC
Project Name : G.I For 3 Nos. Important Bridges
Type of Sample : SPT Date Of Testing : 04.10.12
Location : BH-7(Markanda River-Ambala) Sampled by : T.K.Das
Depth : 16.5m Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.98	
3	Weight of bottle with soil and water W3 in gm	136.23	
4	Weight of bottle full of water W4 in gm	132.83	
5	Weight of dry soil (W2-W1)in gm	5.46	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.06	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4138



ARKITECHNO
CONSULTANTS (INDIA) PVT. LTD.

Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC
Project Name : G.I For 3 Nos. Important Bridges
Type of Sample : SPT Date Of Testing : 04.10.12
Location : BH-7(Markanda River-Ambala) Sampled by : T.K.Das
Depth : 18.0m Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.58	
3	Weight of bottle with soil and water W3 in gm	135.81	
4	Weight of bottle full of water W4 in gm	132.02	
5	Weight of dry soil (W2-W1)in gm	6.06	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.27	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4139



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : UDS

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 19.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.61	
3	Weight of bottle with soil and water W3 in gm	136.22	
4	Weight of bottle full of water W4 in gm	131.80	
5	Weight of dry soil (W2-W1)in gm	7.09	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.67	
7	Specific Gravity G = (5) / (6)	2.66	

Lab Manager

Checked By

4140



ARKITECHNO
CONSULTANTS (INDIA) PVT. LTD.

Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : UDS

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 21.0m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.46	
3	Weight of bottle with soil and water W3 in gm	135.69	
4	Weight of bottle full of water W4 in gm	131.35	
5	Weight of dry soil (W2-W1)in gm	6.94	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.60	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4141



ARKITECHNO
CONSULTANTS (INDIA) PVT. LTD.

Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : UDS

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 22.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.16	
3	Weight of bottle with soil and water W3 in gm	135.79	
4	Weight of bottle full of water W4 in gm	131.63	
5	Weight of dry soil (W2-W1)in gm	6.64	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.48	
7	Specific Gravity G = (5) / (6)	2.68	

Lab Manager

Checked By

4142



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : UDS

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 25.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.51	
3	Weight of bottle with soil and water W3 in gm	137.21	
4	Weight of bottle full of water W4 in gm	132.84	
5	Weight of dry soil (W2-W1)in gm	6.99	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.62	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4143



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : UDS

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 28.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.96	
3	Weight of bottle with soil and water W3 in gm	136.22	
4	Weight of bottle full of water W4 in gm	132.19	
5	Weight of dry soil (W2-W1)in gm	6.44	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.41	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4141



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : SPT

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 30.0m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.54	
3	Weight of bottle with soil and water W3 in gm	137.21	
4	Weight of bottle full of water W4 in gm	132.85	
5	Weight of dry soil (W2-W1)in gm	7.02	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.66	
7	Specific Gravity G = (5) / (6)	2.64	

Lab Manager

Checked By

4145



ARKITECHNO
CONSULTANTS (INDIA) PVT. LTD.

Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : SPT

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 31.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.23	
3	Weight of bottle with soil and water W3 in gm	135.72	
4	Weight of bottle full of water W4 in gm	131.54	
5	Weight of dry soil (W2-W1)in gm	6.71	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.53	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4146



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : SPT

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 33.0m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.84	
3	Weight of bottle with soil and water W3 in gm	136.20	
4	Weight of bottle full of water W4 in gm	132.27	
5	Weight of dry soil (W2-W1)in gm	6.32	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.39	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4147



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC
Project Name : G.I For 3 Nos. Important Bridges
Type of Sample : SPT Date Of Testing : 04.10.12
Location : BH-7(Markanda River-Ambala) Sampled by : T.K.Das
Depth : 36.0m Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	38.25	
3	Weight of bottle with soil and water W3 in gm	136.47	
4	Weight of bottle full of water W4 in gm	132.29	
5	Weight of dry soil (W2-W1)in gm	6.73	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.55	
7	Specific Gravity G = (5) / (6)	2.64	

Lab Manager

Checked By

4148



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC
Project Name : G.I For 3 Nos. Important Bridges
Type of Sample : SPT Date Of Testing : 04.10.12
Location : BH-7(Markanda River-Ambala) Sampled by : T.K.Das
Depth : 37.5m Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.52	
3	Weight of bottle with soil and water W3 in gm	137.14	
4	Weight of bottle full of water W4 in gm	134.03	
5	Weight of dry soil (W2-W1)in gm	5.00	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	1.89	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4149



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC
Project Name : G.I For 3 Nos. Important Bridges
Type of Sample : SPT Date Of Testing : 04.10.12
Location : BH-7(Markanda River-Ambala) Sampled by : T.K.Das
Depth : 40.5m Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.35	
3	Weight of bottle with soil and water W3 in gm	136.42	
4	Weight of bottle full of water W4 in gm	132.77	
5	Weight of dry soil (W2-W1)in gm	5.83	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.18	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4150



ARKITECHNO
CONSULTANTS (INDIA) PVT. LTD.

Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : SPT

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 46.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	35.94	
3	Weight of bottle with soil and water W3 in gm	136.48	
4	Weight of bottle full of water W4 in gm	133.73	
5	Weight of dry soil (W2-W1)in gm	4.42	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	1.67	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4151



Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC

Project Name : G.I For 3 Nos. Important Bridges

Type of Sample : SPT

Date Of Testing : 04.10.12

Location : BH-7(Markanda River-Ambala)

Sampled by : T.K.Das

Depth : 48.5m

Tested by : K.C.Sahoo

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.92	
3	Weight of bottle with soil and water W3 in gm	135.75	
4	Weight of bottle full of water W4 in gm	132.40	
5	Weight of dry soil (W2-W1)in gm	5.40	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.05	
7	Specific Gravity G = (5) / (6)	2.64	

Lab Manager

Checked By

4152



ARKI TECHNO CONSULTANTS (I) PVT. LTD.
N 3/91, IRC Village, Bhubaneswar

DETERMINATION OF BULK DENSITY & MOISTURE CONTENT OF SOIL SAMPLE

Sl No.	BH No.	Depth in m	Type of Sample	Date of Testing	Weight of Container in gm	Diameter of Sample in cm	Length of Sample in cm	Volume of Sample in cc	Weight of Container + Wet Soil in gm	Weight of Container + Dry soil in gm	Weight of Dry soil in gm	Weight of water in gm	Moisture Content in %	Bulk Density in gm/cc	Dry Density in gm/cc
1	4133 BH-7(Markanda River-Saharanpur)	4.5	SPT	04.10.12	62.80	3.8	7	79.39	206.83	191.75	128.95	15.08	11.69	1.82	1.63
2		6.0	SPT	04.10.12	62.86	3.8	7	79.39	207.10	191.44	128.59	15.66	12.18	1.83	1.63
3		9.0	SPT	04.10.12	62.91	3.8	7	79.39	210.76	186.79	123.88	23.97	19.35	1.89	1.58
4		10.5	UDS	04.10.12	62.37	3.8	7	79.39	215.12	188.57	126.20	26.55	21.04	1.91	1.58
5		13.5	UDS	04.10.12	61.44	3.8	7	79.39	213.20	187.52	126.08	25.68	20.37	1.92	1.60
6		16.5	SPT	04.10.12	64.57	3.8	7	79.39	210.92	195.80	131.23	15.12	11.52	1.86	1.67
7		18.0	SPT	04.10.12	61.48	3.8	7	79.39	216.15	190.94	129.46	25.21	19.47	1.90	1.59
8		19.5	UDS	04.10.12	63.79	3.8	7	79.39	212.93	187.73	123.94	25.20	20.33	1.92	1.60
9		21.0	SPT	04.10.12	60.84	3.8	7	79.39	215.33	188.78	127.94	26.55	20.75	1.94	1.61
10		22.5	UDS	04.10.12	63.49	3.8	7	79.39	223.45	195.52	132.03	27.94	21.16	2.03	1.68
11		25.5	UDS	04.10.12	60.77	3.8	7	79.39	225.87	198.08	137.31	27.79	20.24	2.06	1.72
12		28.5	UDS	04.10.12	62.34	3.8	7	79.39	228.18	202.21	139.87	26.97	19.28	2.09	1.75
13		30.0	SPT	04.10.12	60.5	3.8	7	79.39	234.41	215.22	154.72	19.19	12.40	2.13	1.90
14		31.5	SPT	04.10.12	61.31	3.8	7	79.39	231.71	213.50	152.19	18.22	11.97	2.14	1.91
15		33.0	SPT	04.10.12	62.29	3.8	7	79.39	230.60	213.43	151.14	17.17	11.36	2.14	1.92
16		36.0	SPT	04.10.12	62.15	3.8	7	79.39	170.69	158.55	96.40	12.14	12.59	2.15	1.91
17		37.5	SPT	04.10.12	63.08	3.8	7	79.39	179.42	167.16	104.08	12.26	11.78	2.26	2.02
18		40.5	SPT	04.10.12	65.31	3.8	7	79.39	169.89	151.44	86.13	18.45	21.42	2.14	1.76
19		46.5	SPT	04.10.12	61.82	3.8	7	79.39	171.48	156.13	94.31	15.35	16.28	2.16	1.86
20		48.0	SPT	04.10.12	60.71	3.8	7	79.39	175.45	158.33	97.62	17.12	17.54	2.21	1.88

Appendix -IV

*(Test Results of Dr.Ghuman and Gupta Geotech
Consultants)*



DEDICATED FREIGHT CORRIDOR CORPORATION OF INDIA LIMITED

(A Govt. Of India Enterprise)

Old Railway Colony (Near Anand Market), Ambala Cantt-133001.

Telefax: 0171-2612412

No: UMB/EN/Tender/GI

Date: 27.12.2013

M/S Arkitechno Consultants (India) Pvt. Ltd.

Plot No. N-3/91, IRC Village,

Nayapalli, Bhubanswar-751015

SUB: Conducting Geotechnical Investigation; preparation of GAD(General Arrangement Drawings), preparation of bill of quantities for 3 Nos. important bridges (Namely on Yamuna River, Markanda River and Tangri River) between Talheri Buzurg- Sanewal section in c/w construction of Eastern Dedicated Freight Corridor.

Ref: This Office letter no. UMB/EN/Tender/GI Dated: 13.11.2013.

In reference to above meeting between representative of DFCCIL and Arkitechno Consultants (India) Pvt. Ltd was held on dated 28.11.2013 in Chamber of Dy.CPM/Engg/DFCCIL, Ambala. It was decided jointly that sample from two new bore holes would be taken by Arkitechno Consultants (India) Pvt. Ltd. and these will be get tested from independent laboratory for verification of silt factor for all three rivers. The expenditure for the above testing will be born by Arkitechno Consultants (India) Pvt. Ltd.

Now samples have been taken by Arkitechno Consultants (India) Pvt. Ltd. These sample have been sent to Dr Ghuman & Gupta Geotech consultants Chandigarh for testing. The details of sample is given as below:-

1. Yamuna River-	Pier-3	5 nos
	Pier-5	5 Nos
2. Markanda River-	Pier-1	5 Nos
	Pier-3	5 Nos
3. Tangri River-	Pier-1	4 Nos
	Pier-2	4 Nos

The correspondence address of Dr Ghuman & Gupta Geotech Consultants, SCO-64-65, Basement, Sector-17A, Chandigarh (0172-2707211). So that testing can done early in the interest of work.

This information is being sent to you for further necessary action please.

4155

(Nehaluddin)

Asst. Project Manager
DFCCIL, Ambala Cantt.



Dr. GHUMAN AND GUPTA GEOTECH CONSULTANTS

Test House Headed By Dr. M. S. Ghuman
Ph.D. (Geotechnical Engg.) Roorkee
Ex. Prof. & Head of Civil Engg., Pb. Engineering College, Chd. cum
Director, Technical Education (U.T.) Chandigarh

Experts for :

- * Soil investigations for Buildings, Bridges, OHRs, Earth Dams, Irrigations Structures, Towers, Roads, Industrial Buildings etc.
- * Evaluation of Dynamic Elastic Properties and Analysis of Machine Foundations and Soil Stabilization Problems.
- * Plain Table Surveying, Levelling, Contouring and Demarcation.
- * Physical and Chemical Testing of Cement, Chemical Analysis of Mortar and Concrete, Cube, Mix Design of Cement Concrete, Coarse and Fine Aggregates, Bricks, Marble, Kota Stone, Glazed Tiles, Terrazo Tiles, Water, Particle Board, Flush Door Shutters, G.I. Pipes, Barbed Wire, Coatings, Steel Sections, CBR, MDD and DBD of Compacted Earth, Non Destructive Concrete hammer test, Roof Deflection test, Highway Bitumionous Mix Design and Cement Concrete Pavements etc.

CHD 2707211 (O)
CHD 2706465 (O)
Telefax 4653641 (O)
MOHALI 4666081 (O)

E-mail : gggc_laboratory@yahoo.co.in
Office cum Laboratory
S.C.O. 64 - 65 (Basement)
Sector 17-A, Chandigarh
&
F-81, Phase VII,
Industrial Focal Point, Mohali (Pb.)
Test House Approved by PUDA, PWSSB,
* PPHC, HPHC, MES, C-DOT, CPWD, LIC, AIRFORCE
Airport Authority of India.

Ref.No.GGGC/D-5172/2013-2014

Dated : 06.02.2014

Assistant Project Manager/Engg-II,
DFCCIL, Ambala Cantt.

SUBJECT : DETERMINATION OF THE SILT FACTORS OF SOIL SAMPLES SUPPLIED IN LAB. FOR THREE RIVER NAMELY YAMUNA, MARKANDA AND TANGRI.

Sample Particular : Twenty seven soil samples for the bridges of Yamuna, Markanda and Tangri were supplied in the laboratory for calculation of silt factors.

TEST RESULTS

Sr. No.	Description of Samples	Depth	Silt Factors
1.	Tangri, Pier-1, Type Clay Silt	2.0 m	0.82
2.	Tangri, Pier-1, Type Silty Sand	4.0 m	0.89
3.	Tangri, Pier-1, Type Silty Sand	6.0 m	0.71
4.	Tangri, Pier-1, Type Fine Sand	7.0 m	0.79
5.	Tangri, Pier-2	2.0 m	1.14
6.	Tangri, Pier-2	2.0 m	0.73
7.	Tangri, Pier-2	4.0 m	0.92
8.	Tangri, Pier-2	8.0 m	0.80
9.	Tangri, Pier-2	10.0 m	0.84
10.	Markanda Pier-1, Type Fine Sand	1.0 m	0.72
11.	Markanda Pier-1, Type Fine Sand	3.0 m	0.86
12.	Markanda Pier-1, Type Fine Sand	5.0 m	0.96
13.	Markanda Pier-1, Type Fine Sand	7.0 m	1.13
14.	Markanda Pier-3, Type Silty Clay	1.0 m	1.12

Contd.2/p..

4156

4156

A TEAM IN PURSUIT OF EXCELLENCE



Dr. GHUMAN AND GUPTA GEOTECH CONSULTANTS

Test House Headed By Dr. M. S. Ghuman
Ph.D. (Geotechnical Engg.) Roorkee
Ex. Prof. & Head of Civil Engg., Pb. Engineering College, Chd. cum
Director, Technical Education (U.T.) Chandigarh

Experts for :

GHD 2707211 (O)
CHD 2706465 (O)
Telefax 4653641 (O)
MOHALI 4666081 (O)

E-mail : gggc_laboratory@yahoo.co.in
Office cum Laboratory

S.C.O. 64 - 65 (Basement)
Sector 17-A, Chandigarh
&

F-81, Phase VII,
Industrial Focal Point, Mohali (Pb.)


Test House Approved by PUDA, PWSSB,
* PPHC, HPHC, MES, C-DOT, CPWD, LIC, AIRFORCE
Airport Authority of India.

- * Soil investigations for Buildings, Bridges, OHRs, Earth Dams, Irrigations Structures, Towers, Roads, Industrial Buildings etc.
- * Evaluation of Dynamic Elastic Properties and Analysis of Machine Foundations and Soil Stabilization Problems.
- * Plain Table Surveying, Levelling, Contouring and Demarcation.
- * Physical and Chemical Testing of Cement, Chemical Analysis of Mortar and Concrete, Cube, Mix Design of Cement Concrete, Coarse and Fine Aggregates, Bricks, Marble, Kota Stone, Glazed Tiles, Terrazo Tiles, Water, Particle Board, Flush Door Shutters, G.I. Pipes, Barbed Wire, Coatings, Steel Sections, CBR, MDD and DBD of Compacted Earth, Non Destructive Concrete hammer test, Roof Deflection test, Highway Bitumionous Mix Design and Cement Concrete Pavements etc.

..2..

TEST RESULTS

Sr. No.	Description of Samples	Depth	Silt Factors
15.	Markanda Pier-3, Type Silty Clay	3.0 m	0.64
16.	Markanda Pier-3, Type Fine Sand	5.0 m	0.97
17.	Markanda Pier-3, Type Fine Sand	7.0 m	0.95
18.	Yamuna Pier-3, Type Fine Sand	2.0 m	0.92
19.	Yamuna Pier-3, Type Fine Sand	4.0 m	0.92
20.	Yamuna Pier-3, Type Fine Sand	6.0 m	0.73
21.	Yamuna Pier-3, Type Fine Sand	8.0 m	0.86
22.	Yamuna Pier-3, Type Fine Sand	10.0 m	0.92
23.	Yamuna Pier-5, Type Fine Sand	2.0 m	0.71
24.	Yamuna Pier-5, Type Fine Sand	4.0 m	0.85
25.	Yamuna Pier-5, Type Fine Sand	6.0 m	0.75
26.	Yamuna Pier-5, Type Fine Sand	8.0 m	0.80
27.	Yamuna Pier-5, Type Fine Sand	10.0 m	1.28


E. RAJIV K. GUPTA
B.E. (CIVIL) (HONS.) (LMIGS), MIE
DIRECTOR CUM
CONSULTING ENGINEER (GGGC)

4157

Table : 1 Tangri, Pier-1, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	1.6	1.42
0.600-0.300	0.450	26.0	11.70
0.300-0.150	0.225	17.6	3.96
0.150-0.075	0.1125	35.8	4.03
0.075 and below	0.0375	19.0	0.71
		100	21.82

$$d_m = \frac{21.82}{100} = 0.2182$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2182} = 0.82$$

Table : 2 Tangri, Pier-1, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.4	1.42
2.36-1.18	1.770	0.6	1.06
1.18-0.600	0.890	4.0	3.56
0.600-0.300	0.450	12.4	5.58
0.300-0.150	0.225	49.4	11.12
0.150-0.075	0.1125	20.8	2.34
0.075 and below	0.0375	12.4	0.47
		100	25.55

$$d_m = \frac{25.55}{100} = 0.2555$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2555} = 0.89$$

4158

Table : 3 Tangri, Pier-1, Depth = 6.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	3.2	1.44
0.300-0.150	0.225	42.2	9.50
0.150-0.075	0.1125	42.0	4.73
0.075 and below	0.0375	12.6	0.47
		100	16.14

$$d_m = \frac{16.14}{100} = 0.1614$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1614} = 0.71$$

Table : 4 Tangri, Pier-1, Depth = 7.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.2	0.35
1.18-0.600	0.890	0.4	0.36
0.600-0.300	0.450	2.6	1.17
0.300-0.150	0.225	67.6	15.21
0.150-0.075	0.1125	25.2	2.84
0.075 and below	0.0375	4.0	0.15
		100	20.08

$$d_m = \frac{20.08}{100} = 0.2008$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2008} = 0.79$$

4159

Table : 5 Tangri, Pier-2, Depth = 2.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	32.6	29.01
0.600-0.300	0.450	15.6	7.02
0.300-0.150	0.225	12.8	2.88
0.150-0.075	0.1125	23.6	2.66
0.075 and below	0.0375	15.4	0.58
		100	42.15

$$d_m = \frac{42.15}{100} = 0.4215$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4215} = 1.14$$

Table : 6 Tangri, Pier-2, Depth = 2.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	0.4	0.18
0.300-0.150	0.225	52.8	11.88
0.150-0.075	0.1125	42.0	4.73
0.075 and below	0.0375	4.8	0.18
		100	16.97

$$d_m = \frac{16.97}{100} = 0.1697$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1697} = 0.73$$

Table : 7 Tangri, Pier-2, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
20-16	18.0	0.0	0.00
16-12.5	14.25	0.0	0.00
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.8	5.90
4.75-2.36	3.555	2.0	7.11
2.36-1.18	1.770	1.0	1.77
1.18-0.600	0.890	3.4	3.03
0.600-0.300	0.450	1.6	0.72
0.300-0.150	0.225	12.0	2.70
0.150-0.075	0.1125	37.8	4.25
0.075 and below	0.0375	41.4	1.55
		100	27.03

$$d_m = \frac{27.03}{100} = 0.2703$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2703} = 0.92$$

Table : 8 Tangri, Pier-2, Depth = 8.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	6.2	2.79
0.300-0.150	0.225	67.4	15.17
0.150-0.075	0.1125	25.0	2.81
0.075 and below	0.0375	1.4	0.05
		100	20.82

$$d_m = \frac{20.82}{100} = 0.2082$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2082} = 0.80$$

4161

Table : 9 Tangri, Pier-2, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	1.0	0.89
0.600-0.300	0.450	6.6	2.97
0.300-0.150	0.225	75.0	16.88
0.150-0.075	0.1125	15.4	1.73
0.075 and below	0.0375	2.0	0.08
		100	22.55

$$d_m = \frac{22.55}{100} = 0.84$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2255} = 0.84$$

Table : 10 Markanda Pier-1, Depth = 1.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	7.2	3.24
0.300-0.150	0.225	31.0	6.98
0.150-0.075	0.1125	57.8	6.50
0.075 and below	0.0375	4.0	0.15
		100	16.87

$$d_m = \frac{16.87}{100} = 0.1687$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1687} = 0.72$$

4162

Table : 11 Markanda Pier-1, Depth = 3.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	14.4	6.48
0.300-0.150	0.225	71.4	16.07
0.150-0.075	0.1125	12.0	1.35
0.075 and below	0.0375	2.2	0.08
		100	23.98

$$d_m = \frac{23.98}{100} = 0.2398$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2398} = 0.86$$

Table : 12 Markanda Pier-1, Depth = 5.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.6	4.60
1.18-0.600	0.890	2.0	1.78
0.600-0.300	0.450	16.0	7.20
0.300-0.150	0.225	64.8	14.58
0.150-0.075	0.1125	12.8	1.44
0.075 and below	0.0375	1.8	0.07
		100	29.67

$$d_m = \frac{29.67}{100} = 0.2967$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2967} = 0.96$$

4163

Table : 13 Markanda Pier-1, Depth = 7.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	1.6	5.69
2.36-1.18	1.770	7.8	13.81
1.18-0.600	0.890	3.0	2.67
0.600-0.300	0.450	9.6	4.32
0.300-0.150	0.225	56.6	12.74
0.150-0.075	0.1125	15.6	1.76
0.075 and below	0.0375	5.8	0.22
		100	41.21

$$d_m = \frac{41.21}{100} = 0.4121$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4121} = 1.13$$

Table : 14 Markanda Pier-3, Depth = 1.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	14.0	24.78
1.18-0.600	0.890	5.8	5.16
0.600-0.300	0.450	7.2	3.24
0.300-0.150	0.225	12.4	2.79
0.150-0.075	0.1125	30.6	3.44
0.075 and below	0.0375	30.0	1.13
		100	40.54

$$d_m = \frac{40.54}{100} = 0.4054$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4054} = 1.12$$

4161

Table : 15 Markanda Pier-3, Depth = 3.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	1.0	0.45
0.300-0.150	0.225	23.6	5.31
0.150-0.075	0.1125	59.4	6.68
0.075 and below	0.0375	16.0	0.60
		100	13.04

$$d_m = \frac{13.04}{100} = 0.1304$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1304} = 0.64$$

Table : 16 Markanda Pier-3, Depth = 5.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.4	4.25
1.18-0.600	0.890	4.6	4.09
0.600-0.300	0.450	17.2	7.74
0.300-0.150	0.225	55.4	12.47
0.150-0.075	0.1125	16.6	1.87
0.075 and below	0.0375	3.8	0.14
		100	30.56

$$d_m = \frac{30.56}{100} = 0.3056$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.3056} = 0.97$$

4165

Table : 17 Markanda Pier-3, Depth = 7.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.6	4.60
1.18-0.600	0.890	1.6	1.42
0.600-0.300	0.450	19.0	8.55
0.300-0.150	0.225	54.0	12.15
0.150-0.075	0.1125	16.8	1.89
0.075 and below	0.0375	6.0	0.23
		100	28.84

$$d_m = \frac{28.84}{100} = 0.2884$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2884} = 0.95$$

Table : 18 Yamuna Pier-3, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.1	0.09
0.600-0.300	0.450	24.0	10.80
0.300-0.150	0.225	68.4	15.39
0.150-0.075	0.1125	6.1	0.69
0.075 and below	0.0375	1.4	0.05
		100	27.02

$$d_m = \frac{27.02}{100} = 0.2702$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2702} = 0.92$$

Table : 19 Yamuna Pier-3, Depth = 4.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.2	1.18
0.600-0.300	0.450	28.4	12.78
0.300-0.150	0.225	59.0	13.28
0.150-0.075	0.1125	9.4	1.06
0.075 and below	0.0375	3.0	0.11
		100	27.41

$$d_m = \frac{27.41}{100} = 0.2741$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2741} = 0.92$$

Table : 20 Yamuna Pier-3, Depth = 6.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.8	0.71
0.600-0.300	0.450	12.8	5.76
0.300-0.150	0.225	30.8	6.93
0.150-0.075	0.1125	25.0	2.81
0.075 and below	0.0375	30.6	1.15
		100	17.36

$$d_m = \frac{17.36}{100} = 0.1736$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1736} = 0.73$$

4167

Table : 21 Yamuna Pier-3, Depth = 8.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	18.4	8.28
0.300-0.150	0.225	61.4	13.82
0.150-0.075	0.1125	15.2	1.71
0.075 and below	0.0375	5.0	0.19
		100	24.00

$$d_m = \frac{24.00}{100} = 0.2400$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2400} = 0.86$$

Table : 22 Yamuna Pier-3, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.6	0.53
0.600-0.300	0.450	27.2	12.24
0.300-0.150	0.225	58.6	13.19
0.150-0.075	0.1125	12.2	1.37
0.075 and below	0.0375	1.4	0.05
		100	27.38

$$d_m = \frac{27.38}{100} = 0.2738$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2738} = 0.92$$

4103

Table : 23 Yamuna Pier-5, Depth = 2.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.2	0.18
0.600-0.300	0.450	8.4	3.78
0.300-0.150	0.225	35.6	8.01
0.150-0.075	0.1125	31.8	3.58
0.075 and below	0.0375	24.0	0.90
		100	16.45

$$d_m = \frac{16.45}{100} = 0.1645$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1645} = 0.71$$

Table : 24 Yamuna Pier-5, Depth = 4.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	5.6	4.98
0.600-0.300	0.450	14.8	6.66
0.300-0.150	0.225	30.4	6.84
0.150-0.075	0.1125	38.0	4.28
0.075 and below	0.0375	11.2	0.42
		100	23.18

$$d_m = \frac{23.18}{100} = 0.2318$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2318} = 0.85$$

Table : 25 Yamuna Pier-5, Depth = 6.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.1	0.18
1.18-0.600	0.890	3.0	2.67
0.600-0.300	0.450	4.4	1.98
0.300-0.150	0.225	38.6	8.69
0.150-0.075	0.1125	35.0	3.94
0.075 and below	0.0375	18.9	0.71
		100	18.17

$$d_m = \frac{18.17}{100} = 0.1817$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1817} = 0.75$$

Table : 26 Yamuna Pier-5, Depth = 8.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.0
10-4.75	7.375	0.0	0.0
4.75-2.36	3.555	0.0	0.0
2.36-1.18	1.770	0.0	0.0
1.18-0.600	0.890	1.0	0.89
0.600-0.300	0.450	13.8	6.21
0.300-0.150	0.225	41.2	9.27
0.150-0.075	0.1125	34.0	3.83
0.075 and below	0.0375	10.0	0.38
		100	20.58

$$d_m = \frac{20.58}{100} = 0.2058$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2058} = 0.80$$


4170

Table : 27 Yamuna Pier-5, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	3.6	26.55
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	3.6	3.20
0.600-0.300	0.450	24.2	10.89
0.300-0.150	0.225	46.0	10.35
0.150-0.075	0.1125	18.6	2.09
0.075 and below	0.0375	4.0	0.15
		100	53.23

$$d_m = \frac{53.23}{100} = 0.5323$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.5323} = 1.28$$


 E. RAJIV K. GUPTA
 B.E. (CIVIL) (HONS.) (LIMIGS), MIE
 DIRECTOR CUM
 CONSULTING ENGINEER (GGGC)

4171

APPENDIX-C**MARKANDA RIVER**

Bore Hole No	Depth (m)	Sub-Starta	Silt Factor
BH-1(A2)	1.5	Sandy Silt	2.14
BH-2(P5)	1.5	Sandy Silt	2.07
BH-3(P4)	1.5	Fine Sand	2.25
BH-4(P3)	1.5	Fine Sand	2.05
BH-5(P2)	1.5	Fine Sand	2.26
BH-6(P1)	1.5	Silty Sand	1.9

4172

