



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF LIQUID LIMIT AND PLASTIC LIMIT


IS : 2720 (Part -5)

Client : DFCC  
 Project Name : G.I.For 3 Nos. Important Bridges  
 Type of Sample : SPT  
 Location : BH-4(Tangri River-Ambala)  
 Depth : 48.0m  
 Date Of Testing : 14.09.12  
 Sampled by : T.K.Das  
 Tested by : D.Mohanty

Number of Blows	31	30	20	18	Plastic Limit	
	E1	E2	E3	E4	E5	E6
Container No.	E1	E2	E3	E4	E5	E6
Container Weight (gm) (W1)	30.48	35.24	37.88	34.61	35.8	32.51
Container + Wt. of wet soil (gm) (W2)	93.87	105.69	108.01	115.69	98.15	91.75
Wt of Container + Wt. of oven dry soil (gm) (W3)	79.09	88.71	85.84	88.75	88.09	82.82
Wt. Of water (gm) (W2-W1)-(W3-W1)	14.78	16.98	22.17	26.94	10.06	8.93
Wt. of oven dry soil (gm) (W3-W1)	48.61	53.47	47.96	54.14	52.29	50.31
Moisture Content (%)= [(W2-W1)-(W3-W1)]/(W3-W1) X 100	<b>30.41</b>	<b>31.76</b>	<b>46.22</b>	<b>49.77</b>	<b>19.24</b>	<b>17.75</b>

### Result Summary

Liquid Limit (WL)	38	%
Plastic Limit (Wp)	18	%
Plasticity Index (Ip)	20	%



4602



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : UDS

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 0.5m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN Kerosin Oil $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	11.0	1.00	10	8	50%
2	10	11.0	1.00	10		
3	10	10.5	0.50	5		

Remarks:

Lab Manager

Checked By:

4603



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT  
Location : BH-4(Tangri River-Ambala)  
Depth : 4.5m  
Date Of Testing : 14.09.12  
Tested by : D.Mohanty  
Sampled by : T.K.Das  
Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSENE OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	11.5	1.50	15	8	50%
2	10	10.5	0.50	5		
3	10	10.5	0.50	5		

Remarks:

Lab Manager

Checked By:

4604



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : UDS

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 14.5m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN Kerosin Oil $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} \times 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	10.5	0.50	5	5	50%
2	10	10.5	0.50	5		
3	10	10.5	0.50	5		

Remarks:

Lab Manager

Checked By:

4605



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : UDS

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 17.5m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSIN OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	10.5	0.50	5	5	50%
2	10	10.5	0.50	5		
3	10	10.5	0.50	5		

Remarks:

Lab Manager

Checked By:

4606



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : SPT

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 21.0m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN Kerosin Oil $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	11.0	1.00	10	8	50%
2	10	11.0	1.00	10		
3	10	10.5	0.50	5		

Remarks:

Lab Manager

Checked By:

4607



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC  
 Project Name : G.I.For 3 Nos. Important Bridges Date Of Testing : 14.09.12  
 Type of Sample : UDS Tested by : D.Mohanty  
 Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
 Depth : 29.0m Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSENE OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	12	2.30	23	16	50%
2	10	11.5	1.50	15		
3	10	11.0	1.00	10		

Remarks:

Lab Manager

Checked By:

4608



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS  
Location : BH-4(Tangri River-Ambala)  
Depth : 32.0m  
Date Of Testing : 14.09.12  
Tested by : D.Mohanty  
Sampled by : T.K.Das  
Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSENE OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} \times 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	12.0	2.00	20	15	50%
2	10	11.5	1.50	15		
3	10	11.0	1.00	10		

Remarks:

Lab Manager

Checked By:

8004 4609





ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : SPT

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 39.0m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSENE OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} \times 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	12.5	2.50	25	17	50%
2	10	11.5	1.50	15		
3	10	11.0	1.00	10		

Remarks:

Lab Manager

Checked By:

4610



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT  
Location : BH-4(Tangri River-Ambala)  
Depth : 42.0m  
Date Of Testing : 14.09.12  
Tested by : D.Mohanty  
Sampled by : T.K.Das  
Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSIN OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} * 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	12.0	2.00	20	14	50%
2	10	11	1.20	12		
3	10	11.0	1.00	10		

Remarks:

Lab Manager

Checked By:

4611



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DIFFERENTIAL FREE SWELL INDEX OF SOIL (D.F.S.)

AS PER IS: 2720 (PART - 40)

Client : DFCC

Project Name : G.I.For 3 Nos. Important Bridges

Date Of Testing : 14.09.12

Type of Sample : SPT

Tested by : D.Mohanty

Location : BH-4(Tangri River-Ambala)

Sampled by : T.K.Das

Depth : 45.0m

Weight of Sample : 10gm

SAMPLE NO.	VOLUME IN KEROSENE OIL $V_k$	VOLUME IN WATER $V_d$	SWELL ( $V_d - V_k$ )	SWELL INDEX = $\frac{(V_d - V_k)}{V_k} \times 100$ (%)	AVERAGE SWELL %	SPECIFIC LIMIT
1	10	12.0	2.00	20	16	50%
2	10	12	1.80	18		
3	10	11.0	1.00	10		

Remarks:

Lab Manager

Checked By:

4612



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 0.5m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.11	
3	Weight of bottle with soil and water W3 in gm	137.38	
4	Weight of bottle full of water W4 in gm	133.91	
5	Weight of dry soil (W2-W1)in gm	5.59	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.12	
7	Specific Gravity G = (5) / (6)	2.64	

Lab Manager

Checked By

4613



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 1.5m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.82	
3	Weight of bottle with soil and water W3 in gm	137.57	
4	Weight of bottle full of water W4 in gm	134.27	
5	Weight of dry soil (W2-W1)in gm	5.30	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.00	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4614



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 4.5m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.06	
3	Weight of bottle with soil and water W3 in gm	136.81	
4	Weight of bottle full of water W4 in gm	133.36	
5	Weight of dry soil (W2-W1)in gm	5.54	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.09	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4615



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 9.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.91	
3	Weight of bottle with soil and water W3 in gm	138.07	
4	Weight of bottle full of water W4 in gm	134.71	
5	Weight of dry soil (W2-W1)in gm	5.39	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.03	
7	Specific Gravity G = (5) / (6)	2.66	

Lab Manager

Checked By

4616



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 14.5m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.43	
3	Weight of bottle with soil and water W3 in gm	137.61	
4	Weight of bottle full of water W4 in gm	133.93	
5	Weight of dry soil (W2-W1)in gm	5.91	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.23	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4617



**DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD  
AS PER IS : 2386 (Part -2)**

Client : DFCC  
 Project Name : G.I.For 3 Nos. Important Bridges  
 Type of Sample : SPT Date Of Testing : 13.09.12  
 Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
 Depth : 15.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.77	
3	Weight of bottle with soil and water W3 in gm	137.29	
4	Weight of bottle full of water W4 in gm	134.01	
5	Weight of dry soil (W2-W1)in gm	5.25	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	1.97	
7	Specific Gravity G = (5) / (6)	2.67	

Lab Manager

Checked By

4613



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 17.5m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.49	
3	Weight of bottle with soil and water W3 in gm	138.24	
4	Weight of bottle full of water W4 in gm	134.51	
5	Weight of dry soil (W2-W1)in gm	5.97	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.24	
7	Specific Gravity G = (5) / (6)	2.66	

Lab Manager

Checked By

4619



## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 19.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.43	
3	Weight of bottle with soil and water W3 in gm	137.41	
4	Weight of bottle full of water W4 in gm	133.73	
5	Weight of dry soil (W2-W1)in gm	5.91	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.23	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4620



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 24.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.44	
3	Weight of bottle with soil and water W3 in gm	138.56	
4	Weight of bottle full of water W4 in gm	134.87	
5	Weight of dry soil (W2-W1)in gm	5.92	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.23	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4621



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 29.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.97	
3	Weight of bottle with soil and water W3 in gm	137.53	
4	Weight of bottle full of water W4 in gm	134.11	
5	Weight of dry soil (W2-W1)in gm	5.45	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.03	
7	Specific Gravity G = (5) / (6)	2.68	

Lab Manager

Checked By

4622



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 30.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.22	
3	Weight of bottle with soil and water W3 in gm	137.28	
4	Weight of bottle full of water W4 in gm	133.71	
5	Weight of dry soil (W2-W1)in gm	5.70	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.13	
7	Specific Gravity G = (5) / (6)	2.68	

Lab Manager

Checked By

4623



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : UDS Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 32.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.86	
3	Weight of bottle with soil and water W3 in gm	137.28	
4	Weight of bottle full of water W4 in gm	133.93	
5	Weight of dry soil (W2-W1)in gm	5.34	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	1.99	
7	Specific Gravity G = (5) / (6)	2.69	

Lab Manager

Checked By

4634



**ARKITECHNO**  
GENERAL CONTRACTORS & ENGINEERS PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
 Project Name : G.I.For 3 Nos. Important Bridges  
 Type of Sample : SPT Date Of Testing : 13.09.12  
 Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
 Depth : 34.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.69	
3	Weight of bottle with soil and water W3 in gm	137.19	
4	Weight of bottle full of water W4 in gm	133.35	
5	Weight of dry soil (W2-W1)in gm	6.17	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.33	
7	Specific Gravity G = (5) / (6)	2.65	

Lab Manager

Checked By

4625





# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 39.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	36.74	
3	Weight of bottle with soil and water W3 in gm	137.67	
4	Weight of bottle full of water W4 in gm	134.40	
5	Weight of dry soil (W2-W1)in gm	5.22	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	1.95	
7	Specific Gravity G = (5) / (6)	2.68	

Lab Manager

Checked By

4626



# Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 42.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.10	
3	Weight of bottle with soil and water W3 in gm	137.37	
4	Weight of bottle full of water W4 in gm	133.86	
5	Weight of dry soil (W2-W1)in gm	5.58	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.07	
7	Specific Gravity G = (5) / (6)	2.70	

Lab Manager

Checked By

4627



ARKITECHNO  
CONSULTANTS (INDIA) PVT. LTD.

## Arki Techno Consultants (India) Pvt.Ltd

N 3/91, IRC Village, Bhubaneswar

### DETERMINATION OF SPECIFIC GRAVITY BY DENSITY BOTTLE METHOD AS PER IS : 2386 (Part -2)

Client : DFCC  
Project Name : G.I.For 3 Nos. Important Bridges  
Type of Sample : SPT Date Of Testing : 13.09.12  
Location : BH-4(Tangri River-Ambala) Sampled by : T.K.Das  
Depth : 48.0m Tested by : D.Mohanty

Sl. No.	Observations	1	Remarks
1	Weight of density bottle W1 in gm	31.52	
2	Weight of bottle with dry soil in W2 gm	37.26	
3	Weight of bottle with soil and water W3 in gm	138.11	
4	Weight of bottle full of water W4 in gm	134.51	
5	Weight of dry soil (W2-W1)in gm	5.74	
6	Weight of equal volume of water(W2 - W1) - (W3 - W4) in gm	2.14	
7	Specific Gravity G = (5) / (6)	2.68	

Lab Manager

Checked By

4628



# ARKI TECHNO CONSULTANTS (I) PVT. LTD.

N 3/91, IRC Village, Bhubaneswar

## DETERMINATION OF BULK DENSITY & MOISTURE CONTENT OF SOIL SAMPLE

Client :		DFCC													
Project Name :		G.I.For 3 Nos. Important Bridges													
Location :		BH-4(Tangri River-Ambala)													
Sl No.	BH No.	Depth in m	Type of Sample	Date of Testing	Weight of Container in gm	Diameter of Sample in cm	Length of Sample in cm	Volume of Sample in cc	Weight of Container + Wet Soil in gm	Weight of Container + Dry soil in gm	Weight of Dry soil in gm	Weight of water in gm	Moisture Content in %	Bulk Density in gm/cc	Dry Density in gm/cc
1		0.5	UDS	13.09.12	64.50	3.8	7	79.39	225.66	199.10	134.60	26.56	19.73	2.03	1.70
2		1.5	SPT	13.09.12	65.21	3.8	7	79.39	229.55	201.68	136.47	27.87	20.42	2.07	1.72
3		4.5	SPT	13.09.12	63.27	3.8	7	79.39	210.14	193.81	130.54	16.33	12.51	1.85	1.64
4		9.0	SPT	13.09.12	64.16	3.8	7	79.39	214.21	198.19	134.03	16.02	11.95	1.89	1.69
5		14.5	UDS	13.09.12	62.81	3.8	7	79.39	232.70	205.37	142.56	27.33	19.17	2.14	1.80
6		15.0	SPT	13.09.12	61.35	3.8	7	79.39	233.63	204.63	143.28	29.00	20.24	2.17	1.80
7		17.5	UDS	13.09.12	63.54	3.8	7	79.39	229.47	203.02	139.48	26.45	18.96	2.09	1.76
8		19.0	SPT	13.09.12	65.5	3.8	7	79.39	213.96	196.83	131.33	17.13	13.04	1.87	1.65
9		24.0	SPT	13.09.12	60.26	3.8	7	79.39	210.31	191.70	131.44	18.61	14.16	1.89	1.66
10		29.0	UDS	13.09.12	61.74	3.8	7	79.39	219.73	190.80	129.06	28.92	22.41	1.99	1.63
11		30.0	SPT	13.09.12	63.19	3.8	7	79.39	233.88	203.13	139.94	30.75	21.97	2.15	1.76
12		32.0	UDS	13.09.12	64.22	3.8	7	79.39	233.32	201.28	137.06	32.04	23.38	2.13	1.73
13		39.0	SPT	13.09.12	62.54	3.8	7	79.39	235.61	202.79	140.25	32.82	23.40	2.18	1.77
14		42.0	SPT	13.09.12	63.12	3.8	7	79.39	237.78	205.44	142.32	32.34	22.72	2.20	1.79
15		48.0	SPT	13.09.12	60.68	3.8	7	79.39	236.13	201.82	141.14	34.31	24.31	2.21	1.78

BH-4(Tangri Rivr-Ambala)

*Appendix -IV*

---

---

*(Test Results of Dr.Ghuman and Gupta Geotech  
Consultants)*



**DEDICATED FREIGHT CORRIDOR CORPORATION OF INDIA LIMITED**  
(A Govt. Of India Enterprise)  
Old Railway Colony (Near Anand Market), Ambala Cantt-133001.  
Telefax: 0171-2612412

No: UMB/EN/Tender/GI

Date: 27.12.2013

**M/S Arkitechno Consultants (India) Pvt. Ltd.**  
Plot No. N-3/91, IRC Village,  
Nayapalli, Bhubanswar-751015

**SUB: Conducting Geotechnical Investigation; preparation of GAD(General Arrangement Drawings), preparation of bill of quantities for 3 Nos. important bridges ( Namely on Yamuna River, Markanda River and Tangri River) between Talheri Buzurg- Sanewal section in c/w construction of Eastern Dedicated Freight Corridor.**

**Ref: This Office letter no. UMB/EN/Tender/GI Dated: 13.11.2013.**

In reference to above meeting between representative of DFCCIL and Arkitechno Consultants (India) Pvt. Ltd was held on dated 28.11.2013 in Chamber of Dy.CPM/Engg/DFCCIL, Ambala. It was decided jointly that sample from two new bore holes would be taken by Arkitechno Consultants (India) Pvt. Ltd. and these will be get tested from independent laboratory for verification of silt factor for all three rivers. The expenditure for the above testing will be born by Arkitechno Consultants (India) Pvt. Ltd.

Now samples have been taken by Arkitechno Consultants (India) Pvt. Ltd. These sample have been sent to Dr Ghuman & Gupta Geotech consultants Chandigarh for testing. The details of sample is given as below:-

1. Yamuna River-	Pier-3	5 nos
	Pier-5	5 Nos
2. Markanda River-	Pier-1	5 Nos
	Pier-3	5 Nos
3. Tangri River-	Pier-1	4 Nos
	Pier-2	4 Nos

The correspondence address of Dr Ghuman & Gupta Geotech Consultants, SCO-64-65, Basement, Sector-17A, Chandigarh (0172-2707211). So that testing can done early in the interest of work.

This information is being sent to you for further necessary action please.

**(Nehaluddin)**  
Asst. Project Manager  
DFCCIL, Ambala Cantt.

4631



**Dr. GHUMAN AND GUPTA GEOTECH CONSULTANTS**

Test House Headed By Dr. M. S. Ghuman  
Ph.D. (Geotechnical Engg.) Roorkee  
Ex. Prof. & Head of Civil Engg., Pb. Engineering College, Chd. cum  
Director, Technical Education (U.T.) Chandigarh

**Experts for :**

- \* Soil investigations for Buildings, Bridges, OHRs, Earth Dams, Irrigations Structures, Towers, Roads, Industrial Buildings etc.
- \* Evaluation of Dynamic Elastic Properties and Analysis of Machine Foundations and Soil Stabilization Problems.
- \* Plain Table Surveying, Levelling, Contouring and Demarcation.
- \* Physical and Chemical Testing of Cement, Chemical Analysis of Mortar and Concrete, Cube, Mix Design of Cement Concrete, Coarse and Fine Aggregates, Bricks, Marble, Kota Stone, Glazed Tiles, Terrazo Tiles, Water, Particle Board, Flush Door Shutters, G.I. Pipes, Barbed Wire, Coatings, Steel Sections, CBR, MDD and DBD of Compacted Earth, Non Destructive Concrete hammer test, Roof Deflection test, Highway Bitumionous Mix Design and Cement Concrete Pavements etc.

CHD 2707211 (O)  
CHD 2706465 (O)  
Telefax 4653641 (O)  
MOHALI4666081 (O)

E-mail : gggc\_laboratory@yahoo.co.in  
Office cum Laboratory  
S.C.O. 64 - 65 (Basement)  
Sector 17-A, Chandigarh  
&  
F-81, Phase VII,  
Industrial Focal Point, Mohali (Pb.)

Test House Approved by PUDA, PWSSB,  
\* PPHC, HPHC, MES, C-DOT, CPWD, LIC, AIRFORCE  
Airport Authority of India.

Ref.No.GGGC/D-5172/2013-2014

Dated : 06.02.2014

Assistant Project Manager/Engg-II,  
DFCCIL. Ambala Cantt.

**SUBJECT : DETERMINATION OF THE SILT FACTORS OF SOIL SAMPLES SUPPLIED IN LAB. FOR THREE RIVER NAMELY YAMUNA, MARKANDA AND TANGRI.**

Sample Particular : Twenty seven soil samples for the bridges of Yamuna, Markanda and Tangri were supplied in the laboratory for calculation of silt factors.

**TEST RESULTS**

Sr No.	Description of Samples	Depth	Silt Factors
1.	Tangri, Pier-1, Type Clay Silt	2.0 m	0.82
2.	Tangri, Pier-1, Type Silty Sand	4.0 m	0.89
3.	Tangri, Pier-1, Type Silty Sand	6.0 m	0.71
4.	Tangri, Pier-1, Type Fine Sand	7.0 m	0.79
5.	Tangri, Pier-2	2.0 m	1.14
6.	Tangri, Pier-2	2.0 m	0.73
7.	Tangri, Pier-2	4.0 m	0.92
8.	Tangri, Pier-2	8.0 m	0.80
9.	Tangri, Pier-2	10.0 m	0.84
10.	Markanda Pier-1, Type Fine Sand	1.0 m	0.72
11.	Markanda Pier-1, Type Fine Sand	3.0 m	0.86
12.	Markanda Pier-1, Type Fine Sand	5.0 m	0.96
13.	Markanda Pier-1, Type Fine Sand	7.0 m	1.13
14.	Markanda Pier-3, Type Silty Clay	1.0 m	1.12

Contd.2/p..

4632

A TEAM IN PURSUIT OF EXCELLENCE



## Dr. GHUMAN AND GUPTA GEOTECH CONSULTANTS

Test House Headed By Dr. M. S. Ghuman  
Ph.D. (Geotechnical Engg.) Roorkee  
Ex. Prof. & Head of Civil Engg., Pb. Engineering College, Chd. cum  
Director, Technical Education (U.T.) Chandigarh

### Experts for :

- \* Soil investigations for Buildings, Bridges, OHRs, Earth Dams, Irrigations Structures, Towers, Roads, Industrial Buildings etc.
- \* Evaluation of Dynamic Elastic Properties and Analysis of Machine Foundations and Soil Stabilization Problems.
- \* Plain Table Surveying, Levelling, Contouring and Demarcation.
- \* Physical and Chemical Testing of Cement, Chemical Analysis of Mortar and Concrete, Cube, Mix Design of Cement Concrete, Coarse and Fine Aggregates, Bricks, Marble, Kota Stone, Glazed Tiles, Terrazo Tiles, Water, Particle Board, Flush Door Shutters, G.I. Pipes, Barbed Wire, Coatings, Steel Sections, CBR, MDD and DBD of Compacted Earth, Non Destructive Concrete hammer test, Roof Deflection test, Highway Bitumionous Mix Design and Cement Concrete Pavements etc.

CHD 2707211 (O)  
CHD 2706465 (O)  
Telefax 4653641 (O)  
MOHALI 4666081 (O)

E-mail : gggc\_laboratory@yahoo.co.in  
Office cum Laboratory

S.C.O. 64 - 65 (Basement)  
Sector 17-A, Chandigarh


&  
F-81, Phase VII,  
Industrial Focal Point, Mohali (Pb.)

Test House Approved by PUDA, PWSSB,  
\* PPHC, HPHC, MES, C-DOT, CPWD, LIC, AIRFORCE  
Airport Authority of India.

..2..

### TEST RESULTS

Sr. No.	Description of Samples	Depth	Silt Factors
15.	Markanda Pier-3, Type Silty Clay	3.0 m	0.64
16.	Markanda Pier-3, Type Fine Sand	5.0 m	0.97
17.	Markanda Pier-3, Type Fine Sand	7.0 m	0.95
18.	Yamuna Pier-3, Type Fine Sand	2.0 m	0.92
19.	Yamuna Pier-3, Type Fine Sand	4.0 m	0.92
20.	Yamuna Pier-3, Type Fine Sand	6.0 m	0.73
21.	Yamuna Pier-3, Type Fine Sand	8.0 m	0.86
22.	Yamuna Pier-3, Type Fine Sand	10.0 m	0.92
23.	Yamuna Pier-5, Type Fine Sand	2.0 m	0.71
24.	Yamuna Pier-5, Type Fine Sand	4.0 m	0.85
25.	Yamuna Pier-5, Type Fine Sand	6.0 m	0.75
26.	Yamuna Pier-5, Type Fine Sand	8.0 m	0.80
27.	Yamuna Pier-5, Type Fine Sand	10.0 m	1.28

  
Er. RAJIV K. GUPTA,  
B.E. (CIVIL) (HONS.) (LMIGS), MIE  
DIRECTOR CUM  
CONSULTING ENGINEER (GGGC)

4633



Table : 1 Tangri, Pier-1, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	1.6	1.42
0.600-0.300	0.450	26.0	11.70
0.300-0.150	0.225	17.6	3.96
0.150-0.075	0.1125	35.8	4.03
0.075 and below	0.0375	19.0	0.71
		100	21.82

$$d_m = \frac{21.82}{100} = 0.2182$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2182} = 0.82$$

Table : 2 Tangri, Pier-1, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.4	1.42
2.36-1.18	1.770	0.6	1.06
1.18-0.600	0.890	4.0	3.56
0.600-0.300	0.450	12.4	5.58
0.300-0.150	0.225	49.4	11.12
0.150-0.075	0.1125	20.8	2.34
0.075 and below	0.0375	12.4	0.47
		100	25.55

$$d_m = \frac{25.55}{100} = 0.2555$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2555} = 0.89$$

4634

Table : 3 Tangri, Pier-1, Depth = 6.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	3.2	1.44
0.300-0.150	0.225	42.2	9.50
0.150-0.075	0.1125	42.0	4.73
0.075 and below	0.0375	12.6	0.47
		100	16.14

$$d_m = \frac{16.14}{100} = 0.1614$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1614} = 0.71$$

Table : 4 Tangri, Pier-1, Depth = 7.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.2	0.35
1.18-0.600	0.890	0.4	0.36
0.600-0.300	0.450	2.6	1.17
0.300-0.150	0.225	67.6	15.21
0.150-0.075	0.1125	25.2	2.84
0.075 and below	0.0375	4.0	0.15
		100	20.08

$$d_m = \frac{20.08}{100} = 0.2008$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2008} = 0.79$$

4635

Table : 5 Tangri, Pier-2, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	32.6	29.01
0.600-0.300	0.450	15.6	7.02
0.300-0.150	0.225	12.8	2.88
0.150-0.075	0.1125	23.6	2.66
0.075 and below	0.0375	15.4	0.58
		100	42.15

$$d_m = \frac{42.15}{100} = 0.4215$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4215} = 1.14$$

Table : 6 Tangri, Pier-2, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	0.4	0.18
0.300-0.150	0.225	52.8	11.88
0.150-0.075	0.1125	42.0	4.73
0.075 and below	0.0375	4.8	0.18
		100	16.97

$$d_m = \frac{16.97}{100} = 0.1697$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1697} = 0.73$$

Table : 7 Tangri, Pier-2, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
20-16	18.0	0.0	0.00
16-12.5	14.25	0.0	0.00
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.8	5.90
4.75-2.36	3.555	2.0	7.11
2.36-1.18	1.770	1.0	1.77
1.18-0.600	0.890	3.4	3.03
0.600-0.300	0.450	1.6	0.72
0.300-0.150	0.225	12.0	2.70
0.150-0.075	0.1125	37.8	4.25
0.075 and below	0.0375	41.4	1.55
		100	27.03

$$d_m = \frac{27.03}{100} = 0.2703$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2703} = 0.92$$

Table : 8 Tangri, Pier-2, Depth = 8.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	6.2	2.79
0.300-0.150	0.225	67.4	15.17
0.150-0.075	0.1125	25.0	2.81
0.075 and below	0.0375	1.4	0.05
		100	20.82

$$d_m = \frac{20.82}{100} = 0.2082$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2082} = 0.80$$

4637

Table : 9 Tangri, Pier-2, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	1.0	0.89
0.600-0.300	0.450	6.6	2.97
0.300-0.150	0.225	75.0	16.88
0.150-0.075	0.1125	15.4	1.73
0.075 and below	0.0375	2.0	0.08
		100	22.55

$$d_m = \frac{22.55}{100} = 0.84$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2255} = 0.84$$

Table : 10 Markanda Pier-1, Depth = 1.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	7.2	3.24
0.300-0.150	0.225	31.0	6.98
0.150-0.075	0.1125	57.8	6.50
0.075 and below	0.0375	4.0	0.15
		100	16.87

$$d_m = \frac{16.87}{100} = 0.1687$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1687} = 0.72$$

4633

Table : 11 Markanda Pier-1, Depth = 3.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	14.4	6.48
0.300-0.150	0.225	71.4	16.07
0.150-0.075	0.1125	12.0	1.35
0.075 and below	0.0375	2.2	0.08
		100	23.98

$$d_m = \frac{23.98}{100} = 0.2398$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2398} = 0.86$$

Table : 12 Markanda Pier-1, Depth = 5.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.6	4.60
1.18-0.600	0.890	2.0	1.78
0.600-0.300	0.450	16.0	7.20
0.300-0.150	0.225	64.8	14.58
0.150-0.075	0.1125	12.8	1.44
0.075 and below	0.0375	1.8	0.07
		100	29.67

$$d_m = \frac{29.67}{100} = 0.2967$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2967} = 0.96$$

4639

Table : 13 Markanda Pier-1, Depth = 7.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	1.6	5.69
2.36-1.18	1.770	7.8	13.81
1.18-0.600	0.890	3.0	2.67
0.600-0.300	0.450	9.6	4.32
0.300-0.150	0.225	56.6	12.74
0.150-0.075	0.1125	15.6	1.76
0.075 and below	0.0375	5.8	0.22
		100	41.21

$$d_m = \frac{41.21}{100} = 0.4121$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4121} = 1.13$$

Table : 14 Markanda Pier-3, Depth = 1.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	14.0	24.78
1.18-0.600	0.890	5.8	5.16
0.600-0.300	0.450	7.2	3.24
0.300-0.150	0.225	12.4	2.79
0.150-0.075	0.1125	30.6	3.44
0.075 and below	0.0375	30.0	1.13
		100	40.54

$$d_m = \frac{40.54}{100} = 0.4054$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.4054} = 1.12$$

4640

Table : 15 Markanda Pier-3, Depth = 3.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	1.0	0.45
0.300-0.150	0.225	23.6	5.31
0.150-0.075	0.1125	59.4	6.68
0.075 and below	0.0375	16.0	0.60
		100	13.04

$$d_m = \frac{13.04}{100} = 0.1304$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1304} = 0.64$$

Table : 16 Markanda Pier-3, Depth = 5.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.4	4.25
1.18-0.600	0.890	4.6	4.09
0.600-0.300	0.450	17.2	7.74
0.300-0.150	0.225	55.4	12.47
0.150-0.075	0.1125	16.6	1.87
0.075 and below	0.0375	3.8	0.14
		100	30.56

$$d_m = \frac{30.56}{100} = 0.3056$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.3056} = 0.97$$

0104 4641



Table : 17 Markanda Pier-3, Depth = 7.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	2.6	4.60
1.18-0.600	0.890	1.6	1.42
0.600-0.300	0.450	19.0	8.55
0.300-0.150	0.225	54.0	12.15
0.150-0.075	0.1125	16.8	1.89
0.075 and below	0.0375	6.0	0.23
		100	28.84

$$d_m = \frac{28.84}{100} = 0.2884$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2884} = 0.95$$

Table : 18 Yamuna Pier-3, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.1	0.09
0.600-0.300	0.450	24.0	10.80
0.300-0.150	0.225	68.4	15.39
0.150-0.075	0.1125	6.1	0.69
0.075 and below	0.0375	1.4	0.05
		100	27.02

$$d_m = \frac{27.02}{100} = 0.2702$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2702} = 0.92$$

4642

Table : 19 Yamuna Pier-3, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.2	1.18
0.600-0.300	0.450	28.4	12.78
0.300-0.150	0.225	59.0	13.28
0.150-0.075	0.1125	9.4	1.06
0.075 and below	0.0375	3.0	0.11
		100	27.41

$$d_m = \frac{27.41}{100} = 0.2741$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2741} = 0.92$$

Table : 20 Yamuna Pier-3, Depth = 6.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.8	0.71
0.600-0.300	0.450	12.8	5.76
0.300-0.150	0.225	30.8	6.93
0.150-0.075	0.1125	25.0	2.81
0.075 and below	0.0375	30.6	1.15
		100	17.36

$$d_m = \frac{17.36}{100} = 0.1736$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1736} = 0.73$$

Table : 21 Yamuna Pier-3, Depth = 8.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.0	0.00
0.600-0.300	0.450	18.4	8.28
0.300-0.150	0.225	61.4	13.82
0.150-0.075	0.1125	15.2	1.71
0.075 and below	0.0375	5.0	0.19
		100	24.00

$$d_m = \frac{24.00}{100} = 0.2400$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2400} = 0.86$$

Table : 22 Yamuna Pier-3, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.6	0.53
0.600-0.300	0.450	27.2	12.24
0.300-0.150	0.225	58.6	13.19
0.150-0.075	0.1125	12.2	1.37
0.075 and below	0.0375	1.4	0.05
		100	27.38

$$d_m = \frac{27.38}{100} = 0.2738$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2738} = 0.92$$

4644

Table : 23 Yamuna Pier-5, Depth = 2.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	0.2	0.18
0.600-0.300	0.450	8.4	3.78
0.300-0.150	0.225	35.6	8.01
0.150-0.075	0.1125	31.8	3.58
0.075 and below	0.0375	24.0	0.90
		100	16.45

$$d_m = \frac{16.45}{100} = 0.1645$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1645} = 0.71$$

Table : 24 Yamuna Pier-5, Depth = 4.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	5.6	4.98
0.600-0.300	0.450	14.8	6.66
0.300-0.150	0.225	30.4	6.84
0.150-0.075	0.1125	38.0	4.28
0.075 and below	0.0375	11.2	0.42
		100	23.18

$$d_m = \frac{23.18}{100} = 0.2318$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2318} = 0.85$$

4645

Table : 25 Yamuna Pier-5, Depth = 6.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	0.0	0.00
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.1	0.18
1.18-0.600	0.890	3.0	2.67
0.600-0.300	0.450	4.4	1.98
0.300-0.150	0.225	38.6	8.69
0.150-0.075	0.1125	35.0	3.94
0.075 and below	0.0375	18.9	0.71
		100	18.17

$$d_m = \frac{18.17}{100} = 0.1817$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.1817} = 0.75$$

Table : 26 Yamuna Pier-5, Depth = 8.0 m

Size size (mm) (1)	Avge. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.0
10-4.75	7.375	0.0	0.0
4.75-2.36	3.555	0.0	0.0
2.36-1.18	1.770	0.0	0.0
1.18-0.600	0.890	1.0	0.89
0.600-0.300	0.450	13.8	6.21
0.300-0.150	0.225	41.2	9.27
0.150-0.075	0.1125	34.0	3.83
0.075 and below	0.0375	10.0	0.38
		100	20.58

$$d_m = \frac{20.58}{100} = 0.2058$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.2058} = 0.80$$

4646

Table : 27 Yamuna Pier-5, Depth = 10.0 m

Size size (mm) (1)	Avg. Sieve Size (mm) (2)	%age Weight retained on lower sieve size (3)	Product of columns (2 & 3)
12.5-10	11.25	0.0	0.00
10-4.75	7.375	3.6	26.55
4.75-2.36	3.555	0.0	0.00
2.36-1.18	1.770	0.0	0.00
1.18-0.600	0.890	3.6	3.20
0.600-0.300	0.450	24.2	10.89
0.300-0.150	0.225	46.0	10.35
0.150-0.075	0.1125	18.6	2.09
0.075 and below	0.0375	4.0	0.15
		100	53.23

$$d_m = \frac{53.23}{100} = 0.5323$$

$$\text{Silt Factor} = f = 1.76 \sqrt{d_m} = 1.76 \sqrt{0.5323} = 1.28$$



E. RAJIV K. GUPTA  
B.E. (CIVIL) (HONS.) (LIMIGS), MIE  
DIRECTOR CUM  
CONSULTING ENGINEER (GGGC)

4647

**APPENDIX-D****TANGRI RIVER**

<b>Bore Hole No</b>	<b>Depth (m)</b>	<b>Sub-Starta</b>	<b>Silt Factor</b>
BH-1	1.5	Clayey Silt	0.64
BH-2	3.0	Sandy Silt	1.85
BH-3	1.5	Sandy Silt	2.04
BH-4	1.5	Clayey Silt	0.97

## APPENDIX-E


**ARKITECHNO**  
CONSULTANTS (INDIA) PVT. LTD.
**Arki Techno Consultants (India ) Pvt. Ltd**  
**N 3/91, IRC Village, Bhubaneswar**
**GRAIN SIZE ANALYSIS OF SOIL WITH SILT FACTOR**  
**(AS PER IS 2720, P- 4 & IRC 5 )**

Client: DFCC  
 Project Name: G.I For 3nos Important Bridges  
 Type of Sample: SPT Date of Testing : 12.09.12  
 Location: BH-1(Tangri River-Aharanpur) Sampled by : T. K. Das  
 Depth: 1.5m Tested by : K.C Sahoo

Weight of oven dried sample before washing (gm) :- 100  
 Weight of oven dried sample after washing (gm) :- 6.39143137

Sieve Size mm	Individual Weight Retained in gm.	Individual Wt. Retained In %	Cummulative Wt Retained In %	Cummulative Wt Passing In %	Average size of Particle in mm	Column 3 X Column 6
1	2	3	4	5	6	7
4.75	0.00	0.00	0.00	100.00	2.38	0.00
2.00	2.13	2.13	2.13	97.87	3.38	7.19
0.425	1.53	1.53	3.66	96.34	1.21	1.86
0.075	2.01	2.01	5.67	94.33	0.25	0.50
Pan	0.72	94.33	100.00	0.00	0.0375	3.54
Wash Loss	93.609					
Total	100					

Gravel Content (%)= 0.00 Sand Content (%) 5.67 Silt and clay % 94.33

Weighted mean dia of Particle ( $d_{sm}$ ) = 0.13 Silt Factor  $1.76 \times \text{sqrt}(d_{sm}) = 0.64$

Remarks :-

Lab Manager

Checked By

4649



