



डेडीकेटेड फ्रेट कोरीडोर

डेडीकेटेड फ्रेट कोरीडोर कार्पोरेशन ऑफ़ इंडिया लि.
Dedicated Freight Corridor Corporation of India Limited

(भारत सरकार का उपक्रम) (A Govt. of India Enterprises)

5th Floor, Supreme Court Metro Station Building Complex, New Delhi -110001

No. HQ/HR0RECT(REMP)/6/2023-HR-RECTC
(Computer No-11490)

Dated: 31.07.2024


ADDENDUM-01

On Advt. No.19/2024

In partial modification of Para '3' and Para-No. 4 (V) of the above-referred Advertisement, the walk-in-interview for re-employment of retired Indian Railway employees from Civil Department will also be held on 23.08.2024 (Friday) at the Noida Unit of DFCCIL. The eligibility criteria for the retired employees who can apply and attend the walk-in interview is mentioned as under:

SN	Department	Location of walk-in-interview	Eligibility of Retired Railway employees who can apply and attend the said walk-in-interview.	Requirement is specifically for below mentioned Unit of DFCCIL												
1	Civil	DFCCIL/ Noida Unit	Below mentioned retired Indian Railways Employees of Civil Engg Department retired from respective level can apply and attend the Walk-in-interview <table border="1"><thead><tr><th>Post</th><th>Level</th></tr></thead><tbody><tr><td>Trolley man</td><td>CDA Level- 02-06</td></tr><tr><td>P. Way Supervisor</td><td>CDA Level-07</td></tr><tr><td>Aluminum Thermit/ Welder</td><td>CDA Level- 02-06</td></tr><tr><td>Mate</td><td>CDA Level- 02-06</td></tr><tr><td>SSE/Works</td><td>CDA Level- 05-07</td></tr></tbody></table>	Post	Level	Trolley man	CDA Level- 02-06	P. Way Supervisor	CDA Level-07	Aluminum Thermit/ Welder	CDA Level- 02-06	Mate	CDA Level- 02-06	SSE/Works	CDA Level- 05-07	Noida Unit
Post	Level															
Trolley man	CDA Level- 02-06															
P. Way Supervisor	CDA Level-07															
Aluminum Thermit/ Welder	CDA Level- 02-06															
Mate	CDA Level- 02-06															
SSE/Works	CDA Level- 05-07															

The rest of the contents of the above Advertisement will remain unchanged.


(RS Rawat)
AGM/HR