



डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लिमिटेड

(भारत सरकार का उपक्रम)

मानस नगर, रेलवे कालोनी, पं. दीन दयाल उपाध्याय नगर (मुगलसराय)

चन्दौली – 232101, उत्तर प्रदेश

Mobile: +917897412000, Email: cpmmgs@gmail.com / ajitmishra@dfcc.co.in

Amendment No. 2 Dated 30.05.2020

Tender Notice No. MGS/EN/RFO/SSM/295/2020 **DATE:** 01.05.2020

Name of Work: Construction of Rail Flyover and its approaches on Viaducts, Formation in Embankments/Cuttings including blanketing, Supply and Spreading of Ballast and related works for single track electrified railway line on Item-Rate Basis for Sasaram- Ara line of E.C. Railway connecting Sasaram Yard with Ara Line over IR and DFC tracks and related works in East Central Railway in the state of Bihar in India.

Tenderers are notified about following changes in the Tender Document of above captioned tender:

S. No.	Reference in Original Tender Document		Amendment in the Tender Document
	Part/Chapter/Clause/Para No.	Page No.	
1	Part I, Chapter I, Sub Clause 1.1.1 (Notice Inviting E-Tender)	6 of 238	Delete the existing description against Performance Bank Guarantee and replace as under: Performance Guarantee (PG) have to be submitted within 21 (twenty one) days from the date of issue of Letter of Acceptance (LOA), amounting to 5% of the contract value in the form as given in clause 16.4 of GCC
2	Part I, Chapter II (General Information / Data Sheet)	11 of 238	Delete the existing description against Performance Bank Guarantee and replace as under: Performance Guarantee (PG) have to be submitted within 21 (twenty one) days from the date of issue of Letter of Acceptance (LOA), amounting to 5% of the contract value in the form as given in clause 16.4 of GCC
3	Part I, Chapter III, Sub Clause 1.3.13. (ii) (Preamble & General Instructions to Tenderers)	31 of 238	Delete the existing Para (c) (i) and replace as under: Similar nature of work physically completed within the qualifying period, i.e. last 05 (five) financial year and current financial year (even though the work might have commenced before the qualifying period) shall only be considered in evaluating the eligibility.

4	Part I, Chapter IV, Sub Clause 17-A (General Conditions of Contract)	45 of 238	Re-numerate third para under Sub-Clause 17-A as (ii) instead of (i).
5	Part I, Chapter IV, Sub Clause 46.(1) (General Conditions of Contract)	59 of 238	Delete the existing first para under Sub-Clause 46.(1) and replace as under: "On-Account" Payments:- The Contractor shall be entitled to be paid from time to time by way of "On-Account" payment only for such works as in the opinion of the Engineer he has executed in terms of the contract.
6	Part II, Chapter V SCC Sub Clause 2.5.52.10 (Technical Specifications)	163 of 238	Add following at the end of first para: The details of site facilities to be provided by contractor for Employer and Engineer has been provided in Part III Chapter VIII of Tender Document
7	Part IV, Chapter II, Form 2 (Tender Forms)	190 of 238	Delete the existing items at S. No. 1 and replace as under: For technical experience/competence, give details of similar completed works during the last 05 (five) financial years (i.e. current Financial year and three previous Financial Years) in the proforma given in Form-2A
8	Part III (Additional technical Specifications)	-	Add a new Chapter VIII in Part III at the end of Chapter VII as under: PART III Chapter VIII SITE FACILITIES 3.8 SITE FACILITIES FOR THE EMPLOYER AND THE ENGINEER Site facilities for the Employer and the Engineer will be provided by the Contractor. The provision for the site facilities provided in D & B Contract is reproduced below: 3.8.1 GENERAL

		<p>3.8.1.1 Site Office Requirements</p> <p>The Contractor shall construct, equip or provide and furnish the site offices for the Employer's and Engineer's use within 90 days after the commencement date. The Contractor shall also maintain the site offices in good conditions and provide services including, but not limited to maintenance of the office equipment and furniture, repairing and mending, cleaning, consumable replenishment in respect of toiletries, cartridges for the plotter and colour laser writers, first aid box, batteries / battery cells, drinking water etc. Details of the Engineer's site office including provisional site offices are described in the following paragraphs.</p> <p>All furniture, furnishings, fittings & fixture and equipment etc. shall be of the configuration, make and quality as consented by the Engineer.</p> <p>Contractor can also provide the site office by hiring an existing building subjected to the requirement of the area specified in 3.8.1.2 (2) below with the approval of Engineer.</p> <p>3.8.1.2 Engineer's Site Offices</p> <p>(1) The area surrounding the office shall be well drained and provided with concreted pavements, walkways and parking areas for the vehicles.</p> <p>(2) The main office buildings shall be of sound design and of the material as approved by the Engineer, complying with national building codes. The office shall be weatherproof, lined inside with plywood, and painted internally and externally. Floors shall be tiled and floor to ceiling height shall be as approved by the Engineer. Each room having an internal wall shall have at least one screened window. The office building shall have two external lockable doors with screened storm doors. Electricity supply and receptacles shall be provided in various locations appropriate to the usage of the rooms. Rooms shall be well lighted, appropriate HVAC systems with temperature control and other necessary building services as described in the National Building Code of India.</p> <table border="1" data-bbox="719 1711 1493 2045"> <thead> <tr> <th colspan="2">Room and Designation</th> <th>Min. Area (m²)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Employer</td> <td></td> </tr> <tr> <td>i.</td> <td>General Manager Office</td> <td>40</td> </tr> <tr> <td>B</td> <td>Engineer</td> <td></td> </tr> <tr> <td>i.</td> <td>Project Manager</td> <td rowspan="3">80</td> </tr> <tr> <td>ii.</td> <td>Senior Engineers/ Jr. Engrs./</td> </tr> <tr> <td>iii.</td> <td>Administration Office/ Filling Room/ Store/ Drivers /Lobby/Display/ Kitchenette/</td> </tr> </tbody> </table>	Room and Designation		Min. Area (m ²)	A	Employer		i.	General Manager Office	40	B	Engineer		i.	Project Manager	80	ii.	Senior Engineers/ Jr. Engrs./	iii.	Administration Office/ Filling Room/ Store/ Drivers /Lobby/Display/ Kitchenette/
Room and Designation		Min. Area (m ²)																			
A	Employer																				
i.	General Manager Office	40																			
B	Engineer																				
i.	Project Manager	80																			
ii.	Senior Engineers/ Jr. Engrs./																				
iii.	Administration Office/ Filling Room/ Store/ Drivers /Lobby/Display/ Kitchenette/																				

				Total	120																																																								
			<p>(3) Site office shall be provided for Engineer/Employer. The location of site office will be decided with the approval of Engineer.</p> <p>Engineer's Site Offices shall be furnished as referred to the following parameters and the design shall be submitted to the Engineer for review.</p> <p>Note :</p> <p>Changes in the area to be provided for various subheads under B can be made as per the requirement of the Engineer keeping the overall area as 120 sqm</p>																																																										
			<table border="1"> <thead> <tr> <th>Fixture/ Furnishing</th> <th>No. of Items</th> </tr> </thead> <tbody> <tr> <td>Executive desk (lockable) with drawer and chair</td> <td>2</td> </tr> <tr> <td>Desk (lockable) with drawer and chair</td> <td>10</td> </tr> <tr> <td>Side Table</td> <td>2</td> </tr> <tr> <td>Additional chairs</td> <td>10</td> </tr> <tr> <td>Plan table, adjustable w/ lamp & stool</td> <td>1</td> </tr> <tr> <td>Drawing Cabinets</td> <td>2</td> </tr> <tr> <td>Filing cabinet (4 drawer-lockable)</td> <td>3</td> </tr> <tr> <td>Steel cabinet (lockable)</td> <td>2</td> </tr> <tr> <td>Office safe (combination lock)</td> <td>1</td> </tr> <tr> <td>Book cabinet (glass fronted)</td> <td>1</td> </tr> <tr> <td>Wall shelving (set)</td> <td>2</td> </tr> <tr> <td>Window curtains (set)</td> <td>as one thinks fit</td> </tr> <tr> <td>Internet Connection & telephone communication</td> <td>Suitable</td> </tr> <tr> <td>Fire extinguisher</td> <td>as per applicable code</td> </tr> <tr> <td>Wastepaper can</td> <td>25</td> </tr> <tr> <td>Color LaserWriter (FAX/Copier)</td> <td>1</td> </tr> <tr> <td>Plotter</td> <td>1</td> </tr> <tr> <td>Display boards (wall type)</td> <td>2</td> </tr> <tr> <td>First aid box</td> <td>3</td> </tr> <tr> <td>Refrigerator</td> <td>1</td> </tr> <tr> <td>Crockery/ cutlery set</td> <td>2 sets</td> </tr> <tr> <td>Hot and cold drinking water dispenser</td> <td>1</td> </tr> <tr> <td>Sink unit with worktops and geyser</td> <td>1</td> </tr> <tr> <td>Lavatories with water closet</td> <td>3</td> </tr> <tr> <td>Urinals with flush</td> <td>3</td> </tr> <tr> <td>Wall mirror</td> <td>3</td> </tr> <tr> <td>Safety helmets (various sizes)</td> <td>20</td> </tr> </tbody> </table>			Fixture/ Furnishing	No. of Items	Executive desk (lockable) with drawer and chair	2	Desk (lockable) with drawer and chair	10	Side Table	2	Additional chairs	10	Plan table, adjustable w/ lamp & stool	1	Drawing Cabinets	2	Filing cabinet (4 drawer-lockable)	3	Steel cabinet (lockable)	2	Office safe (combination lock)	1	Book cabinet (glass fronted)	1	Wall shelving (set)	2	Window curtains (set)	as one thinks fit	Internet Connection & telephone communication	Suitable	Fire extinguisher	as per applicable code	Wastepaper can	25	Color LaserWriter (FAX/Copier)	1	Plotter	1	Display boards (wall type)	2	First aid box	3	Refrigerator	1	Crockery/ cutlery set	2 sets	Hot and cold drinking water dispenser	1	Sink unit with worktops and geyser	1	Lavatories with water closet	3	Urinals with flush	3	Wall mirror	3	Safety helmets (various sizes)	20
Fixture/ Furnishing	No. of Items																																																												
Executive desk (lockable) with drawer and chair	2																																																												
Desk (lockable) with drawer and chair	10																																																												
Side Table	2																																																												
Additional chairs	10																																																												
Plan table, adjustable w/ lamp & stool	1																																																												
Drawing Cabinets	2																																																												
Filing cabinet (4 drawer-lockable)	3																																																												
Steel cabinet (lockable)	2																																																												
Office safe (combination lock)	1																																																												
Book cabinet (glass fronted)	1																																																												
Wall shelving (set)	2																																																												
Window curtains (set)	as one thinks fit																																																												
Internet Connection & telephone communication	Suitable																																																												
Fire extinguisher	as per applicable code																																																												
Wastepaper can	25																																																												
Color LaserWriter (FAX/Copier)	1																																																												
Plotter	1																																																												
Display boards (wall type)	2																																																												
First aid box	3																																																												
Refrigerator	1																																																												
Crockery/ cutlery set	2 sets																																																												
Hot and cold drinking water dispenser	1																																																												
Sink unit with worktops and geyser	1																																																												
Lavatories with water closet	3																																																												
Urinals with flush	3																																																												
Wall mirror	3																																																												
Safety helmets (various sizes)	20																																																												

			<table border="1"> <tr> <td>Rain coats (various sizes)</td> <td>10</td> </tr> <tr> <td>Industrial safety goggles</td> <td>10</td> </tr> <tr> <td>Pair safety boots (various sizes)</td> <td>20</td> </tr> <tr> <td>Wall clock</td> <td>2</td> </tr> <tr> <td>Lockers</td> <td>15</td> </tr> <tr> <td>Safety High Glow Jackets</td> <td>20</td> </tr> <tr> <td>Safety Harness (full body)</td> <td>10</td> </tr> <tr> <td>Sanitizer, hand gloves, masks etc</td> <td>Suitable</td> </tr> </table>	Rain coats (various sizes)	10	Industrial safety goggles	10	Pair safety boots (various sizes)	20	Wall clock	2	Lockers	15	Safety High Glow Jackets	20	Safety Harness (full body)	10	Sanitizer, hand gloves, masks etc	Suitable
Rain coats (various sizes)	10																		
Industrial safety goggles	10																		
Pair safety boots (various sizes)	20																		
Wall clock	2																		
Lockers	15																		
Safety High Glow Jackets	20																		
Safety Harness (full body)	10																		
Sanitizer, hand gloves, masks etc	Suitable																		
			<p>(4) The Contractor shall provide for the exclusive use of the Employer at all times during the Contract all such experienced chainmen, two office attendants, watchmen, instruments, apparatus and protective clothing as required.</p> <p>(5) Plumbing fixtures shall be standard types made out of porcelain or stainless steel and all pipe work and fittings shall be polyvinyl chloride (PVC). All works, materials and fixtures shall comply with the national plumbing code, sanitary engineering standards, and other applicable regulations.</p> <p>(6) The equipment and furniture to be provided are listed in Table at the end of this Appendix. The equipment and furnitures shall be of suitable make/Brand, model, type, size and capacity.</p> <p>3.8.2 Contractor shall provide hard covered sheds sufficient for Engineer's/ Engineer's visitors' vehicles.</p> <p>3.8.3 REST AREAS</p> <p>Annexed to each main site office there shall be a rest area with a 15 sqm for and including basic overnight stay and facilities including air-conditioning, beds and bedding and all other appropriate items. Each rest area shall have WCs/ showers.</p> <p>3.8.4 GENERAL REQUIREMENTS</p> <p>Materials used for the construction of the offices shall be of good quality and finish. Materials shall be chosen such that the buildings when erected shall give good heat and sound insulation. Both external and internal walls shall be sound proof.</p> <p>All buildings shall be supplied with continuous (24 hour) running potable water to the kitchens and wash rooms. The toilets may use raw water for flushing, shall be equipped with water closets and sitting type stools and shall be adequately ventilated. The Contractor shall also arrange for the constant and hygienic disposal of all effluent, sewage and rubbish from the buildings. Storage tanks will be required due to restricted water supply at most locations.</p>																



डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लिमिटेड

(भारत सरकार का उपक्रम)

मानस नगर, रेलवे कालोनी, पं. दीन दयाल उपाध्याय नगर (मुगलसराय)

चन्दौली – 232101, उत्तर प्रदेश

Mobile: +917897412000, Email: cpmmgs@gmail.com / ajitmishra@dfcc.co.in

		<p>All buildings shall be supplied with electricity at 220 voltage and 50 Hz that shall be distributed to each room in accordance with the regulations. Lighting and electrical power points shall be provided in each room. A back up generator is required to be provided to meet the full power load in case of power disruption.</p> <p>Fire fighting equipment shall be provided in accordance with the recommendations of the local fire brigade station.</p> <p>The Contractor shall supply the new furniture and equipment to the Engineer's offices in the manner required by the Engineer. Given below is the indicative list of items required for Engineer's office in the main and satellite subsidiary compounds.</p> <p>The office accommodation shall be retained until the expiry of the Defects Notification Period unless otherwise instructed to the contrary by the Engineer.</p> <p>3.8.5 FIXTURES AND FURNISHINGS IN ENGINEER'S SITE OFFICE</p> <p>Prior to commencing the erection of the Employer's / Engineer's accommodation the Contractor shall obtain the consent of the Employer to the accommodation, including layout, equipping, electrification plan and furnishings proposed by the Contractor.</p> <p>The Contractor shall make such reasonable amendments to the layout and furnishings as the Employer / Engineer may request.</p> <p>Unless otherwise permitted by the Engineer, the Contractor shall complete the accommodation and provide all equipment and furnishing in sufficient time to allow the Engineer to occupy the offices prior to the commencement of excavation or any Permanent Works.</p> <p>The accommodation shall be maintained in a clean, stable and secure condition and shall be cleaned at least daily.</p> <p>Equipment provided for the use of the Engineer shall be maintained in a clean and serviceable condition and all consumables shall be replenished when required.</p> <p>Measuring and testing equipment shall be calibrated before they are used and at regular intervals to which the Engineer has given his consent.</p> <p>Survey equipment shall be maintained by the service agent and shall be regularly checked but the overall responsibility shall rest with the Contractor.</p> <p>Equivalent replacements shall be provided for equipment which are not in working order or otherwise are not in a serviceable condition or are being repaired or serviced.</p>
--	--	--



डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लिमिटेड

(भारत सरकार का उपक्रम)

मानस नगर, रेलवे कालोनी, पं. दीन दयाल उपाध्याय नगर (मुगलसराय)
चन्दौली – 232101, उत्तर प्रदेश

Mobile: +917897412000, Email: cpmmgs@gmail.com / ajitmishra@dfcc.co.in

			The consent of the Engineer shall be obtained before accommodation or equipments are removed.
9	Part V Drawings, Clause 5.1 S.No.-1 GAD-RFO	237 of 238	Explanation to Pile Diameter: The pile diameter shown in GAD as 1000 mm is indicative. The pile of diameter 1200 mm as mentioned in the Schedule B-II of Financial Bid for designed length shall be provided. Please see the Revised Drawing Nos. MGS/EN/GAD-SSM RFO/552/2019/R1 (Sheet 1) in place of Drawing Nos. MGS/EN/GAD-SSM RFO/552/2019 (Sheet 1 to 3)
10	Part V Drawings, Clause 5.1 Reference Drawings	237 of 238	Following Reference Drawings are uploaded on websites www.dfccil.com and www.tenderwizard.com/dfccil : 1. 1. GAD of RDSO-Open Web Girder 76.2 M clear span, Drg. NO. RDSO/B-17183/R 2. GAD of RDSO-Composite Girder 24.4 M clear span Drg. No. RDSO/B-11751/R1 3. GAD of RDSO-Composite Girder 30.5 M clear span Drg. No. RDSO/B-11754/R1
11	Part V Drawings, Clause 5.2 Plan and Profile (Sheet 1 and 2)	237 of 238	Explanation to span over canal at Ch 5+000: It is clarified that the proposed span of bridge over canal and canal road at Ch 5+000 is 2x30.5m composite girder, as provided in financial bid. The typographical error regrading 45.7 m clear span shall be ignored. Please see the Revised Drawing Nos. MGS/EN/SSM RFO/P&P/R1 (Sheet 1 and Sheet 2)

All other Terms & Conditions in the original Tenderer remains same. Tenderers are advise to visit websites www.dfccil.com and www.tenderwizard.com/dfccil for details.

Yours Sincerely,

(Ajit Kumar Mishra)
General Manager, DFCCIL
Pt Deen Dayal Upadhyay Nagar
(Mugalsarai)