

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

GM/DFCCIL/AJMER acting for and on behalf of The President of India invites E-Tenders against Tender No **All-EN-RUBCoverShed-165B** Closing Date/Time 15/06/2022 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

Contractors are allowed to make payments against this tender towards tender document cost and earnest money only through only payment modes available on IREPS portal like net banking, debit card, credit card etc. Manual payments through Demand draft, Banker cheque, Deposit receipts, FDR etc. are not allowed.

1. NIT HEADER

Name of Work	Providing Cover Sheds on miscellaneous balance RUBs/FOBs and other structure in Bhinwalia Station(Excluding) to Iqbalgarh Station(Including) Section of WDFC under CGM All Unit		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Two Packet System
Tender Closing Date Time	15/06/2022 15:00	Date Time Of Uploading Tender	21/05/2022 12:34
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	380527920.48	Tendering Section	WORKS
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	2052600.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	18 Months
Contract Type	Works	Contract Category	Expenditure
Bidding Start Date	01/06/2022	Are Joint Venture (JV) firms allowed to bid	Yes
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule A-CPWD SOR 2018							370612976.80	
1	Please see Item Breakup for details.				199569.30	AT Par	199569.30	
	Description:- 2.8 Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.							
2	Please see Item Breakup for details.				35448.66	AT Par	35448.66	
	Description:- 2.9 Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m.							
3	2 25	501.00	cum	219.65	110044.65	AT Par	110044.65	
	Description:- Filling available excavated earth (excluding rock) trenches, plinth, sides of foundations etc. in layers not exceeding 20c in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.							
4	Please see Item Breakup for details.				3239555.50	AT Par	3239555.50	
	Description:- 4.6 precast cement concrete in kerbs, edgings etc. as per approved pattern and setting in position with cement mortar 1:3 (1 Cement : 3 coarse sand), including the cost of required centering, shuttering complete.							
5	415	80.00	cum	6259.10	500728.00	AT Par	500728.00	
	Description:- 4.1.5 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources)							
6	Please see Item Breakup for details.				2338629.75	AT Par	2338629.75	
	Description:- 5.1 Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:							
7	Please see Item Breakup for details.				440947.80	AT Par	440947.80	
	Description:- 5.9 Centering and shuttering including strutting, propping etc. and removal of form for							
8	Please see Item Breakup for details.				1075062.50	AT Par	1075062.50	
	Description:- 5.22 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.							

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

9	Please see Item Breakup for details.			264372898.90	AT Par	264372898.90	
	Description:- 10.16 Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.						
10	102	903890.00	Kg	101.75	91970807.50	AT Par	91970807.50
	Description:- 10.2 Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.						
11	1019	172258.00	Kg	83.85	14443833.30	AT Par	14443833.30
	Description:- 10.19 Providing & fixing mild steel round holding down bolts with nut & washer plate complete						
12	1020	36460.00	Kg	128.45	4683287.00	AT Par	4683287.00
	Description:- 10.20 Providing and fixing bolts including nuts and washers complete.						
13	Please see Item Breakup for details.			930160.20	AT Par	930160.20	
	Description:- 10.27 Providing and fixing carbon steel galvanised(min coating 5micron) dash fastener of 10mm dia double threaded 6.8 grade(yield strength 480N/mm2) counter sunk head,comprising of 10mm dia polymide PA6grade sleeve including drilling of hole in frame , concrete /masonry etc as per direction of Engineer-in-charge.						
14	1250	85079.00	Sqm	627.55	53391326.45	AT Par	53391326.45
	Description:- 12.50 Providing and fixing precoated galvanised iron profile sheets (size,shape and pitch of corrugation as approved by Engineer-in-charge)0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.						
15	Please see Item Breakup for details.			8149720.00	AT Par	8149720.00	
	Description:- 13.44 Finishing wall water proofing cement paint of required shade						
16	Please see Item Breakup for details.			5788332.55	AT Par	5788332.55	
	Description:- 13.61 Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :						
17	1611	6884.00	Sqm	730.20	5026696.80	AT Par	5026696.80
	Description:- 16.11 Dry stone pitching 22.5cm thick incg supply of stones and preparing surface complete						
18	1650	1080.00	Each Sample	2481.60	2680128.00	AT Par	2680128.00
	Description:- 16.50 Providing and fixing Glow studs of size 100x20 mm made of heavy duty body shall be moulded ASA (Acrylic styrene Acryloretrite) or HIP (High impact polystyrene) or ABS having electronically welded micro- prismatic lens with abrasion resistant coating as approved by Engineer in charge. The glow stud shall support a load of 13635 kg tested in accordance with ASTM D4280. The slope of retro- reflective surface shall be 35 (+/-5) degrees to base .The reflective panels on both sides with at least 12 cm of reflective area up each side. The luminance intensity should be as per the specification and shall be tested as described in ASTM I: 809 as recommended in BS: 873 part 4 : 1973. The studs shall be fixed to the Road surface using the adhesive conforming to IS, as per procedure recommended by the manufacturer complete and as per direction of Engineer-in-charge.						
19	1662	860.00	Sqm	607.30	522278.00	AT Par	522278.00
	Description:- 16.62 Providing and applying 2.5 mm thick road marking strips (retroreflective) of specified shade/ colour using hot thermoplastic material by fully/ semi automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and accordance with applicable specifications						
20	1693	542.00	Sqm	2525.35	1368739.70	AT Par	1368739.70
	Description:- 16.93 Providing and placing in position 100 mm thick factory made machine batched & machine mixed Precast RCC Rectangular Covers on drains of footpath of various sizes, of M-25 grade cement concrete for RCC work, including cost of centering, shuttering, reinforcement of 8 mm dia TMT bars of Fe 500 grade @ maximum 100mm c/c on both ways , neat cement punning on finished surface, properly encased on all edges with 1.6 mm thick , 100 mm wide MS sheet duly painted over priming coat , reinforcement to be welded at edges with MS sheet and providing 2 Nos. 12 mm dia bar for hooks etc i/c cost of cartage, all leads & lift, handling at site etc. all complete as per direction of Engineer-in-Charge.						
21	ch23	7.00	Numbers	400000.00	2800000.00	AT Par	2800000.00
	Description:- Rain water Harvesting & Tubewells(As per DSR-2018 Chapter 23)						

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

22	Please see Item Breakup for details.				8576647.50	AT Par	8576647.50
	Description:- 26.35 Providing and injecting approved grout in proportion recommended by the manufacturer into cracks/honey-comb area of concrete/ masonry by suitable gun/pump at required pressure including cutting of nipples after curing etc. complete as per directions of Engineer-in Charge.(The payment shall be made on the basis of actual weight of approved grout injected.)						
23	Misc DSR	1.00	Numbers	2500000.00	2500000.00	AT Par	2500000.00
	Description:- Misc SOR items to complete the work(Lumpsum)						
24	24	1.00	Numbers	-118786210.52	-118786210.52	AT Par	-118786210.52
	Description:- Rate reduced by 25% as per NWR LETTER DATED 06.03.2020						
25	CostIndex	1.00	Job	14254345.26	14254345.26	AT Par	14254345.26
	Description:- Add cost index 4% as the work is executed in Ajmer region						

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule B-NS Item							9914943.68	
1	NS1	16048.00	Each	212.16	3404743.68	AT Par	3404743.68	
	Description:- Proving hole in harden concrete surface by drilling machine up to dia 30mm including all labour ,machinery and material cost							
2	NS2	18.00	Vehicle-Month	55900.00	1006200.00	AT Par	1006200.00	
	Description:- Hiring and operating of multi-utility vehicle(open) mahindra bolero camper or similar with loading capacity of 4/6 persons, 4 cylinder engine, axle configuration 4*2, factory built metal body cargo box type or passengercabin type or both(with 24*7 hours availability along with driver),including cost of fuel, lubricats,all repairs,salary of driver,all taxes excluding GST including running ip to 3000km in a month.The Vehicle shall run on pucca kutcha roadand along the track .Toll tax ,interstate tax /state entry tax /octoroi tax ,parking charges on tour will be reimbursed agter having submitted the proof. The vehicle shall not be more than two years old.							
3	NS3	2400.00	Sqm	2260.00	5424000.00	AT Par	5424000.00	
	Description:- NS3 Finish walls with hand painting							
4	NS4	10.00	Numbers	8000.00	80000.00	AT Par	80000.00	
	Description:- NS 4 Convex Mirror for Blind Curve (Circular polycarbonate mirror size 800mm)							

3. ITEM BREAKUP

Schedule	Schedule A-CPWD SOR 2018					
Item- 1	2.8 Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	281	All kinds of soil.	cum	791.00	252.30	199569.30
					Total	199569.30
Item- 2	2.9 Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	291	Ordinary rock	cum	79.10	448.15	35448.66
					Total	35448.66
Item- 4	4.6 precast cement concrete in kerbs, edgings etc. as per approved pattern and setting in positionwith cement mortar 1:3 (1 Cement : 3 coarse sand), including the costof required centering, shuttering complete.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	461	1:1½:3 (1 Cement: 1½ coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size).	cum	430.00	7533.85	3239555.50
					Total	3239555.50

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

Item- 6	5.1 Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	512	1:1.5:3 (1 cement: 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	303.00	7718.25	2338629.75
					Total	2338629.75
Item- 7	5.9 Centering and shuttering including strutting, propping etc. and removal of form for					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	591	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	1548.00	284.85	440947.80
					Total	440947.80
Item- 8	5.22 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	5226	5.22.6 Thermo-Mechanically Treated bars of grade Fe-500D or more	Kg	12875.00	83.50	1075062.50
					Total	1075062.50
Item- 9	10.16 Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	10161	10.16.1 Hot finished welded type tubes	Kg	1842962.00	143.45	264372898.90
					Total	264372898.90
Item- 13	10.27 Providing and fixing carbon steel galvanised(min coating 5micron) dash fastener of 10mm dia double threaded 6.8 grade(yield strength 480N/mm2) counter sunk head,comprising of 10mm dia polymide PA6grade sleeve including drilling of hole in frame , concrete /masonry etc as per direction of Engineer-in-charge.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	10274	10*140 mm	Each Sample	1876.00	145.65	273239.40
2	10275	10.27.5 10*160 mm	Each Sample	3672.00	178.90	656920.80
					Total	930160.20
Item- 15	13.44 Finishing wall water proofing cement paint of required shade					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	13441	13.44.1 New work(Two or more coats applied at 3.84kg/Sqm	Sqm	89312.00	91.25	8149720.00
					Total	8149720.00
Item- 16	13.61 Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	13611	13.61.1 Two or more coats on new work	Sqm	47621.00	121.55	5788332.55
					Total	5788332.55
Item- 22	26.35 Providing and injecting approved grout in proportion recommended by the manufacturer into cracks/honey-comb area of concrete/ masonry by suitable gun/pump at required pressure including cutting of nipples after curing etc. complete as per directions of Engineer-in Charge.(The payment shall be made on the basis of actual weight of approved grout injected.)					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	26353	26.35.3 Epoxy injection grout in concrete/RCC work of approved make	Kg	10825.00	792.30	8576647.50

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

	Total	8576647.50
--	--------------	-------------------

4. ELIGIBILITY CONDITIONS

Important : All documents uploaded and remarks / confirmation entered by the bidders against any eligibility condition shall be opened as part of technical bid only

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have Successfully or Substantially* completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works, each costing not less than the amount equal to 30% of advertised value of the tender, OR Two similar works, each costing not less than the amount equal to 40% of advertised value of the tender, OR One similar work, each costing not less than the amount equal to 60% of advertised value of the tender. Note: "The similar nature of work is defined is "Any Civil Engineering Work involving at least 500 MT of Structural Steel Work of Supply, Fabrication, Erection & its Welding".	No	No	Allowed (Mandatory)

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of 1.5 V/N crores; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB of GCC APRIL-2022, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Note : Client certificate from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India. As per Clause No. 10.2 of Tender Form (second Sheet) of Annex. I of Part-I of GCC APRIL-2022, with up to date correction slip.	No	No	Allowed (Mandatory)

5. COMPLIANCE

Important : All documents uploaded and remarks / confirmation entered by the bidders against any compliance condition shall be opened as part of technical bid only.

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

6. Documents attached with tender

S.No.	Document Name	Document Description
1	TechnicalBidMJND-PNUN.pdf	Technical Bid
2	FinancialBidMJND-PNUN.pdf	Financial Bid

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

**WDFC FIELD UNIT-AJMER-CIVIL/WDFC
TENDER DOCUMENT**

Tender No: All-EN-RUBCoverShed-165B

Closing Date/Time: 15/06/2022 15:00

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: VIPIN PARIHAR

Designation : DYPMHQ