Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

CGM/DFCCIL/AHMEDABAD acting for and on behalf of The President of India invites E-Tenders against Tender No **DFC-ADI-SNT-02-2025-26** Closing Date/Time 01/09/2025 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

	Repairing, Refixing/Replacement & Maintenance of Signaling and					
Name of Work	Telecommunication Gears/Equipment, Hiring of Manpower and other related work					
Manie of Work		npur - New Ghumasan Section of	Western Dedicated			
	Freight Corridor (WDFC) und	der CGM/ DFCCIL Ahmedabad.				
Bidding type	Normal Tender					
Tender Type	Open	Bidding System	Single Packet System			
Tender Closing Date Time	01/09/2025 15:00	Date Time Of Uploading Tender	07/08/2025 13:06			
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable			
Advertised Value	52318139.00	Tendering Section	SNTMTCE			
Bidding Style	Single Rate for Each	Bidding Unit				
bluding Style	Schedule	bluding offic				
Earnest Money (Rs.)	411600.00	Validity of Offer (Days)	60			
Tender Doc. Cost (Rs.)	11800.00	Period of Completion	24 Months			
Contract Type	Works - General	Contract Category	Expenditure			
Bidding Start Date	18/08/2025					
Are JV allowed to bid		Number of JV Member Allowed				
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0			
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Revenue			

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit		
	Schedule () A-Schedule-A - Need based S&T work items to be executed "as & 15109403.00 Below/Par									
	1	2120.00	cum	235.00	498200.00	AT Par	498200.00			
1	Description:- Digging of 1.2 mtr deep and 0.3 mtr wide trenches in all type of soils, including sof rock as per approved cable route plan and back filling the trench after laying of cables. It include clearing of roots of trees and bushes and temporary obstructions on the selected cable route ramming of soil. The item includes covering of laid cables by sieved soil. Where digging of 1.2 mt depth is not possible or depth is reduced/increased as per instructions given by engineer incharge then payment will be decreased/increased proportionately to the depth of trench. Note: Cable trenching between Station Limit (i.e. from Distant to Distant Signals) should be done at distance of 3.0 mtrs (minimum) from centre line of track and Outside Station Limit, cable trenching will be done at distance of 5.5 mtrs (minimum) from centre line of track. If above mentioned minimum distance are not available at site then trenching will be done by contractor as per instructions issued by Site Engineer.									
	2	9800.00	Running Metre	/ ()()	68600.00	AT Par	68600.00			
2	Description:- Laying of S&T cables of various cores/pairs/quads in trenches/GI Pipes/RCC ducts /DWC/HDPE Pipes/Trunking etc, laying of OFC ducts in trenches as per site requirement and as pe approved cable route plan. It also includes laying of cables in track crossing and road crossing. I includes placing of half cut DWC pipes, pre-fabricated ducts and DWC pipes. It also includes provision							and as per crossing. It les provision r to give the s (main and ggering test tor and site h have been		
	3	1960.00	Per Conductor	9 00	17640.00	AT Par	17640.00			

3	Description:- Termination of Outdoor Cables (Main Cables / Tail Cables) at both ends in location boxes, cable termination rack in relay room, station building, other room etc. The item includes dressing of cables and wires with dressing threads as per standard practice. All tools required for this termination will be supplied by contractor. The outdoor cable shall be terminated in Relay Room, other Room, ASM Room, Location boxes etc under supervision and instructions issued by Engr. incharge of the work.
	4 1500.00 Metre 1169.00 1753500.00 AT Par 1753500.00
4	Description:- All work pertaining to horizontal directional drilling (HDD)/Boring and trenchless cabling. It includes supply, transportation and self-lubricated HDPE pipe and laying of cables in boring under the track/road by using different sizes of pipes depending on total number of cables will be crossed. The depth of horizontal boring should be minimum 1.2 mtr from rail flange/road level. This item will be used for track crossing of running lines. By using self-lubricated HDPE pipe of 120mm outer dia and 103.5mm inner dia in the bore and laying of cables in the bore under the track/road. The ground level shall be considered ignoring the bank height of the bank of the road. Contractor shall provide all the material required for work and adequate nos of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable.
	5 20.00 Numbers 9301.00 186020.00 AT Par 186020.00
5	Description:- Supply, preparation, splicing and installation of straight joint for 06 fibers along with enclosures with heat shrinkable splice protection sleeve as per TEC Specn. G/OJC-02/01 March 99 or latest. Splice losses in no case should be more than 0.1dB. The Joint Enclosures shall be of Make -Raychem/Comscope/3M or better
	6 20.00 Numbers 11327.00 226540.00 AT Par 226540.00
6	Description:- Supply, preparation, splicing and installation of straight joint for 12 fibers along with enclosures with heat shrinkable splice protection sleeve as per TEC Specn. G/OJC-02/01 March 99 or latest. Splice losses in no case should be more than 0.1dB. The Joint Enclosures shall be of Make -Raychem/Com scope/3M or better
	7 100.00 Numbers 13988.00 1398800.00 AT Par 1398800.00
7	Description:- Supply, preparation, splicing and installation of straight joint for 24 fibers along with enclosures with heat shrinkable splice protection sleeve as per TEC Specn. G/OJC-02/01 March 99 or latest, Splice losses in no case should be more than 0.1 dB. The Joint Enclosures shall be of Make -
	Raychem/Comscope/3M or better 8 100.00 Numbers 15331.00 1533100.00 AT Par 1533100.00
8	Description:- Supply, preparation, splicing and installation of straight joint for 48 fibers along with enclosures with heat shrinkable splice protection sleeve as per TEC Specn. G/OJC-02/01 March-99 or latest. Splice losses in no case should be more than 0.1 dB. The Joint Enclosures shall be of Make - Raychem/Comscope/3M or better
	9 1000.00 Metre 1467.00 1467000.00 AT Par 1467000.00
9	Description:- Manual horizontal auger boring for crossing of road/track at depth of 1.2 m from ground level/bottom of rail flange including insertion of 100mm dia (with thickness 3.65mm) DWC pipes/coupling etc. all complete as per the directions of Engineer- in-charge.
	10 5.00 Kilometre 62242.00 311210.00 AT Par 311210.00
10	Description:- Supply of HDPE duct 40/33 mm as per RDSO/SPN/TC/45/2013/Rev. 2.0 with latest amendments as available. For each KM of HDPE duct following items are to be supplied. a) end plugs - 2 nos, b) Cable sealing plugs - 2 nos, c) Plastic couplers slip fit/push fit type - 2 nos, d) End plugs to be provided along with drum - 02 nos.
1	11 5.00 Kilometre 6635.00 33175.00 AT Par 33175.00
11	Description:- Transportation and laying of HDPE pipe as per approved cable route plan in the excavated trench, taking due care while transporting and laying the same in the trenched or other protective works. Both the end of duct should be sealed with end plugs before laying and should remain sealed till blowing is done.
	12 6.00 Kilometre 85681.00 514086.00 AT Par 514086.00
12	Description:- Supply of 48 Fiber Armoured Optical Fiber Cable as per RDSO spec no IRS:TC 55 /2006 Amend 3 or latest
13	13 6.00 Kilometre 72322.00 433932.00 AT Par 433932.00 Description:- Supply of 24 Fiber Armoured Optical Fiber Cable as per RDSO spec no IRS:TC 55/2006
	Amend 3 or latest.
14	14 5.00 Kilometre 10524.00 52620.00 AT Par 52620.00 Description:- Blowing/drawing of OFC cables in the HDPE duct along with all the protective work as
	per approved standard and instructions of site Engineer.
	15 100.00 Numbers 877.00 87700.00 AT Par 87700.00
15	Description:- Supply of Patch cord of the following lengths with LC-FC, LC-SC, SC-SC, FC-FC, LC-LC, FC-SC as per RDSO specification RDSO/SPN TC/69-2007 Rev. 1 or latest. (Length of patch cords & connector may be varying as per site conditions). (i) 1.5 to 10.0 meter lengths

Page 2 of 8 Run Date/Time: 07/08/2025 13:06:46

Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

	16 100.00 Numbers 4696.00 469600.00 AT Par 469600.00
16	Description:- Supply of Pastorate prefabricated OFC jointing pits (RCC/PVC) of size 06mx0.8mx1m.
	The material shall be supplied as per engineer in charge instructions. 17
17	Description:- Installation of Pastorate pre-fabricated OFC jointing pits (RCC/PVC) of size
	0.6mx0.8x1m. The material shall be supplied as per engineer in charge instructions.
	18 80.00 Numbers 4150.00 332000.00 AT Par 332000.00
18	Description:- Supply, preparation, Jointing and installation of 4/6 quad/Signaling cable with Heat Shrinkable straight through Jointing Kit. All the material required for the work are to be arranged by the contractor himself at his own cost except thermo shrinkable Joint kit/Rapid Joint Kit for quad cable (for straight joining) as per RDSO spec IRS/TC77/2012 Amend 3 or latest. After joining the cable through test such as insulation test, continuity cable losses etc., to be carried out jointly with DFCCIL
	Site incharge. If any defect or damages observed during jointing, the contractor has to redo the joint free of cost.
	19 3000.00 Numbers 11.00 33000.00 AT Par 33000.00
19	Description:- Supply of Non deteriorating type, Round head type, glass fuse as per Spec No IRS: S-78/2006 with latest amendments 0.6A/1A/2A/4A/6A/ 8A/ 10A rating capacity.
	20 22.00 cum 3572.00 78584.00 AT Par 78584.00
20	Description:- Cement concrete work for miscellaneous items in ratio 1:3:6. Item includes excavation, ramming of CC by using vibrator, curing and plastering with cement and sand mixture (Aggregate will not exceed beyond 3.8cm). The aggregate cement and sand will be supplied by the contractor.
	21 22.00 cum 1747.00 38434.00 AT Par 38434.00
21	Description:- Providing brick masonry in ratio 1:6 cement and mortar including plastering with 1:4 cement and sand mixture both side of bricks with thickness 20mm each end with contractors own 'B' class bricks. It also includes excavation, curing, grouting, bolting etc. wherever required. 'B' class Brick, sand and cement (ISI mark) will be be supplied by the contractor.
	22 20.00 Numbers 2993.00 59860.00 AT Par 59860.00
22	Description:- Shifting of existing full location boxes coming in obstruction. The work includes losing & removal of soil around location boxes by excavating soil around foundation, making of pit for shifting of location box horizontally. This includes loosing of existing cable coils without any damage. The excavated soil shall be back filled after shifting of Location Boxes. Location box shall be shifted by push method with the help of jacks or by crane by contractors own expenditure under instructions of engineer in-charge at site. The work may affect train working hence the work shall be done as per margin only or during traffic block only.
	23 20.00 Numbers 2192.00 43840.00 AT Par 43840.00
23	Description:- Shifting of existing half location boxes coming in obstruction. The work includes losing & removal of soil around location boxes by excavating soil around foundation, making of pit for shifting of location box horizontally opposite to railway. This includes loosing of existing cable coils without any damage. The excavated soil shall be back filled after shifting of Location Boxes. Location box shall be shifted by push method with the help of jacks or by crane by contractors own expenditure under instructions of engineer in-charge at site. The work may affect train working hence the work shall be done as per margin only or during traffic block only.
	24 20.00 Numbers 927.00 18540.00 AT Par 18540.00
24	Description:- Replacement of old signal unit /signal route of main signal. This would include releasing of old unit from top of signal post, erection and mounting of new signal unit over the post including wiring of Main Signal LED/Signal route of main signal as per Technical Specification.
25	25 20.00 Numbers 9179.00 183580.00 AT Par 183580.00 Description:- Excavation and Casting of foundation for main signal post as per 6-AL-TYP-CW-8003, rev 3 with contractor's own materials including cement and anchor bolts of standard size. The required scaffolding Ferma etc for Casting of foundation will have to be brought by the contractor at his own cost.
	26 10.00 Numbers 6520.00 65200.00 AT Par 65200.00
26	Description:- Excavation and Casting of foundation for Shunt Signal with Contractor's own materials including Cement and Anchor Bolts of Standard Size. The required scaffolding, Ferma etc for Casting of foundation will have to be brought by the Contractor at his own cost.
27	27 20.00 Numbers 3143.00 62860.00 AT Par 62860.00 Description:- Installation, erection and wiring of CLS unit, Post, Ladder & Base, LED unit. Wiring of CLS unit shall be carried out as per Technical Specification. This also includes Protection of unit from RainWater. The Material shall be supplied by DFCCIL.
	28 10.00 Numbers 864.00 8640.00 AT Par 8640.00
28	Description:- Installation, erection and wiring of Junction Type/ "V" Type Route Indicator (LED Type)/Seven Segment Route display Unit. Wiring shall be carried out as per Technical Specification. This also includes Protection of unit from RainWater. The Material shall be supplied by DFCCIL.
	29 10.00 Numbers 1024.00 10240.00 AT Par 10240.00
	· · · · · · · · · · · · · · · · · · ·

Page 3 of 8 Run Date/Time: 07/08/2025 13:06:46

Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

29	Description:- Installation, erection of Shunt Signal Units with base & post. and laying out of tail cable from location box and Wiring of Shunt Signal LED unit as per Technical Specification. This also includes Protection of unit from RainWater. The Material shall be supplied by DFCCIL.
	30 20.00 Numbers 9874.00 197480.00 AT Par 197480.00
30	Description:- Installation of NE type Full apparatus case and casting of CC foundation in the ratio of 1:3:6 for NE type apparatus case as per drawing using std. size holding down bolts. Item include excavation, ramming, curing and plastering with1:4 cement and sand mixture. This includes filling up of hollow space in the foundation both sand and top surface, plastering. (Aggregate not exceeding 3.8 cm) Plastering should be done to level the surface on all sides upto 75 mm below the ground level after the cable is taken inside the apparatus case. Aggregate, sand, holding down bolts and cement to be supplied by the contractors. This includes supply and fixing of telephone sockets, location lamp
	holder and making arrangement for padlocking of location boxes.
31	Description:- Installation of NE type Half apparatus case and casting of CC foundation in the ratio of 1:3:6 for NE type apparatus case as per drawing using std. size holding down bolts. Item include excavation, ramming, curing and plastering with1:4 cement and sand mixtures. This includes filling up of hollow space in the foundation both sand and top surface, plastering. (Aggregate not exceeding 3.8 cm) Plastering should be done to level the surface on all sides upto 75 mm below the ground level after the cable is taken inside the apparatus case. Aggregate, sand, holding down bolts and cement to be supplied by the contractors. This includes supply and fixing of telephone sockets, location lamp holder and making arrangement for padlocking of location boxes.
	32 800.00 Numbers 439.00 351200.00 AT Par 351200.00
32	Description:- Transferring of Signaling/Telecom cables from existing Location box to New Location box. The work include breaking/ Dismantling of Existing foundation of locations, excavating and removing / segregating coils of 2C/6C/12C/19C/ 24C/30C/Quad cables which may be about 10mtrs. in length. These cables are to be disconnected and removed from the existing location one by one as per the instruction and under the supervision of Railway staff present at site. The cable is then to be inserted and terminated in new location. The item includes neatly dressing of cable, making wiring tree etc. The material required to dressing /lacing will be arrange by contactor. The work is required to be done systematically and with due precaution during the block or disconnection within the time that may be allowed. The excavation work to be done carefully without damaging the cable to avoid undue failure. Note: Proportionate payment will be made if cable of other length. One No unit = One cable of 10 m length)
	33 650.00 Numbers 136.00 88400.00 AT Par 88400.00
33	Description:- Supply & installation of Plastic cover for four aspect signal unit/Shunt signal/V type/ Numerical route indicator cover opened from front side and bottom side and made of black polythene sheet of 100micron thickness, of suitable size. On back side 75MM wide corner to cover diagonal cross mark of silver color of 100micron thickness to be provided. To tie up cover with signal unit suitable nylon rope of 5mm dia and 4meter length to be provided on front side and of 1.5 mtr length at center. Note: (1) Sample must be approved from DFCCIL representative before bulk supply. (2) Dimensions are approximate to the extent of tolerance by +/-5% (Inspection by Consignee)
	34 150.00 Numbers 1806.00 270900.00 AT Par 270900.00
34	Description:- Demounting and Replacement of Wheel Sensor (Track Device) of Multi-Section Digital Axle Counter (MSDAC) including disconnection and reconnection of tail cable at TLJB This Includes complete removal of Wheel Sensor [mounted on the rail) along with the tail cable under the rail. The Contractor shall ensure the proper alignment of the Wheel Sensor at the time of mounting the new Wheel Sensor. Wheel sensor shall be supplied by DFCCIL. The Contractor shall bring the new wheel sensor from station/ IMD/ IMSD to site and shall take the old / released wheel sensor from site to station/ IMD/ IMSD. The work shall be completed as per OEM's guidelines and Technical Requirement & Specification under the supervision of DFC site incharge.
	35 10.00 Set 7924.00 79240.00 AT Par 79240.00
35	Description:- Dismantling of existing point fittings, drilling of holes in stock rail/tongue rail/ gauge tie plate, re arrangement and refixing of existing electrical detector and re-fixing of point ground connections including smithy job for welding & termination & wiring of point machine, if required, adjustment, if required and testing as per technical specification and as per instructions of DFCCIL incharge. Drilling can be carried out manually or by using drilling machine as per the site requirement. Drilling machine/manual drilling shall be arranged by the contractor on his own.
36	36 40.00 Numbers 201.00 8040.00 AT Par 8040.00
50	Description:- Supply of M.S Pin of 24-25 mm dia for IRS Point machine 220mm throw.
37	37 176.00 Numbers 700.00 123200.00 AT Par 123200.00
	Description:- Refiling of Fire extinguisher- Co2 type 4.5kg
38	38 30.00 Numbers 1904.00 57120.00 AT Par 57120.00 Description:- Rectification of out of plump apparatus case Single Type
	39 30.00 Numbers 1523.00 45690.00 AT Par 45690.00
39	Description:- Rectification of out of plump apparatus case Half Type
29	Description:- Recuircation of our of plump apparatus case nair Type

Page 4 of 8 Run Date/Time: 07/08/2025 13:06:46

Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

Page 5 of 8 Run Date/Time: 07/08/2025 13:06:46

Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

Sched	ule () C-Execution of S&T Maintenance activitie	26598816.00	Above/ Below/Par					
	Please see Item Breakup for details.	8243544.00	AT Par	8243544.00				
52	Description:- Execution of maintenance activities of electrically operated point machine as per Maintenance Schedule (Annexure-D)							
	Please see Item Breakup for details.	18355272.00	AT Par	18355272.00				
53	Description:- Execution of Maintenance Activity of MSDAC, Color Light signal, Cables Location Boxes etc. as per Maintenance Schedule (Annexure-D)							
	,							

3. ITEM BREAKUP

		ght signal, Unit	Cables Lo	cation Boxe	es etc. as per Amount			
I		Execution of Maintenance Activity of MSDAC, Color Light signal, Cables Location Boxes etc. as per Maintenance Schedule (Annexure-D)						
]		Month		Total	8243544.00			
2	Junction Station	Per Station per	48.00	113266.00	5436768.0			
1	Crossing Station	Per Station per Month	72.00	38983.00	2806776.0			
Item No	Description of Item	Unit	Qty	Rate	Amount			
		erated poir	nt machine	e as per Mai	ntenance			
Schedu	ule C-Execution of S&T Maintenance activities of	n monthly	/ basis					
	different Maintenance Activities as per Annexure-A. (Educational Qualification and Experience Requirement As per Annexure-B).			Total	10609920.0			
1	Skilled at Z class station) to carry out		11520.00	921.00	10609920.00			
Item No	Description of Item	Unit	Qty	Rate	Amount			
Schedu	ule B-Provision of MTS/Helper							
•				Total	1098902.00			
5	Point Machine with ground connections complete (Point Machine with Black Enamel only outside and ground connections with Red oxide).	Numbers	322.00	249.00	80178.0			
4	base as per standard practice		102.00	359.00	36618.0			
3	Main Signal Post with Signal units, Surface base and complete fittings as per standard practice.	Numbers	426.00	793.00	337818.00			
2			544.00		276896.0			
	Annaratus Case Full Size (Outside & Inside)	Numhers	712.00	516.00	367392.0			
brillian Item	t white and yellow) will be as per (IS 5660 of 19 Description of Item	970)/(IS 29 Unit	932 of 197 Qty	4) Rate	Amount			
Paints/	Nerolac/ Dulux/Berger. The primer/enamel pai	nts (Alumi	num synth	netic, black				
	items a necess of epox Paints/brillian No 1 2 3 3 4 5 5 Schedu Provisi Item No 1 Schedu Execut Schedu Item No 1	items at Sr. no. 50(1), 50(2), 50(3), 50(4) & 50(5) after necessary with contractor's own supply of paints. Who of epoxy paint also as per instructions of site-in-charg Paints/ Nerolac/ Dulux/Berger. The primer/enamel paintilliant white and yellow) will be as per (IS 5660 of 19 in the state of the support	items at Sr. no. 50(1), 50(2), 50(3), 50(4) & 50(5) after scrappin necessary with contractor's own supply of paints. Wherever req of epoxy paint also as per instructions of site-in-charge. The palaints/ Nerolac/ Dulux/Berger. The primer/enamel paints (Alumi brilliant white and yellow) will be as per (IS 5660 of 1970)/(IS 25 Item	items at Sr. no. 50(1), 50(2), 50(3), 50(4) & 50(5) after scrapping & clean necessary with contractor's own supply of paints. Wherever required cont of epoxy paint also as per instructions of site-in-charge. The paint and pri Paints/ Nerolac/ Dulux/Berger. The primer/enamel paints (Aluminum synth brilliant white and yellow) will be as per (IS 5660 of 1970)/(IS 2932 of 197 Item	No			

Page 6 of 8 Run Date/Time: 07/08/2025 13:06:46

					Total	18355272.00
3	3	Block Section Including IR Connecting Line	Per Station per Month	120.00	107132.00	12855840.00
2	2	Junction Station Including associated part of IR Junction Station.	Per Station per Month	48.00	70311.00	3374928.00
1	1	Crossing Station	Per Station per Month	72.00	29507.00	2124504.00

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required		Documents Uploading
1	As per Tender Document	No	No	Allowed (Mandatory)
2	The tenderer must have minimum average annual contractual turnover of V/N or V whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-IX, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required		Documents Uploading
1	As per Tender Document	No	No	Allowed (Mandatory)
2	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender. Similar Nature of Work Means: Any signalling work related to Repairing/Refixing/Replacement/Construction/Maintenance of Signalling assets in Indian Railways or in Railways PSUs like RVNL, IRCON, DFCCIL, KRCL, RITES etc or in Metro Railways.	No	No	Allowed (Mandatory)

5. COMPLIANCE

Check Lst

	·			Documents Uploading
1	As per checklist of tender document all Annexures should be complied and uploaded with tender documents.	No	No	Not Allowed

Commercial-Compliance

S.No.	Description	Confirmation	Remarks	Documents
		Required	Allowed	Uploading

Page 7 of 8 Run Date/Time: 07/08/2025 13:06:46

Tender No: DFC-ADI-SNT-02-2025-26 **Closing Date/Time:** 01/09/2025 15:00

1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	ΙΥΔς	Allowed (Optional)
---	---	----	------	-----------------------

General Instructions

S.No.	•	Confirmation Required		Documents Uploading
1	As per Tender Document	No	No	Not Allowed
2	Similar Nature of Work Means: Any signaling work related to Repairing/Refixing/Replacement/Construction/Maintenance of Signalling assets in Indian Railways or in Railway PSUs like RVNL, IRCON, DFCCIL, KRCL, RITES etc or in Metro Railways.	No	No	Not Allowed

Special Conditions

S.No.		Confirmation Required		Documents Uploading
1	As per Tender Document	No	No	Not Allowed

Technical-Compliances

S.No.		Confirmation Required		Documents Uploading
1	As per Tender Document	No	INO	Allowed (Mandatory)

Undertakings

:	S.No.		Confirmation Required		Documents Uploading
	1	As per Tender Document	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
	TenderDocument02of2025- 26.pdf	Tender Document

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: ROOP KISHORE BAGHEL

Designation: DYCPMSNT2

Page 8 of 8 Run Date/Time: 07/08/2025 13:06:46