Tender No: All-EL-MD-IQG-Madar-T-22 Closing Date/Time: 15/05/2025 15:00

PM/EL/DFCCIL/AJMER acting for and on behalf of The President of India invites E-Tenders against Tender No **AII-EL-MD-IQG-Madar-T-22** Closing Date/Time 15/05/2025 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work		vith providing permanent connectation under Ajmer unit of WDFC.	tion between IR and
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	15/05/2025 15:00	Date Time Of Uploading Tender	24/04/2025 12:24
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	9668206.41	Tendering Section	WORKS
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	193400.00	Validity of Offer (Days)	45
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	01/05/2025	·	
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit	
Schedu	l e () 1-0H	E WORK					9182979.33		
1	1	0.70	Per Track KM	16441.93	11509.35	AT Par	11509.35		
1		tion:- Prepr r Modificat		design and d	rawing for over	head equi	pment and ver	ification of	
	2	160.00	cum	207.51	33201.60	AT Par	33201.60		
2			avation for Irains/walls	Structure Exc	cavation in all	types of	soils and soft/	hard rock,	
	Please se	e Item Bre	akup for det	ails.	1098047.40	AT Par	1098047.40		
3	types of	soils using	M-15 grade	concrete for n	nd laying of con- nain foundation wherever requi	and M-20 (grade concrete f	or grouting	
	4	25.00	Sqm	1036.53	25913.25	AT Par	25913.25		
4	Description:- Providing and fixing Centering and Shuttering including oil for casting concrete including frame work wherever necessary.								
	5	27.00	MT	125852.22	3398009.94	AT Par	3398009.94		
5	Description:- Supply of rolled or Fabricated and galvanized Traction Mast, TTC, Portals, AT Mast, Dwarf Mast etc.								
	6	27.00	MT	9319.83	251635.41	AT Par	251635.41		
6	Description:- Erection of rolled or Fabricated and galvanized Traction Mast, TTC, Portals, AT Mast, Dwarf Mast etc.								
7	7	3.00	MT	126901.94	380705.82	AT Par	380705.82		
/	Descript	ion:- Supp	oly of Fabrica	ated and galvan	ized SPS other th	nan Mast			
0	8	3.00	MT	9075.18	27225.54	AT Par	27225.54		
8	Descript	ion:- Erec	tion of Fabri	cated and galva	nized SPS other	than Mast			
9	9	27.00	Numbers	20090.52	542444.04	AT Par	542444.04		

Page 1 of 6 Run Date/Time: 24/04/2025 12:24:40

Tender No: All-EL-MD-IQG-Madar-T-22 Closing Date/Time: 15/05/2025 15:00

	10	27.00	Numbers	1948.84	52618.68	AT Par	52618.68	
10				e Bracket assen		711	52525.55	
_	11	27.00	Set			AT Par	239928.75	
11	Descript	tion:- Supp	ly of Stay ar	nd Bracket Tube	e composite Insu	lator set CD)- 1600 mm	
10	12	27.00	Set	1284.99	34694.73	AT Par	34694.73	
12	Descript	tion:- Erect	ion of Stay	and Bracket Tul	oe composite Ins	ulator set C	D- 1600 mm	
13	13	0.70	Per Track KM	34285.13	23999.59	AT Par	23999.59	
	Descript	tion:- Supp	ly of OHE w	ith complete fitt	ting without cont	act and cat	enary wire	
14	14	0.70	Per Track KM	33157.70			23210.39	
					itting without cor			
15	15	5.00	Numbers		36562.70	AT Par	36562.70	
				r jumper wire	2072 70		2050 50	
16	16	5.00	Numbers		3652.70	AT Par	3652.70	
	Descript	5.00		er jumper wire 9789.15	40045.75	AT Davi	40045.75	
17			Numbers		48945.75	AT Par	48945.75	
	18	5.00	Numbers	od Assembly	C411 2F	AT Par	6411.35	
18				1282.27 Rod Assembly	6411.35	AT Par	0411.33	
	19	4.00	Numbers	7171.91	28687.64	AT Par	28687.64	
19				Insulators (CD-		Al Pai	20007.04	
	20	4.00	Numbers			AT Par	1710.24	
20				n Insulators (CI		Al Pai	1710.24	
	21	1.00	Numbers			AT Par	70165.57	
21					nter weight Asse		70103.37	
	22	1.00	Numbers				4666.20	
22					unterweight Ass		4000.20	
	23	1.00	Numbers				118451.47	
23					nter weight Asse		110431.47	
	24	1.00	Numbers				4666.20	
24					unterweight Ass		4000.20	
	25	8.00	Numbers	774.65			6197.20	
25					Number plate as			cluding all
		angement"	ory or rectro	renective type	realiser place as	per breer	L requirement	icidaling an
	26	8.00	Numbers	77.47	619.76	AT Par	619.76	
26		tion:- "Erec arrangeme		o reflective typ	e Number plate	as per DF0	CCIL requiremen	t including
	27	10.00	Numbers	1403.89	14038.90	AT Par	14038.90	
27					d, unwired turn per DFCCIL requ		Engine Stop Bo	ard, Sigma
	28	10.00	Numbers	156.62	1566.20	AT Par	1566.20	
28					rd, unwired turn		Engine Stop Bo	ard, Sigma
					per DFCCIL requ			
29	29	1.00	Numbers			_	3149.34	
_					with earth Pit co		-	
30	30	1.00	Numbers				1360.50	
	-				e with earth Pit			
31	31	18.00	Numbers	808.71	14556.78	AT Par	14556.78	
	-		-	re Bond includi		•	-	
32	32	18.00	Numbers			AT Par	3550.14	
				ture Bond includ		T		
33	33	0.42	MT	1074512.70			451295.33	
	-		-		25 sq. mm as per		·	
34	34	0.69	MT	1074512.70			741413.76	
	<u> </u>				.50 sq. mm as pe			
35	35	1.00	Numbers	4340.62	4340.62	AT Par	4340.62	

Page 2 of 6 Run Date/Time: 24/04/2025 12:24:40

Tender No: All-EL-MD-IQG-Madar-T-22 Closing Date/Time: 15/05/2025 15:00

Description: Supply of PTFE Short Neutral section Assembly									
Description: Erection of 150 sq. mm Contact wire Splice 37		Descript	tion:- Supp	ply of 150 sq	ı. mm Contact w	rire Splice			
Description: Erection of 150 sq. mm Contact wire Splice 2035.86 AT Par 2035.86 Description: Supply of 125 sq. mm Contact wire Splice 38	26	36	1.00	Numbers	434.06	434.06	AT Par	434.06	
	36	Descript	tion:- Erec	tion of 150 s	q. mm Contact	wire Splice			
Description: Supply of 125 sq. mm Contact wire Splice 203.59 AT Par 203.59 203.59 Description: Erection of 125 sq. mm Catenary wire Splice 39		37	1.00	Numbers	2035.86	2035.86	AT Par	2035.86	
38	37	Descript	tion:- Sup	ply of 125 sq	ı. mm Contact w	rire Splice			
Description: Erection of 125 sq. mm Catenary wire Splice 39 30 1.00 Numbers 1254795.92 AT Par 1254795.92 AT Par 1254795.92 Description: Supply of PTFE Short Neutral section Assembly 40 1.00 Numbers 9052.10 9052.10 AT Par 9052.10 Description: Erection of PTFE Short Neutral section Assembly 41 9.00 Numbers 1621.86 14596.74 AT Par 14596.74 AT Par 14596.74 42 9.00 Numbers 1621.86 14596.74 AT Par 10354.68 Description: Dismantling of Bracket Assembly 42 9.00 Numbers 1150.52 10354.68 AT Par 10354.68 Description: Cutting and Removal of Existing structure 43 9.00 Numbers 3704.63 33341.67 AT Par 33341.67 Description: Reclamation of OHE Massistructures 44 1.00 Numbers 795.57 795.57 AT Par 795.57 Description: Dismantling of Guy rod assembly 45 2.00 MT 14566.79 29173.58 AT Par 29173.58 Description: Dismantling of Guy rod assembly 46 1.00 Numbers 4211.73 4221.73 AT Par 4211.73 Description: Dismantling of Fabricated steel other than Mast 47 2.00 Numbers 831.76 1663.52 AT Par 1663.52 Description: Dismantling of ATD assembly and Termination 47 487.00 Numbers 831.76 1663.52 AT Par 1663.52 Description: Supply of Dropper wire for fabrication deforpopers 49 9.00 Each 543.08 4887.72 AT Par 4887.72 Description: Supply of Dropper wire for fabrication deforpopers 49 9.00 Each 543.08 4887.72 AT Par 4887.72 Description: Handling Loading unloading and Aransportation AT Par 31516.05 Description: Handling Loading unloading and Aransportation AT Par 31516.05 Description: Handling Loading unloading and Aransportation AT Par 31516.55 Description: Erection of Fabricated and galvanized Traction Mast, TTC, Portals, AT Mast, Description: Erection of Fabricated and galvanized SPS other than Mast Description: Erection of Fabricated and galvanized SPS other than Mast Description: Erection of Fabricated and galvanized		ļ					AT Par	203.59	
39 1.00 Numbers 1254795.92 1254795.92 AT Par 1254795.92 40 1.00 Numbers 9052.10 9052.10 9052.10 AT Par 9052.10 40 1.00 Numbers 9052.10 9052.10 AT Par 9052.10 41 9.00 Numbers 1621.86 14596.74 AT Par 14596.74 42 9.00 Numbers 1621.86 14596.74 AT Par 10354.68 44 9.00 Numbers 1150.52 10354.68 AT Par 10354.68 45 9.00 Numbers 3704.63 33341.67 AT Par 33341.67 47 9.00 Numbers 3704.63 33341.67 AT Par 33341.67 48 1.00 Numbers 795.57 795.57 AT Par 795.57 49 1.00 Numbers 4211.73 4211.73 AT Par 29173.58 44 1.00 Numbers 471.73 4211.73 AT Par 4211.73 45 2.00 MT 14586.79 29173.58 AT Par 4211.73 46 1.00 Numbers 4211.73 4211.73 AT Par 4211.73 47 2.00 Numbers 831.76 1663.52 AT Par 1663.52 48 65.00 Kg 1180.98 76763.70 AT Par 76763.70 49 9.00 Each 543.08 4887.72 AT Par 4887.72 49 9.00 Each 543.08 4887.72 AT Par 31516.05 49 9.00 Each 543.08 4887.72 AT Par 31516.05 50 7.50 MT 4202.14 31516.05 AT Par 31516.05 50 7.50 MT 4202.14 31516.05 AT Par 251635.41 50 7.50 MT 9319.83 251635.41 AT Par 252635.41 10 Description: Erection of Follow of Fabricated and galvanized Traction Mast 50 7.50 MT 9319.83 251635.41 AT Par 252635.41 10 Description: Erection of Fabricated and galvanized Traction Mast Traction Mast 50 7.50 MT 9319.83 251635.41 AT Par 252635.41 10 Description: Erection of Fabricated and galvanized Traction Mast Traction Mast Traction of Salvania Traction of Salvania Traction Mast Traction of Salvania Traction of Sa	38								
Description: Supply of PTFE Short Neutral section Assembly					•	•	ΔT Par	1254795 92	
40	39						711 1 01	1234733.32	
Description:- Erection of PTFE Short Neutral section Assembly		ļ					AT Dar	0052.10	
41	40							9032.10	
Description: Dismantling of Bracket Assembly 42 9.00 Numbers 1150.52 10354.68 AT Par 10354.68		ļ <u> </u>	1	ī	,		1	1.4506.74	
42 9.00 Numbers 1150.52 10354.68 AT Par 10354.68	41						AT Par	14596.74	
43 9.00 Numbers 3704.63 33341.67 AT Par 33341.67	42						AT Par	10354.68	
Pescription: Reclamation of OHE Mast/structures					·		1		
Description: Reclamation of OHE Mast/structures	43						AT Par	33341.67	
Description:- Dismantling of Guy rod assembly	73	Descript	tion:- Recl	amation of C	OHE Mast/structi	ures			
Description:- Dismantling of Guy rod assembly		44	1.00	Numbers	795.57	795.57	AT Par	795.57	
Description:- Dismantling of Fabricated steel other than Mast		Descript	tion:- Disn	nantling of G	uy rod assembl	y			
Description:- Dismantling of Fabricated steel other than Mast	45	45	2.00	MT	14586.79	29173.58	AT Par	29173.58	
Description:- Dismantling of ATD assembly and Termination	40	Descript	tion:- Disn	nantling of F	abricated steel	other than Mast			
Description:- Dismantling of ATD assembly and Termination	4.6	46	1.00	Numbers	4211.73	4211.73	AT Par	4211.73	
47 2.00 Numbers 831.76 1663.52 AT Par 1663.52	46	Descript	tion:- Disn	nantling of A	TD assembly an	d Termination			
Description:- Dismantling of 09 Ton Insulators			1		,		AT Par	1663.52	
48	47	Descript	tion:- Disn						
Description:- Supply of Dropper wire for fabrication of droppers		<u> </u>			,		ΔT Par	76763 70	
49 9.00 Each 543.08 4887.72 AT Par 4887.72	48							, 0, 05.70	
Description:- Transfer of equipment from one mast or support to another. 50								1907 70	
So	49								
Description:- Handling Loading unloading and /transportation of DFC supply /released OHE material such as Mast, Wires, Fittings SPS etc. From IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to Site & released material from site to IMD/ISMD to ISD to ISMD to ISM			rioni:- man	isiei oi equip	ment non one	mast of support	. to another		
S.No. Item Code Qty Qty Unit Unit Rate Basic Value Escl.(%) Amount Bidding Unit		IEO	7 5 0	N 4 T	4202 1 4			21510 05	
S.No. Item Code Qty Qty Unit Unit Rate Basic Value Escl.(%) Amount Bidding Unit	50					31516.05	AT Par		IF ma = 4 = 1
Code Qty Sextra on erection Rate for work done under Power Block 485227.08	50	Descript	t ion:- Han	dling Loadin	g unloading and	31516.05 I /transportation	AT Par	pply /released OF	
Schedule () 2-100 % Extra on erection Rate for work done under Power Block 485227.08	50	Descript	t ion:- Han	dling Loadin	g unloading and	31516.05 I /transportation	AT Par	pply /released OF	
1 27.00 MT 9319.83 251635.41 AT Par 251635.41 Description:- Erection of rolled or Fabricated and galvanized Traction Mast, TTC, Portals, AT Mast, Dwarf Mast etc. 2 3.00 MT 9075.18 27225.54 AT Par 27225.54 Description:- Erection of Fabricated and galvanized SPS other than Mast 3 27.00 Numbers 1948.84 52618.68 AT Par 52618.68 Description:- Erection of Single Bracket assembly 4 27.00 Set 1284.99 34694.73 AT Par 34694.73 Description:- Erection of Stay and Bracket Tube composite Insulator set CD- 1600 mm 5 5.00 Numbers 730.54 3652.70 AT Par 3652.70 Description:- Erection of Copper jumper wire 6 5.00 Numbers 1282.27 6411.35 AT Par 6411.35 Description:- Erection of Guy Rod Assembly 7 4.00 Numbers 427.56 1710.24 AT Par 1710.24 Description:- Erection of 09 ton Insulators (CD- 1600) 8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10	50 S.No.	Descript such as N	t ion:- Handast, Wires	dling Loadin s,Fittings SPS	g unloading and S etc. From IMD/	31516.05 I /transportation ISMD to Site & re	AT Par of DFC sup eleased ma	oply /released Obterial from site to	o IMD/ISMD
Description:- Erection of rolled or Fabricated and galvanized Traction Mast, TTC, Portals, AT Mast, Dwarf Mast etc. 2 3.00 MT 9075.18 27225.54 AT Par 27225.54 Description:- Erection of Fabricated and galvanized SPS other than Mast 3 27.00 Numbers 1948.84 52618.68 AT Par 52618.68 Description:- Erection of Single Bracket assembly 4 27.00 Set 1284.99 34694.73 AT Par 34694.73 Description:- Erection of Stay and Bracket Tube composite Insulator set CD- 1600 mm 5 5.00 Numbers 730.54 3652.70 AT Par 3652.70 Description:- Erection of Copper jumper wire 6 5.00 Numbers 1282.27 6411.35 AT Par 6411.35 Description:- Erection of Guy Rod Assembly 7 4.00 Numbers 427.56 1710.24 AT Par 1710.24 Description:- Erection of 99 ton Insulators (CD- 1600) 8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10		Descript such as N	tion:- Handast, Wires	dling Loadin s,Fittings SPS	g unloading and S etc. From IMD/	31516.05 I /transportation ISMD to Site & re	AT Par of DFC sup eleased ma	oply /released Obterial from site to	Bidding
Dwarf Mast etc.	S.No.	Descript such as M Item Code	ltem Qty	dling Loading s,Fittings SPS Qty Unit	g unloading and setc. From IMD/ Unit Rate	31516.05 I /transportation ISMD to Site & re Basic Value	AT Par of DFC supeleased ma	oply /released Obterial from site to	Bidding
2 3.00 MT 9075.18 27225.54 AT Par 27225.54	S.No.	Descript such as M Item Code	Item Qty 0 % Extra	dling Loadings, Fittings SPS Qty Unit on erection F	g unloading and s etc. From IMD/ Unit Rate Rate for work do	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power	AT Par of DFC supeleased ma	oply /released Orterial from site to Amount 485227.08	Bidding
Description:- Erection of Fabricated and galvanized SPS other than Mast 3 27.00 Numbers 1948.84 52618.68 AT Par 52618.68 Description:- Erection of Single Bracket assembly 4 27.00 Set 1284.99 34694.73 AT Par 34694.73 Description:- Erection of Stay and Bracket Tube composite Insulator set CD- 1600 mm 5 5.00 Numbers 730.54 3652.70 AT Par 3652.70 Description:- Erection of Copper jumper wire 6 5.00 Numbers 1282.27 6411.35 AT Par 6411.35 Description:- Erection of Guy Rod Assembly 7 4.00 Numbers 427.56 1710.24 AT Par 1710.24 Description:- Erection of 09 ton Insulators (CD- 1600) 8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10 9052.10 9052.10 AT Par 9052.10 9052	S.No. Schedu	Descript such as N Item Code le () 2-10 1 Descript	Item Qty 0 % Extra 0 27.00 tion:- Erec	Qty Unit	unloading and etc. From IMD/ Unit Rate Rate for work do 9319.83	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41	AT Par of DFC supeleased ma Escl.(%) Block AT Par	Amount 485227.08 251635.41	Bidding Unit
3	S.No. Schedu	Descript such as N Item Code le () 2-10 1 Descript	Item Qty 0 % Extra 0 27.00 tion:- Erec	Qty Unit	unloading and etc. From IMD/ Unit Rate Rate for work do 9319.83	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M	Amount 485227.08 251635.41	Bidding Unit
Description:- Erection of Single Bracket assembly 4 27.00 Set 1284.99 34694.73 AT Par 34694.73	S.No. Schedu	Item Code le () 2-10 Descript Dwarf Ma	Item Qty 0 % Extra 0 27.00 tion:- Erected tec. 3.00	Qty Unit on erection F MT ction of rolle	Unit Rate Rate for work do 9319.83 d or Fabricated	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M	Amount 485227.08 251635.41 ast, TTC, Portals	Bidding Unit
A	S.No. Schedu	Item Code le () 2-10 Descript Dwarf Ma	Item Qty 0 % Extra 0 27.00 tion:- Erected tec. 3.00	Qty Unit on erection F MT ction of rolle	Unit Rate Rate for work do 9319.83 d or Fabricated	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M	Amount 485227.08 251635.41 ast, TTC, Portals	Bidding Unit
4 27.00 Set 1284.99 34694.73 AT Par 34694.73 Description:- Erection of Stay and Bracket Tube composite Insulator set CD- 1600 mm 5	S.No. Schedu 1	Item Code le () 2-10 1 Descript Dwarf Ma 2 Descript	Item Qty 0 % Extra 27.00 tion:- Erec tion:- Erec	Qty Unit On erection F MT ction of rolle	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast	Amount 485227.08 251635.41 ast, TTC, Portals	Bidding Unit
Description:- Erection of Stay and Bracket Tube composite Insulator set CD- 1600 mm 5 5.00 Numbers 730.54 3652.70 AT Par 3652.70	S.No. Schedu 1	Item Code le () 2-10 1 Descript Dwarf Ma 2 Descript 3	Item Qty 0 % Extra 0 27.00 tion:- Erect st etc. 3.00 tion:- Erect 27.00	Qty Unit on erection F tion of rolle Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast	Amount 485227.08 251635.41 ast, TTC, Portals	Bidding Unit
5 5.00 Numbers 730.54 3652.70 AT Par 3652.70	S.No. Schedu 1 2	ltem Code le () 2-10 1 Descript Dwarf Ma 2 Descript 3 Descript	Item Qty 0 % Extra 0 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec	Qty Unit on erection F	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54	Bidding Unit
Description:- Erection of Copper jumper wire 6	S.No. Schedu 1 2	ltem Code le () 2-10 1 Descript 2 Descript 3 Descript 4	Item Qty 0 % Extra c 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00	Qty Unit on erection F	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assem	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68	Bidding Unit
6 5.00 Numbers 1282.27 6411.35 AT Par 6411.35 Description:- Erection of Guy Rod Assembly 7 4.00 Numbers 427.56 1710.24 AT Par 1710.24 Description:- Erection of 09 ton Insulators (CD- 1600) 8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10	S.No. Schedu 1 2 3	Item Code Ie () 2-10 Descript Dwarf Ma Descript Descript Descript Descript Descript Descript	Item Qty 0 % Extra c 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec	Qty Unit on erection F tion of Fabri Numbers tion of Singl	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tuk	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par aulator set 0	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm	Bidding Unit
Description:- Erection of Guy Rod Assembly	S.No. Schedu 1 2 3	ltem Code le () 2-10 Descript Dwarf Ma Descript Descript Descript Descript Descript Descript Descript Descript	Item Qty 0 % Extra 0 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 5.00	Qty Unit on erection F ction of rolle MT ction of Fabri Numbers ction of Singl Set ction of Stay Numbers	Unit Rate Quality State for work do Quality	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par aulator set 0	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm	Bidding Unit
7 4.00 Numbers 427.56 1710.24 AT Par 1710.24 Description:- Erection of 09 ton Insulators (CD- 1600) 8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10	S.No. Schedu 1 2 3	ltem Code le () 2-10 1 Descript Dwarf Ma 2 Descript 3 Descript 4 Descript 5 Descript	Item Qty 0 % Extra c 27.00 tion:- Erec	Qty Unit on erection F	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tub 730.54 er jumper wire	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlan AT Par sulator set (Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70	Bidding Unit
Description:- Erection of 09 ton Insulators (CD- 1600) 8	S.No. Schedu 1 2 3 4 5	ltem Code le () 2-10 Descript Dwarf Ma 2 Descript 3 Descript 4 Descript 5 Descript 6	Item Qty 0 % Extra 6 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 5.00 tion:- Erec	Qty Unit on erection F tion of rolle MT tion of Fabri Numbers tion of Stay Numbers tion of Copp Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assem 1284.99 and Bracket Tuk 730.54 er jumper wire 1282.27	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlan AT Par sulator set (Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70	Bidding Unit
8 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9 1.00 Numbers 4666.20 4666.20 AT Par 4666.20 Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10	S.No. Schedu 1 2 3 4 5	ltem Code le () 2-10 Descript Dwarf Ma 2 Descript 3 Descript 4 Descript 5 Descript 6	ltem Qty 0 % Extra c 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 5.00 tion:- Erec	Qty Unit on erection F ction of rolle MT ction of Fabri Numbers ction of Stay Numbers ction of Copp Numbers ction of Guy I	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tuk 730.54 er jumper wire 1282.27 Rod Assembly	31516.05 I /transportation ISMD to Site & re Basic Value Ine under Power 251635.41 and galvanized 27225.54 Inized SPS other 52618.68 Inbly 34694.73 De composite Ins 3652.70	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlan Mast AT Par AT Par AT Par AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35	Bidding Unit
Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9	S.No. Schedu 1 2 3 4 5	ltem Code le () 2-10 Descript Dwarf Ma Descript Descript Descript Descript Descript Descript Descript Descript Tolean Code Tolean Code Descript Tolean Code Tolean	ltem Qty 0 % Extra 0 27.00 tion:- Erect 27.00 tion:- Erect 27.00 tion:- Erect 5.00 tion:- Erect 4.00	Qty Unit on erection F more tion of rolle Numbers tion of Stay Numbers tion of Copp Numbers tion of Guy I Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tuk 730.54 er jumper wire 1282.27 Rod Assembly 427.56	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlan Mast AT Par AT Par AT Par AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35	Bidding Unit
Description:- Erection of 3 Pulley ATD with Counterweight Assembly. 9	S.No. Schedu 1 2 3 4 5	ltem Code le () 2-10 Descript Dwarf Ma Descript	Item Qty 0 % Extra 6 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 4.00 tion:- Erec	Qty Unit on erection F MT ction of rolle MT ttion of Fabri Numbers ction of Stay Numbers ction of Copp Numbers ction of Guy I Numbers ction of O9 to	g unloading and etc. From IMD/ Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tub 730.54 er jumper wire 1282.27 Rod Assembly 427.56 in Insulators (CI	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par allator set (AT Par AT Par AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35	Bidding Unit
Description:- Erection of 5 Pulley ATD with Counterweight Assembly. 10 1.00 Numbers 9052.10 9052.10 AT Par 9052.10	S.No. Schedu 1 2 3 4 5 6	ltem Code le () 2-10 Descript Dwarf Ma Descript Descript Descript Descript Descript Descript Descript Descript Bescript	Item Qty 0 % Extra 6 27.00 tion:- Erec 4.00 tion:- Erec 1.00	Qty Unit on erection F MT tion of rolle MT tion of Fabri Numbers tion of Singl Set tion of Copp Numbers tion of Guy I Numbers tion of Guy I Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assem 1284.99 and Bracket Tub 730.54 er jumper wire 1282.27 Rod Assembly 427.56 In Insulators (CI	31516.05 I /transportation ISMD to Site & ro Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35 1710.24 D- 1600) 4666.20	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par allator set C AT Par AT Par AT Par AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35	Bidding Unit
Description:- Erection of 5 Pulley ATD with Counterweight Assembly.101.00Numbers9052.109052.10AT Par9052.10	S.No. Schedu 1 2 3 4 5 6	ltem Code le () 2-10 Descript Dwarf Ma Descript Descript Descript Descript Descript Descript Descript Descript Bescript	ltem Qty 0 % Extra 0 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 5.00 tion:- Erec 4.00 tion:- Erec	Qty Unit on erection F Tition of rolle MT tion of Fabri Numbers tion of Stay Numbers tion of Copp Numbers tion of Guy I Numbers tion of O9 to Numbers tion of 3 Pul	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tuk 730.54 er jumper wire 1282.27 Rod Assembly 427.56 In Insulators (CI	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35 1710.24 D- 1600) 4666.20 unterweight Ass	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlator set C AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35 1710.24	Bidding Unit
	S.No. Schedu 1 2 3 4 5 6 7	ltem Code le () 2-10 Descript Dwarf Ma Descript	ltem	Qty Unit on erection F MT ction of rolle MT ction of Fabri Numbers ction of Stay Numbers ction of Copp Numbers ction of Guy I Numbers ction of O9 to Numbers ction of 3 Pul Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tub 730.54 er jumper wire 1282.27 Rod Assembly 427.56 in Insulators (CI 4666.20 ley ATD with Co	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35 1710.24 D- 1600) 4666.20 unterweight Ass 4666.20	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlator set C AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35 1710.24	Bidding Unit
10	S.No.	ltem Code le () 2-10 Descript Dwarf Ma Descript	ltem	Qty Unit on erection F MT ction of rolle MT ction of Fabri Numbers ction of Stay Numbers ction of Copp Numbers ction of Guy I Numbers ction of O9 to Numbers ction of 3 Pul Numbers	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assen 1284.99 and Bracket Tub 730.54 er jumper wire 1282.27 Rod Assembly 427.56 in Insulators (CI 4666.20 ley ATD with Co	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 pe composite Ins 3652.70 6411.35 1710.24 D- 1600) 4666.20 unterweight Ass 4666.20	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par atlator set C AT Par	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35 1710.24	Bidding Unit
	S.No. Schedu 1 2 3 4 5 6 7	ltem Code le () 2-10 Descript	Item Qty 0 % Extra 6 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 27.00 tion:- Erec 1.00 tion:- Erec 1.00 tion:- Erec	Qty Unit on erection F MT ction of rolle MT ction of Fabri Numbers ction of Singl Set ction of Copp Numbers ction of Guy I Numbers ction of O9 to Numbers ction of 3 Pul Numbers ction of 5 Pul	Unit Rate Rate for work do 9319.83 d or Fabricated 9075.18 cated and galva 1948.84 e Bracket assem 1284.99 and Bracket Tuk 730.54 er jumper wire 1282.27 Rod Assembly 427.56 In Insulators (CI 4666.20 ley ATD with Co ley ATD with Co	31516.05 I /transportation ISMD to Site & re Basic Value ne under Power 251635.41 and galvanized 27225.54 nized SPS other 52618.68 nbly 34694.73 be composite Ins 3652.70 6411.35 1710.24 D- 1600) 4666.20 unterweight Ass 4666.20 unterweight Ass	AT Par of DFC supeleased ma Escl.(%) Block AT Par Traction M AT Par than Mast AT Par allator set (AT Par Embly.	Amount 485227.08 251635.41 ast, TTC, Portals 27225.54 52618.68 34694.73 CD- 1600 mm 3652.70 6411.35 1710.24 4666.20	Bidding Unit

Page 3 of 6 Run Date/Time: 24/04/2025 12:24:40

Tender No: All-EL-MD-IQG-Madar-T-22 **Closing Date/Time:** 15/05/2025 15:00

	Descript	Description:- Erection of PTFE Short Neutral section Assembly									
11	11	0.70	Per Track KM	33157.70	23210.39	AT Par	23210.39				
11	_	Description:- Erection of OHE with complete fitting (Conventional type) without contact and catenary wire									
10	12	1.00	Numbers	795.57	795.57	AT Par	795.57				
12	Descript	ion:- Dism	nantling of Gu	uy rod assembl	у						
10	13	2.00	MT	14586.79	29173.58	AT Par	29173.58				
13	Descript	Description:- Dismantling of Fabricated steel other than Mast									
1 /	14	1.00	Numbers	4211.73	4211.73	AT Par	4211.73				
14	Descript	Description:- Dismantling of ATD assembly and Termination									
1 5	15	2.00	Numbers	831.76	1663.52	AT Par	1663.52				
15	Descript	ion:- Dism	nantling of 09	Ton Insulators		•					
16	16	9.00	Numbers	1621.86	14596.74	AT Par	14596.74				
16	Descript	ion:- Dism	nantling of Br	acket Assembly	У	•					
17	17	9.00	Numbers	1150.52	10354.68	AT Par	10354.68				
17	Descript	Description:- Cutting and Removal of Existing structure									
18	18	9.00	Each	543.08	4887.72	AT Par	4887.72				
19	Descript	Description:- Transfer of equipment from one mast or support to another.									

3. ITEM BREAKUP

Schedule	chedule Schedule 1-OHE WORK								
Item- 3	Foundation work: providing and laying of concrete for foundation and plinth in all types of soils using M-15 grade concrete for main foundation and M-20 grade concrete for grouting and muffing including nominal reinforcement wherever required as per RDSO drawings including muffing								
S No.	S No. Item Description of Item Unit Qty F								
1	1	M-15 (Foundation)	cum	120.00	7489.16	898699.20			
2	2	M-20 (Grouting)	cum	20.00	9967.41	199348.20			
	Total 1098047.40								

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.		Confirmation Required		Documents Uploading
1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' Whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB of GCC APRIL-2022, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Note: Client certificate from other than Govt. Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India. As per Clause No. 10.2 of Tender Form (second Sheet) of Annex. I of Part-I of GCC APRIL-2022, with up to date correction slip.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation	Remarks	Documents
		Required	Allowed	Uploading

Page 4 of 6 Run Date/Time: 24/04/2025 12:24:40

Tender No: All-EL-MD-IQG-Madar-T-22 **Closing Date/Time:** 15/05/2025 15:00

l l	Technical Eligibility Criteria: (a) The tenderer must have successfully or substantially* completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works, each costing not less than the amount equal to 30% of advertised value of the tender, OR Two similar works, each costing not less than the amount equal to 40% of advertised value of the tender, OR One similar work, each costing not less than the amount equal to 60% of advertised value of the tender. (b) The similar nature of work is defined as "Execution of any 25KV or 2x25KV OHE work".	No	No	Allowed (Mandatory)
	(c) ELECTRICAL CONTRACTOR LICENSE:- (i) The Contractor should have valid A-Class Electrical license to be submitted along with tender failing which tender would be consider ineligible (i.e. not eligible). (ii) The work shall be carried out by the contractor, having valid Electrical Contractor's License for carrying out installation work under the direct supervision of the persons holding valid certificates of competency issued by the State Government. (iii) The successful tenderer shall furnish the names and particulars of the certificate of competency of supervisor and workmen to be engaged for carrying out this work	No	No	Allowed (Mandatory)

5. COMPLIANCE

Commercial-Compliance

S.No.		Confirmation Required		Documents Uploading
1	As per mentioned in Tender Document	No	I/I/O	Allowed (Mandatory)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	ΥΔς	Allowed (Optional)

General Instructions

Ī	S.No.	Description	Confirmation	Remarks	Documents
			Required	Allowed	Uploading
Ī	1	As per mentioned in Tender Document	No	No	Not Allowed

Special Conditions

S.No.		Confirmation Required		Documents Uploading
1	As per mentioned in Tender Document	No	No	Not Allowed

Technical-Compliances

S.No.		Confirmation Required		Documents Uploading
1	As per mentioned in Tender Document	No	INO	Allowed (Mandatory)

Undertakings

S.No.		Confirmation Required		Documents Uploading
1	As per mentioned in Tender Document	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description	
1	TenderDocumentMadarConnectingline.pdf Tender Document		

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

Page 5 of 6 Run Date/Time: 24/04/2025 12:24:40

Tender No: All-EL-MD-IQG-Madar-T-22 Closing Date/Time: 15/05/2025 15:00

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: MANISH KUMAR VIJAY

Designation: DYPM EL/AII/HQ

Page 6 of 6 Run Date/Time: 24/04/2025 12:24:40