

No. 2024/HQ/Admin/RTI-1150&1151

New Delhi: 22.05.2025
26

श्री शिवप्रसाद यादव
श्रीपत यादव चाल,
गाँवदेवी रोड, पोयसर कांदिवली पूर्व,
मुंबई - 400101.
मो. न. 9870912123
ईमेल : gunahkenishan@gmail.com

विषय: सूचना का अधिकार अधिनियम 2005 के अंतर्गत सूचना उपलब्ध कराना।

संदर्भ: 1.आपका आरटीआई आवेदन 02.12.2024, जो इस कार्यालय में दिनांक 12.12.2024 को प्राप्त हुआ।

2.आपका आरटीआई आवेदन 02.12.2024, और इसके संदर्भ में प्रतिउत्तर दिनांक 13.01.2025।

3.आपके अपील पत्र दिनांक 06.02.2025, जो इस कार्यालय में दिनांक 12.02.2025 को प्राप्त हुआ।

आपके आरटीआई आवेदन दिनांक 02.12.2024 के संबंध में सूचना जन सूचना अधिकारी के द्वारा 13.01.2025 को भेजी गई थी। आपने 06.02.2025 को उत्तर के खिलाफ अपील की थी। आपकी अपील को संबंधित यूनिट को भेज दिया गया था।


आपकी अपील दिनांक 06.02.2025 पर विचार किया गया है और पाया गया है कि संबंधित इकाई ने संशोधित उत्तर प्रदान किया है, जो इस पत्र के साथ संलग्न है।

आपकी अपील का निपटारा कर दिया गया है।

संलग्न: 29 पृष्ठ

डी. एल. यादव
26/5/25
(डी. एल. यादव)

महाप्रबंधक / प्रशासन (प्र.अ.प्रा.)
Email ID: diyadav@dfcc.co.in





डेडीकेटेड फ्रेट कोरीडोर

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लि.

(भारत सरकार का उपक्रम)

Dedicated Freight Corridor Corporation of India Ltd.

(A Govt. of India Undertaking)

7th Floor, C. Rly., New Admn. Bldg., D. N. Rd., Mumbai – 400001 Tel. 022-22634185, Tel/Fax 022-22634184

No: MUM/S/EN/RTI/604

Date: 21.05.2025

To,

AGM/Admin (PIO)

DFCCIL, Corporate Office Complex

Sector-145, Noida, Uttar Pradesh-201306.

(Kind Atten:- Shri S K Panda)

- Project:** Design and Construction of Civil, Building, Track Works for JNPT-Vaitarana section of Dedicated Freight Corridor Project [CTP-11 Package]
- Subject:** **RTI Application Of Shri Shivprasad Yadav, r/o- Shripat Yadav Chawl, Gaondevi Road, Poisar, Kandivali (East), Mumbai-401101.**
- Reference:** I. DFCCIL Letter No. 2016/HQ/EN/PWC/CTP-11/Price Bid Evaluation Dated 15.07.2016.
II. Contract HQ/EN/PWC/Phase-II/D&B/9/Express Freight Railway Consortium dated 10.11.2016.
III. DFCCIL Letter No. 2015/HQ/EN/PMC-2R/Financial Evaluation/Part-I Dated 15.02.2016.
IV. Contract HQ/EN/PWC/PMC-2R dated 21.03.2016
V. RTI Application dated 02/12/2024 received through email dated 12/12/2024 -RTI-1150.
VI. RTI Application dated 02/12/2024 received through email dated 12/12/2024 -RTI-1151.
VII. This office letter MUM(S)/EN/RTI/604 Dtd.09.01.2025.
VIII. HQ Letter No. 2024/HQ/Admin/ RTI-1150 Dtd.10.01.2025.
IX. This office letter MUM(S)/EN/RTI/604 Dtd.11.01.2025.
X. HQ Letter No. 2024/HQ/Admin/ RTI-1150 Dtd.13.01.2025.
XI. Appeal to RTI-1150 & 1151 received on dated 13.02.2025.
XII. This office letter MUM(S)/EN/RTI/604 Dtd.07.03.2025.
XIII. HQ Letter No. 2024/HQ/Admin/ RTI-1150-1151 Dtd.29.04.2025 received vide email dated 02.05.2025.

1. Vide reference-I & II; the work of "Design and Construction of Civil, Building and Track Works for Double Line Railway involving Formation in Embankments/Cuttings, Bridges, Structures (Excluding Civil Works for Bridges over Railways and Water Main, and across Creek and Ulhas River and Formations in Embankment I Cutting and Structures in their Approaches on both sides), Buildings, Ballast on Formation, Track Works (Including Track Works on Bridges over Railways and Water Main, and across Creek and Ulhas River and Formations in Embankment I Cutting and Structures in their Approaches on both sides) including Testing and Commissioning on Design-Build Lump Sum Price Basis for JNPT - Vaitarana Section of Western Dedicated Freight Corridor (Phase-2)" (Civil, Building & Track Works Contract Package - 11, ICB No. CT P-11)" has been awarded to M/s Express Freight Railway Consortium having registered office at C/o-Mitsui & Co., India Pvt. Ltd., Plot No. D-1, Fourth Floor, Salcon

मुख्य महाप्रबंधक कार्यालय, मुंबई (दक्षिण) Chief General Manager's office, Mumbai (South) 7 वां तल, नया प्रशासनिक भवन, मध्य रेल, डी.एन.रोड, मुंबई -400001 7th Floor, New Admin Building, Central Railway, D.N. Road, Mumbai – 400001

टेलीफोन : 022 22634185, टेलीफोन/फैक्स : 022-22634184 Tel: 022 22634185, Tel/Fax : 022-22634184

पंजीकृत कार्यालय: 5वीं मंजिल, सुप्रीम कोर्ट मेट्रो स्टेशन भवन परिसर, नई दिल्ली-110001. Registered Office: 5th Floor, Supreme Court Metro Station Building Complex, New Delhi-110001 Tel.: +91-11-23454700, Fax: 011-23454701, Web: <https://dfccil.com>, CIN:U60232 DL 2006 GOI 155068.

कॉर्पोरेट कार्यालय: DFCCIL कॉर्पोरेट कार्यालय परिसर, सेक्टर-145, नोएडा, उत्तर प्रदेश-201306, Tel.: +91-120-2216666 Corporate Office: DFCCIL Corporate Office Complex, Sector-145, Noida, Uttar Pradesh-201306, Tel.: +91-120-2216666, Web: <https://dfccil.com>



डेडीकेटेड फ्रेट कोरीडोर

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लि.

(भारत सरकार का उपक्रम)

Dedicated Freight Corridor Corporation of India Ltd.

(A Govt. of India Undertaking)

7th Floor, C. Rly., New Admn. Bldg., D. N. Rd., Mumbai – 400001 Tel. 022-22634185, Tel/Fax 022-22634184

Ras Vilas, District Centre Saket, New Delhi-110017 (India).

2. Vide reference-III & IV; the work of " *Project Management Consultancy Services (PMC) for Construction of Double Line Electrified Railway Track with Signalling & Telecommunication system and related infrastructure for Rewari - Dadri and JNPT-Vadodara section (Approx 555 Route Kms) of Phase -2 of the Western Dedicated Freight Corridor and for Procurement of Electric Locomotives* " has been awarded to M/s OCG Consortium having registered office at Oriental Consultants Global Company Limited, 12-1, Honmachi 3-Chome, Shibuya-Ku, Tokyo-15100-71, Tokyo.
3. Vide reference-V & VI above; RTI's are received on the above subject matter.
4. Vide reference-VII & IX above; unit had replied to the received RTI for further necessary action to HQ.
5. Vide reference-VIII & X above; HQ had shared the information to the RTI applicant against his RTI's .
6. Vide reference-XI above; an appeal had been received at unit level vide email and reply to the same has been provided vide reference-XII above.
7. Vide reference-XIII above; HQ has gone through the RTI reply as suggested for modification if any based on the RTI Acts.
8. The unit review the replies based on the contract provision and arrange information on this matter. The revised replies to the RTI's are as below:-

Sr No.	Information Sought	Information to be Provided
1	वेस्टर्न कोरीडोर के चल रहे कामों, जेएनपीटी से वसई रोड (पश्चिम रेलवे स्टेशन) के बीच में जारी कामों में भ्रष्टाचार होने की जानकारी मिली है। निम्न दर्जे के सामानों का उपयोग और ब्लॉक लिस्टेड सब कोन्ट्रिब्यूटर्स/कंपनी से काम करवाया जा रहा है। मुझे CPCC, CECRI, ANTI CORROSIVE TREATMENT के काम करनेवाले ठेकेदार के द्वारा ठाणे पालघर, जिलो के नालासोपारा, कामन खारबाओ, नागले, शिवपूर विरार, राजौली, गौखिरे तालाव के पास, जूहूचंद्र और कलमबोली के इन स्थानों पर स्टील को जंग से बचाने के लिए CPCC, CECRI, ANTI CORROSIVE TREATMENT के चल रहे कामों से संबंधित निम्नलिखित जानकारी चाहिए।	
A.	काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए।	Engineer/PMC letters issued for the approval of Sub Contractor for carrying out the work of Anti corrosive treatment for reinforcement /s Shah Enterprises (Applicator):- L/OCGC/DFCC/ZMT-1/ CTP-11/ 1905/ 1197 dated

मुख्य महाप्रबंधक कार्यालय, मुंबई (दक्षिण) Chief General Manager's office, Mumbai (South) 7 वां तल, नया प्रशासनिक भवन, मध्य रेल, डी.एन.रोड, मुंबई -400001 7th Floor, New Admin Building, Central Railway, D.N. Road, Mumbai – 400001

टेलीफोन : 022 22634185, टेलीफोन/फैक्स : 022-22634184 Tel: 022 22634185, Tel/Fax : 022-22634184

पंजीकृत कार्यालय: 5वीं मंजिल, सुप्रीम कोर्ट मेट्रो स्टेशन भवन परिसर, नई दिल्ली-110001. Registered Office: 5th Floor, Supreme Court Metro Station Building Complex, New Delhi-110001 Tel.: +91-11-23454700, Fax: 011-23454701, Web: <https://dfccil.com>, CIN:U60232 DL 2006 GOI 155068.

कॉर्पोरेट कार्यालय: DFCCIL कॉर्पोरेट कार्यालय परिसर, सेक्टर-145, नोएडा, उत्तर प्रदेश-201306, Tel.: +91-120-2216666 Corporate Office: DFCCIL Corporate Office Complex, Sector-145, Noida, Uttar Pradesh-201306, Tel.: +91-120-2216666, Web: <https://dfccil.com>

		11.05.2019. (Copy Attached Annexure-A) Apart from above as per Engineers Approvals following are the subcontractors engaged by main Contractor i.e. M/s EFRC for carrying out the work of Anti corrosive treatment for reinforcement A. M/s Mayur Coating Pvt. Ltd. B. M/s Gaur Trading Company C. M/s Mahavir Coating M/s Jeevach Coating Pvt. Ltd. (Applicator & Manufacturer)
B.	काम में उपयोग में लिया गया मटेरियल टैस्टिंग रिपोर्ट, अधिकारियों के जाँच रिपोर्ट की कॉपी चाहिए।	The works are being monitored by Engineer/PMC as per FIDIC Condition of Contract and provision of Contract Agreement HQ/EN/PWC/PMC-2R dated 21.03.2016. Sample Material Testing reports are attached along with this letter. (Annexure-B)
C.	काम करनेवाले मजदूर बांग्लादेशी है और फर्जी कागजातों के आधार पर आधारकार्ड बनवाकर काम कर रहे है। DFCCI ने इस मामले में कोई काम/जाँच किया है इसकी जानकारीदायक कॉपी दिखाए।	No record available in this office.

Encl:- As above including CGM/M approval.

SUSANTA KUMAR
MOHANTY

Digitally signed by SUSANTA
KUMAR MOHANTY
Date: 2025.05.21 14:34:14
+05'30'

(Susanta Kumar Mohanty)
Dy. General Manager/Civil
DFCCIL/Mumbai

NOTE

Project: Design and Construction of Civil, Building, Track Works for JNPT-Vaitarana section of Dedicated Freight Corridor Project [CTP-11 Package]

Subject: RTI Application Of Shri Shivprasad Yadav, r/o- Shripat Yadav Chawl, Gaondevi Road, Poisar, Kandivali (East), Mumbai-401101.

Reference: I. DFCCIL Letter No. 2016/HQ/EN/PWC/CTP-11/Price Bid Evaluation Dated 15.07.2016.
II. Contract HQ/EN/PWC/Phase-II/D&B/9/Express Freight Railway Consortium dated 10.11.2016.
III. DFCCIL Letter No. 2015/HQ/EN/PMC-2R/Financial Evaluation/Part-I Dated 15.02.2016.
IV. Contract HQ/EN/PWC/PMC-2R dated 21.03.2016
V. RTI Application dated 02/12/2024 received through email dated 12/12/2024 -RTI-1150.
VI. RTI Application dated 02/12/2024 received through email dated 12/12/2024 -RTI-1151.
VII. This office letter MUM(S)/EN/RTI/604 Dtd.09.01.2025.
VIII. HQ Letter No. 2024/HQ/Admin/ RTI-1150 Dtd.10.01.2025.
IX. This office letter MUM(S)/EN/RTI/604 Dtd.11.01.2025.
X. HQ Letter No. 2024/HQ/Admin/ RTI-1150 Dtd.13.01.2025.
XI. Appeal to RTI-1150 & 1151 received on dated 13.02.2025.
XII. This office letter MUM(S)/EN/RTI/604 Dtd.07.03.2025.
XIII. HQ Letter No. 2024/HQ/Admin/ RTI-1150-1151 Dtd.29.04.2025 received vide email dated 02.05.2025.

1. Vide reference-I & II; the work of "Design and Construction of Civil, Building and Track Works for Double Line Railway involving Formation in Embankments/Cuttings, Bridges, Structures (Excluding Civil Works for Bridges over Railways and Water Main, and across Creek and Ulhas River and Formations in Embankment I Cutting and Structures in their Approaches on both sides), Buildings, Ballast on Formation, Track Works (Including Track Works on Bridges over Railways and Water Main, and across Creek and Ulhas River and Formations in Embankment I Cutting and Structures in their Approaches on both sides) including Testing and Commissioning on Design-Build Lump Sum Price Basis for JNPT - Vaitarana Section of Western Dedicated Freight Corridor (Phase-2)" (Civil, Building & Track Works Contract Package - 11, ICB No. CT P-11)" has been awarded to M/s Express Freight Railway Consortium having registered office at C/o-Mitsui & Co., India Pvt. Ltd., Plot No. D-1, Fourth Floor, Salcon Ras Vilas, District Centre Saket, New Delhi-110017 (India).
2. Vide reference-III & IV; the work of " Project Management Consultancy Services (PMC) for Construction of Double Line Electrified Railway Track with Signalling & Telecommunication system and related infrastructure for Rewari - Dadri and JNPT- Vadodara section (Approx 555 Route Kms) of Phase -2 of the Western Dedicated Freight Corridor and for Procurement of Electric Locomotives " has been awarded to M/s OCG Consortium having registered office at Oriental Consultants Global Company Limited, 12-1, Honmachi 3-Chome, Shibuya-Ku, Tokyo-15100-71, Tokyo.



NOTE

3. Vide reference-V & VI above; RTI's are received on the above subject matter.
4. Vide reference-VII & IX above; unit had replied to the received RTI for further necessary action to HQ.
5. Vide reference-VIII & X above; HQ had shared the information to the RTI applicant against his RTI's .
6. Vide reference-XI above; an appeal had been received at unit level vide email and reply to the same has been provided vide reference-XII above.
7. Vide reference-XIII above; HQ has gone through the RTI reply as suggested for modification if any based on the RTI Acts.
8. The unit review the replies based on the contract provision and arrange information on this matter. The revised replies to the RTI's are as below:-


Sr No.	Information Sought	Information to be Provided
1	वेस्टर्न कोरीडोर के चल रहे कामो, जेएनपीटी से वसई रोड (पश्चिम रेलवे स्टेशन) के बीच में जारी कामो में भ्रष्टाचार होने की जानकारी मिली है। निम्न दर्जे के सामानो का उपयोग और ब्लॉक लिस्टेड सब कन्ट्रिब्यूटर्स/कंपनी से काम करवाया जा रहा है। मुझे CPCC, CECRI, ANTI CORROSIVE TREATMENT के काम करनेवाले ठेकेदार के द्वारा ठाणे पालघर, जिलो के नालासोपारा, कामन खारबाओ, नागले, शिवपूर विरार, राजौली, गौखिरे तालाव के पास, जूहूचंद्र और कलमबोली के इन स्थानोप र स्टील को जंग से बचाने के लिए CPCC, CECRI, ANTI CORROSIVE TREATMENT के चल रहे कामो से संबंधित निम्नलिखित जानकारी चाहिए।	
A.	काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए।	Engineer/PMC letters issued for the approval of Sub Contractor for carrying out the work of Anti corrosive treatment for reinforcement /s Shah Enterprises (Applicator):- L/OCGC/DFCC/ ZMT-1/ CTP-11/ 1905/ 1197 dated 11.05.2019. (Copy Attached Annexure-A) Apart from above as per Engineers Approvals following are the subcontractors engaged by main Contractor i.e. M/s EFRC for carrying out the work of Anti corrosive treatment for reinforcement A. M/s Mayur Coating Pvt. Ltd. B. M/s Gaur Trading Company C. M/s Mahavir Coating M/s Jeevach Coating Pvt. Ltd. (Applicator & Manufacturer)
B.	काम में उपयोग में लिया गया मटेरियल टैस्टिंग रिपोर्ट, अधिकारियों के जांच रिपोर्ट की कॉपी चाहिए।	The works are being monitored by Engineer/PMC as per FIDIC Condition of Contract and provision of Contract Agreement HQ/EN/PWC/PMC-2R dated 21.03.2016. Sample Material Testing reports are attached along with this letter. (Annexure-B)

[Signature]


NOTE

C.	काम करनेवाले गजदुर बांग्लादेशी है और फर्जी कागजातो के आधार पर आधारकार्ड बनवाकर काम कर रहे है। DFCCI ने इस मामले में कोई काम/जाँच किया है इसकी जानकारीदायक कॉपी दिजाए।	No record available in this office.
----	---	-------------------------------------

Draft reply put up for approval of CGM/Mumbai please.


(PM/Mumbai) 20/05/25

GM/CIVIL/Mumbai


20/05/2025

CGM/Mumbai


CAJ

PM/mumbai

Letter No.: L/OCGC/DFCC/ZMT-1/CTP11/1803/318

Dated: 12th March 2018

To,
Express Freight Railway Consortium
R. R. Corporates, Ground Floor,
Vaibhav Nagari, Katai Village,
Kalyan Shil Road, Dombivli East,
District - Thane

Annexure-A

Kind Attention: Mr. Chandra Pal Mehta, Contractor's Representative
Contract Agreement - CTP-11 Package (C.A. No. HQ/EN/PWC/PHASE - II PKG - 11/D&B/9/Express Freight Railway Consortium)
Sub: CTP-11 Package - Engineer's Consent on Vendor Proposal for Protective Coating of Steel Reinforcement

Ref: 1. Contractor's Letter No. WDFC/CTP-11/SITE/20180222/446 dated 22.02.2018
2. Contractor's Letter No. WDFC/CTP-11/SITE/20180306/470 dated 06.03.2018

Dear Sir,


This has with reference to the above-mentioned subject & Contractor's letter referred at Sr.No. 1 & 2 wherein the Contractor had submitted the details of vendor 'M/s. Mayur Coating pvt ltd located at D/27, 304, Yogi Nagar, Eksar Road, Borivali (W), Mumbai -400091' which has been identified as an authorized licensee for using CPCC technology developed by CECRI Institute.

The Contractor had provided copies of Authority letters indicating 'M/s. Satya Contracts (I) Pvt.Ltd. And M/s Prakash Enterprises as authorized applicators for CPCC coating.

Engineer's consent is hereby issued in terms of clause 9.26.2 of Part-III: Specifications to the above vendor 'M/s. Mayur Coating pvt ltd' as approved licensee for the application of CPCC Method; M/s. Prakash Enterprises and 'M/s. Satya Contracts (I) Pvt.Ltd' for application of CPCC coating on reinforcement bars falling under purview of CTP-11 Package.

FIDIC Clause 5.2 is relevant in this context which specifies that any such approval or consent, or any review shall not relieve the contractor from any obligation or responsibility. Subsequently if any errors, mistakes, discrepancies are found after this consent, the same will be rectified by the Contractor on his own cost.

Yours Sincerely,


(Sunil Kumar R. Darade)

Dy.CRE / ZMT-1

The Engineer's Assistant

CC:

1. Mr. Rajeev Tyagi, CPM (South)/Mumbai, DFCCIL.
2. Mr. Katsuyuki Saito, The Project Director, OCG Consortium New Delhi office.
3. Mr. Shiv Kumar, Dy. Project Director, OCG Consortium New Delhi office.
4. Mr. A K Harit, Quality Expert (Civil), OCG Consortium New Delhi office.
5. Mr. Takaharu Uemura, Authorized Representative, EFR Consortium.



केन्द्रीय विद्युत रसायन अनुसंधान संस्थान
CENTRAL ELECTROCHEMICAL RESEARCH INSTITUTE

(Council of Scientific & Industrial Research)
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)

कारैकुडी - 630 006, तमिलनाडु, भारत
KARAIKUDI - 630 006, TAMILNADU, INDIA

Telephone : 04565-228762 (Direct) 229350
Tels Fax : 04565-227550-59 (EPABX) (10 Lines)
Fax : 91-4565-227713 (TTBD)
E-Mail : 91-4565-227779
ttbd@cecric.res.in,
cecrittbd@rediff.com
Web : www.cecric.res.in
PAN No. AAATC2716R
Service Tax No. AAATC2716RST021


TECHNOLOGY TRANSFER & BUSINESS DEVELOPMENT (TTBD)

No. 18-21-02/(03-2014)-TTBD

20.01.2015

CERTIFICATE

This is to certify that M/s. Mayur Coating Pvt. Ltd., having its office at D/27, 304, Yogi Kripa, Opp. Jawahar Oil Depot, Yoganagar, Eksar Road, Borivali (West), Mumbai 400 091 is our licensee for the process on "Cement Polymer Composite Coating (CPCC) System for Corrosion protection of Reinforcing and Prestressing Steels" for a period of 7 years from 20.01.2015 as per the agreement entered with the company.



(Signature) 20/1/15
(R.V. Alagesan)

प्रधान, टीटीडी सेक्शन
HEAD, TTBD Section
केन्द्रीय विद्युत रसायन अनुसंधान संस्थान
Central Electrochemical Research Institute
कारैकुडी/KARAIKUDI- 630 006

Correspondence should be addressed to :-

The Director, Central Electrochemical Research Institute (CECRI), Karaikudi - 630 006, Tamilnadu.

MAYUR COATING PVT.LTD

(Govt. Of India Licensee of R.C.C Anti Corrosive Treatment)

(C.E.C.R.I. Method)

(C.P.C.C. Technology)

Office : D/27,304, Yogi Nagar , Eksar Road, Borivali (W) , Mumbai - 400 091,

Tel : 9821209992 , 9821064181

27/01/2017

WHOMSOEVER IT MAY CONCERN

This is to certify that M/s Satya Contracts (I) Pvt Ltd , D-295, Vashi Plaza,
Sector 17, Vashi, Navi Mumbai 400 705 is our authorised applicator for
CPCC (Cement Polymer Composite Coating).

All the required Technical Assistance are provided by us time to time whenever
it is required.

All the required material (Primer & Sealer Coat) are provided by us.

For Mayur Coating Pvt Ltd



Directors

MAYUR COATING PVT.LTD

(Govt. Of India Licensee of R.C.C Anti Corrosive Treatment)
(C.E.C.R.I. Method) (C.P.C.C. Technology)

Office : D/27,304, Yogi Nagar , Eksar Road, Borivali (W) , Mumbai – 400 091.
Tel : 9821209992 , 9821064181

Date:- 18th Feb 2018

Sub:- Confirmation Letter


Dear sir,

We like to confirm that we are the Licensee of CPCC Technology developed by CECRI Institute and M/S Prakash Enterprises having authorized applicator for CPCC coating Of reinforcement steel, their office at Trombay Mumbai-88 buys materials from us for CPCC coating.

Thanking you

Yours faithfully,

For Mayur Coating Pvt. Ltd.



Mayur Maru

Letter No.: L/OCGC/DFCC/ZMT-1/CTP11/1803/338

Dated: 21st March 2018

To,
Express Freight Railway Consortium
R. R. Corporates, Ground Floor,
Vaibhav Nagari, Katai Village,
Kalyan Shil Road, Dombivli East, District - Thane

Kind Attention: Mr. Chandra Pal Mehta, Contractor's Representative

Contract Agreement - CTP-11 Package (C.A. No. HQ/EN/PWC/PHASE - II PKG - 11/D&B/9/Express Freight Railway Consortium)

Sub: CTP-11 Package - Engineer's Consent on Vendor Proposal for Protective Coating of Steel Reinforcement

Ref: Contractor's Letter No WDFC/ CTP-11/SITE/20180222/470 dated 06.03.2018

Dear Sir,

This has with reference to the above-mentioned subject & Contractor's referred letter wherein the Contractor had submitted the details of vendor 'M/s. Gaur Trading Company located at 2, Joothica, 22, Sleater Road, Mumbai -400007' which has been identified as an authorized licensee for using CPCC technology developed by CECRI Institute. The Contractor had provided the copy of Authority letter indicating 'M/s. S.K. Enterprises.' as authorized applicator for CPCC coating.

Engineer's consent is hereby issued in terms of clause 9.26.2 of Part-III: Specifications to the above vendor 'M/s. Gaur Trading Company' as approved licensee for the application of CPCC Method; 'M/s. S.K. Enterprises' for application of CPCC coating on reinforcement bars falling under purview of CTP-11 Package.

FIDIC Clause 5.2 is relevant in this context which specifies that any such approval or consent, or any review shall not relieve the contractor from any obligation or responsibility. Subsequently if any errors, mistakes, discrepancies are found after this consent, the same will be rectified by the Contractor on his own cost.

Yours Sincerely,



(Sunil Kumar R. Darade)

Dy.CRE / ZMT-1

The Engineer's Assistant

CC:

1. Mr. Rajeev Tyagi, CPM (South)/Mumbai, DFCCIL.
2. Mr. Katsuyuki Saito, The Project Director, OCG Consortium New Delhi office.
3. Mr. Shiv Kumar, Dy. Project Director, OCG Consortium New Delhi office.
4. Mr. A K Harit, Quality Expert (Civil), OCG Consortium New Delhi office.
5. Mr. Takaharu Uemura, Authorized Representative, EFR Consortium.



सीएसआईआर- केंद्रीय विद्युतरसायन अनुसंधान संस्थान
CSIR-CENTRAL ELECTROCHEMICAL RESEARCH INSTITUTE
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)
(Council of Scientific and Industrial Research)

कारैकुडी/KARAIKUDI - 630 003, तमिलनाडु/TAMILNADU, भारत/INDIA

फ़ोन/Phone : 04565 - 227713 (TTBD)
प्रमुख/Head, TTBD : 04565 - 241506 / 512 / 525 (EPABX)
फैक्स/Fax : 04565 - 227713 (TTBD)
ईमेल/Email : ttbd@cecri.res.in
वेब/Website : http://www.cecri.res.in
पैन/PAN : AAATC2716R
जीएसटीआईएन/GSTIN : 33AAATC2716R2ZL

प्रौद्योगिकी हस्तांतरण एवं व्यवसाय विकास (टीटीबीडी)

TECHNOLOGY TRANSFER AND BUSINESS DEVELOPMENT (TTBD)

No.18-24-02(01/2020)/TTBD

Date:23-07-2020

TO WHOMSOEVER IT MAY CONCERN

This is to Certify that M/s. Gaur Trading Co., 2, Joothica, 22, Sleator Road, Mumbai-400 007 is our license for the CSIR-CECRI Know-how on "*Cement Polymer Composite Coating (CPCC) System for Corrosion protection of Reinforcing steel*" for the period of Seven years with effect from 26st January 2020 to 27th January 2027.



(Dr. Jonas Davidson)
Head - TTBD



Accreditation



GAUR TRADING CO.

AN ISO 9001: 2008, CERTIFIED CO.

Certificate No. 105093-A01

Distributors for Magicoat Brand of Products & Licensees for CPCC, Developed by CECRI

Corr. Add : 10/11, East & West Villa, 16, Shankarsheth Rd., Mumbai - 7. Tel. : 022-2382 2641 • E-mail : hemangbajurkar@rediffmail.com
Regd. Office : 22, Sleater Road, Grant Road (w), Mumbai - 400 007.

Date: 27/04/2022

To,
TATA Projects Ltd

Sub: Confirmation letter

We would like to confirm that we are one of the leading manufacturers and licensees of CPCC Technology that has been developed by CECRI Karaikudi, Tamilnadu and M/s Shah Enterprises having address at 581 Vijay Nagar SM Road, Near Durga Mata Mandir, Antop Hill, Mumbai-400037 has contacted us for procuring material manufactured by us for your esteemed project. We have been supplying material to M/s Shah Enterprises for 15 years and are satisfied with the quality of his application.

Thanking you,
Yours faithfully,



(Hemang B. Bajurkar)
9867462255

Letter No.: L/OCGC/DFCC/ZMT-1/CTP11/1809/63)

Dated: 26th September 2018

To,
Express Freight Railway Consortium
R. R. Corporates, Ground Floor,
Vaibhav Nagari, Katai Village, Kalyan Shil Road,
Dombivli East, District - Thane

Kind Attention: Mr. Rajesh Ojha, Contractor's Representative

Contract Agreement - CTP-11 Package (C.A. No. HQ/EN/PWC/PHASE - II PKG - 11/D&B/9/Express Freight Railway Consortium)

Sub: (CTP-11 Package) - Protective Coating of Steel Reinforcement.

Ref: 1. Contractor's L.No. WDFC/CTP-11/SITE/20180827/1115 dated 27.08.2018
2. Engineer's L.No. L/OCGC/DFCC/ZMT-1/CTP11/1809/603 dated 11.09.2018
3. Contractor's L.No. WDFC/CTP-11/SITE/201809115/1187 dated 15.09.2018


Dear Sir,

This has with reference to the above-mentioned subject & Contractor's letter referred at Sr.No.3 wherein they have submitted the letter communicated from vendor 'M/s. Mahavir Coatings located at B/706, Yogi Ratna, Yogi Nagar, Borivali West, Mumbai-400091' which has been identified as an authorized licensee for using CPCC technology developed by CECRI Institute, indicating 'M/s. Girish Coating located at E-12,102, Omkar Hsg CHS, Sector-9, Gharonda, Ghansoli, Navi Mumbai' as their Authorized Applicator for CPCC Treatment of Reinforcement Steel Bars.

"Notice of No Objection" (NONO) has been issued to the above referred Contractor's Submittal at Sr.No.1 & 3 in terms of Clause 3.3.1 (1) of Appendix 13 - (Document Control and Review Procedure) of Contract Agreement, Part-2.

FIDIC Clause 5.2 is relevant in this context which specifies that any such approval or consent, or any review shall not relieve the contractor from any obligation or responsibility. Subsequently if any errors, mistakes, discrepancies are found after this NONO, the same will be rectified by the Contractor on his own cost.

Yours Sincerely,


(Sunil Kumar R Darade)

Dy.CRE/ZMT-1/PMC-2R

The Engineer's Assistant

CC:

1. Mr. Rajeev Tyagi, CPM (South)/Mumbai, DFCCIL.
2. Mr. Katsuyuki Saito, The Project Director, OCG Consortium, New Delhi.
3. Mr. Shiv Kumar, Dy. Project Director, OCG Consortium, New Delhi.
4. Mr. A K Harit, Quality Expert (Civil), OCG Consortium, New Delhi.
5. Mr. Takaharu Uemura, Authorized Representative, EFR Consortium.



सीएसआईआर-केंद्रीय विद्युतरसायन अनुसंधान संस्थान
CSIR-CENTRAL ELECTROCHEMICAL RESEARCH INSTITUTE

(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)
(Council of Scientific and Industrial Research)

कारैकुडी/KARAIKUDI - 630 003, तमिलनाडु/TAMILNADU, भारत/INDIA

फोन/Phone 04555 - 227711 (TTBD)
प्रमुख/Head TTBD: 04555 - 221596, 012-5251EPABX
फैक्स/Fax 04555 - 227711 (TTBD)
ईमेल/Email ttbd@cecri.res.in
वेब/Website http://www.cecri.res.in
पैन/PAN AAATC2146R
जीएसटीआई/GSTIN: 33AAATC2146R2ZL

प्रौद्योगिकी हस्तांतरण एवं व्यवसाय विकास (टीसीवीडी)

TECHNOLOGY TRANSFER AND BUSINESS DEVELOPMENT (TTBD)

No.18-24-02(02/2018)/TTBD

Date: 10-08-2018

TO WHOMSOEVER IT MAY CONCERN

To, *Shah Enterprises*
for Sri M/s Tata Projects Ltd

Bhuvanesh This is to Certify that M/s. Mahavir Coatings, B/706, Yogi Ratna, Yogi Nagar, Borivali West, Mumbai-400091 is our license for the CSIR-Central Electrochemical Research Institute's Know-how "Cement Polymer Composite Coating System for Corrosion Protection of Reinforcing steel" for the period of Seven years with effect from 10th August 2018.



D. Jonas Davidson

(D. JONAS DAVIDSON)

Scientist, Head TTBD

प्रधान, टीसीवीडी अनुभाग

HEAD, TTBD Section

केंद्रीय विद्युत रसायन अनुसंधान संस्थान

Central Electrochemical Research Institute

कारैकुडी/KARAIKUDI- 630 005

MAHAVIR COATINGS

Anti-Corrosive & Construction Chemicals

Address: B/706, Yogi Ratna, Yogi Nagar, Eksar Road Borivali West Mumbai 400 091.

Mobile: 9322885804/8850708588 Email: nfuria65@gmail.com

Date: 6-9-18

To,

M/s. Tata projects Ltd.

Site JNPT Vaitarna DFCC Project

Sub: Confirmation Letter

We like to confirm that we are one of the leading Manufacturers and Licensee of CPCC


Technology Developed by CECRI INSTITUTE, Karaikudi, Tamilnadu and M/s. SHAH

ENTERPRISES having Addresses at 581, Vijay Nagar, S M Road, Near Durga Mata Mandir, Antop

Hill, Mumbai-400037 has contacted us for procuring material Manufactured by us for your esteem

Project in JNPT-Vaitarna DFCC Project.

Thanking You,
Yours Faithfully.



Mahavir Coatings
(Niles Furia)

9322885804/8850708588

MAHAVIR COATINGS

B/706, Yogi Ratna, Eksar Road,
Yogi Nagar, Borivali West
Mumbai-91

Letter No.: L/OCGC/DFCC/ZMT-1/CTP11/1905/11 94

Dated: 11th May 2019

To,
Express Freight Railway Consortium
R. R. Corporates, Ground Floor,
Vaibhav Nagari, Katai Village, Kalyan Shil Road,
Dombivli East, District - Thane

Kind Attention: Mr. Chandra Pal Mehta, Contractor's Representative.

Contract Agreement - CTP-11 Package (C.A. No. HQ/EN/PWC/PHASE - II PKG - 11/D&B/9/Express Freight Railway Consortium)

Sub: (CTP-11 Package) - Approval of M/s Shah Enterprises as an applicator for CPCC Coating of Steel reinforcement of CTP-11 package of ZMT-1 section.

Ref:

1. Contract Agreement for contract package, CTP-11, Part 3.
2. Engineer's Letter No-L/OCGC/DFCC/ZMT-1/CTP-11/1809/631 dated 26.09.2018
3. Contractor's Letter No -WDFC/CTP-11/SITE/20190419/2467 dated 19.04.2019


Dear Sir,

This has with reference to the above-mentioned Contractor's letter at Sr No. 03 wherein the Contractor has submitted the detail of authority letters indicating M/s Shah Enterprises located at 581-Vijay Nagar, S M Road, near Durga Mata Mandir Antop Hill, Mumbai-400037 as authorized applicator for CPCC coating by M/s Mahavir Coatings wherein M/s Mahavir Coatings Anti-corrosive & Construction Chemicals which have approved Engineer's letter Sr No 2.

The Engineer has reviewed the contractor's submittal referred at Sr No 03 above in terms of clause no 9.26.2 of Part 3 Specification, CTP-11 & RDSO-BS-14-Durability Guide.

'Notice of No Objection' (NONO) is hereby issued to M/s Shah Enterprises for application of CPCC coating on reinforcement bars of CTP-11 package in terms of Sub Clause 3.3.1 (1) of Appendix 13 under Employer's Requirement, Part-2 of Contract Agreement.

Yours Sincerely,


(Sunil Kumar R Darade)
Dy CRE/ZMT-1/PMC-2R
The Engineer's Assistant

CC:

1. Mr. Rajeev Tyagi, CGM (South)/Mumbai, DFCCIL.
2. Mr. Katsuyuki Saito, The Project Director, OCG Consortium, New Delhi.

Letter No.: L/OCGC/DFCC/ZMT-1/CTP-11/2110/3236

Dated: 18th Oct 2021

To,
M/s Express Freight Railway Consortium,
CTP-11 Site, Mumbai
TaTa Projects Limited,
Survey No. 05, Near L.C.-04, Village-Vadavali Khurd,
Taluka-Kalyan, District-Thane, Maharashtra-421204.

Kind Attn: Mr. Rajesh Ojha, Contractor's Representative.

Contract Agreement – CTP-11 Package (C.A. No. HQ/EN/PWC/PHASE-II PKG-11/D&B/9/Express Freight Railway Consortium)

Sub: (CTP-11 Package) – Engineer's Consent on Vendor proposal for protective Coating of steel reinforcement for CTP-11 Package of ZMT-I section.

Ref.:

1. Contract Agreement for contract package, CTP-11, Part III, General Specification.
2. Contractor's Letter No-WDFC/CTP-11/SITE/20210914/9379 dated 14.09.2021
3. Engineer's Letter No-L/OCGC/ZMT-1/CTP-11/2109/3188 dated 30.09.2021.
4. Contractor's Letter No-WDFC/CTP-11/SITE/20211011/9586 dated 11.10.2021

Dear Sir,

Contractor vide letter referred at Sr No.4 has complied observation raised by Engineer vide letter referred at Sr. No.-3 for approval of M/s Jeevach Coating Pvt Ltd., located at Room No-1, Laxmi Niwas, Eksar Road, Next to Eksar Talav, Borivali (W), Mumbai-400103 as specialist in CPCC work. for CTP-11 Package of ZMT-1 section.

The Engineer has examined the Contractor's submittal & certificate of authorized licensee for using CPCC technology developed by CERI (CECRI) Institute for M/s Jeevach Coating Pvt Ltd., Borivali (Mumbai) and generally found in order in terms of clause no 9.26.2 of Part 3 Specification, CTP-11 & RDSO-BS-14-Durability Guide.

"Notice of No Objection" (NONO) has been issued to M/s Jeevach Coating Pvt Ltd., Borivali (Mumbai) as approved license for application of CPCC method in terms of Sub Clause 3.3.1 (1) of Appendix 13 (Document Submission and Review Procedure) of Contract Agreement, Part-2.

FIDIC Clause 3.1(c) & 5.2 are relevant in this context which specifies that any such approval or consent, or any review shall not relieve the contractor from any obligation or responsibility. Subsequently if any errors, mistakes, discrepancies are found after this NONO, the same will be rectified by the Contractor on his own cost.

Yours Sincerely,

(Sanjay S. Bahad)

Dy. CRE/ZMT-1/PMC-2R
The Engineer's Assistant

CC:

1. Mr. Rajeev Tyagi, Chief General Manager (South)/DFCCIL/Mumbai.
2. Mr. Vaughan Howard Elias, Project Director, OCG Consortium, New Delhi
3. Mr. Pramod Kumar Aggarwal, Dy. Project Director, OCG Consortium, New Delhi.



सीएसआईआर- केंद्रीय विद्युतरसायन अनुसंधान संस्थान
CSIR-CENTRAL ELECTROCHEMICAL RESEARCH INSTITUTE
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)
(Council of Scientific and Industrial Research)

कारैकुडी/KARAIKUDI - 630 003, तमिलनाडु/TAMILNADU, भारत /INDIA

फोन/Phone : 04565 - 227713 (TTBD)
प्रमुख/Head, TTBD: 04565 - 241506 / 512 / 525 (EPAGX)
फैक्स/Fax : 04565 - 227713 (TTBD)
ईमेल/Email : t1bd@cecrl.res.in
वेब/Website : http://www.cecrl.res.in
पैन/PAN : AAATC2716R
जीएसटीआईएन/GSTIN: 33AAATC2716R22L

प्रौद्योगिकी हस्तांतरण एवं व्यवसाय विकास (टीटीबीडी)
TECHNOLOGY TRANSFER AND BUSINESS DEVELOPMENT (TTBD)


No.18-24-02(02/2021)/TTBD

Date: 20 April, 2021

TO WHOMSOEVER IT MAY CONCERN

This is to certify that M/s. Jeevach Coating Private Limited, Room No. 01, Ground Floor, Laxmibai House and surrounding locality, Eksar Road, Machchhi Market, Samoratalep, Borivali West, Mumbai-400092 is our licensee for the CSIR-Central Electrochemical Research Institute's Know-how on "Cement Polymer Composite Coatings (CPCC) System for Corrosion Protection of Reinforcing Steel" for a period of five years with effect from 15 April, 2021.




(D. JONAS DAVIDSON)
Scientist, Head, TTBD

Annexure-B

Express Freight Railway Consortium

Dedicated Freight Corridor Project (JNPT- Vaitarana Section of Western Corridor Phase-2)
Civil, Building and Track Works Contract Package – CTP-11

Ref: WDFC/ CTP-11/ SITE/20181205/1555

5th December 2018

To,
The Engineer's Assistant,
OCG Consortium, ZMT-1, PMC-2R
1st Floor, Proviso Complex
Plot no. 5/6/7, Sector-35E,
Owe, Kharghar
Navi Mumbai- 410210



Kind Attn.: - Mr. Sunil Kumar Darade (Dy. CRE/ZMT-1/PMC-2R)

Project: Dedicated Freight Corridor Project (JNPT – Vaitarana Section of Western Corridor Phase-2), Civil, Building and track work Package – CTP-11- **Third party reports for CPCC coated reinforcement bars & Primer + sealant coat chemicals.**

Ref. : 1).RFI no.EFRC/TPL/CTP-11/LAB/993 dt..28.04.2018
2).RFI no.EFRC/TPL/CTP-11/LAB/1273 dt 10.09.2018

Dear Sir,

With reference to Contract agreement clause 9.26.2 of section-9 of part-III & above mentioned RFI, we have conducted Third party test for CPCC coated samples of reinforcement bars & Primer + sealant coat chemicals. Please find attached herewith third part test reports for your reference.

Assuring our best services always.

Regards

[Signature]
Rajesh Ojha
(Contractor's Representative)

Cc to:-

- (1) Mr. Katsuyuki Saito, Project Director, OCG Consortium (Engineer).
- (2) Mr. Rajeev Tyagi, Chief Project Manager (South)/ DFCCIL/ Mumbai.

WDFC Project PMC2R(OCG - Consortium)/ZMT-1							
Design	Act.	Designation	Info	Act.	Designation	Info	Act.
CRE		ARE (Earthwork2)			ARE Tugral		
Dy. CRE		ARE (Bridge)			ARE Sr. (PCC-SP)		
(Civil)		ARE (Mech)			ARE (Track)		
Finance Mgr.		ARE (OHE)			ARE Yamanji (R)		
Administrative Mgr.		ARE (ESA 1)			ARE Track Field		
Contract Mgr. (Civil)		ARE Sullang-1			Coordinator-1		
RE (Traction)		ARE Bridge-2			Quality Engineer		
RE (Non Tra./IE&M)		ARE Bridge-3			Safety		
RE (S&T)		ARE Br. 14(15A)			Doc. Control		
ARE (Earthwork)		ARE Br/Cast Yard			Other		

**DEDICATED FREIGHT CORRIDOR CORPORATION OF INDIA LIMITED
ORIENTAL CONSULTANTS GLOBAL CONSORTIUM
EXPRESS FREIGHT RAILWAY CONSORTIUM**

**DFCC PROJECT, CTP-11 (JNPT -VAITARANA SECTION)
REQUEST FOR INSPECTION (RFI)**

Contract agreement no. HQ/EN/PWC/PHASE-II PKG-11/D&B/9/EFRC dated 10-Nov-2016- For JNPT-Vaitarana section of Western Dedicated Freight Corridor: (Phase-2). (Civil, Building & Track Works Contract Package - 11, ICB No. CT P-11),

Employer : Dedicated Freight Corridor Corporation of India Ltd
Engineer : PMC-2R (OCG Consortium)
Contractor : Express Freight Railway Consortium

RFI No. EFRC/TPL/CTP-11/Carb/993

Date of Submission : 27-04-18

Date of Inspection Request : 28/04/18

Inspection Time requested : 11:00

Location: Taloja Building.

Cost Centre No. (If Any) :

Description of Work: Sampling of CPCC coated Bars & (Primer + Sealant coat chemical)
1). 8mm ϕ bar (Heat No:- 18101102)
2). 10mm ϕ bar (Heat No:- 18400694)
3). 12mm ϕ bar (Heat No:- 18300769)
4). 16mm ϕ bar (Heat No:- 18101110)
5). 20mm ϕ bar (Heat No:- 18101296)
6). 25mm ϕ bar (Heat No:- 18101238)

Inspection Remarks of the Engineer's/ Employer's Representative:

- 1). The above referred bars each of 1m length (Two in numbers /qty) has been coated with Anticorrosive protective coating as given in CPCC system, and the same has been dispatched to WTI's lab for further testing as per the Contract clause 9.26.2 of CA, Part-3.
- 2). The supplementary backup has been attached with this RFI for Reference
- 3). The test report is awaited for consent of the Engineer

Please Tick the below





Approval for Commencement of Work



Remedial Works Required as above but no further approval required



Remedial Works Required & Re-submit RFI

	Contractor	Engineer	Employer	S&T Clearance	Electrical Clearance
Signature					
Date	<u>28/04/18</u>	<u>28/04/2018</u>			
Name	<u>Devjit G/T</u>	<u>Bhince Bharti</u>			
Designation	<u>Py. Manager</u>	<u>Earthwork Engg</u>			
Remarks		<u>RFI is closed & the test results of samples is being awaited for further confirmation.</u>			

**V J T I****Veermata Jijabai Technological Institute**

(Central Technological Institute, Maharashtra State, INDIA)

H. R. Mahagan Mang. Mahanga, Mumbai 400019

Tel No. (91) 22 24193700 Fax: (91) 22 24192874

www.vji.ac.in

TECHNICAL & APPLIED CHEMISTRY DEPARTMENT**TECHNICAL TEST REPORT ON TEST SAMPLES CLAIMED
CPCC CHEMICALS & CPCC COATED BAR**

No. TST / 4 / Chem / 3093 / 2018 / 07 / 32

26th July, 2018

Tested for : Express Freight Railway Consortium,
Dedicated Freight Corridor Project
(JNPT - Vaitarana Section of Western Corridor Phase - 2),
Civil, Building and Track Works Contract Package - CTP - 11.

26 JUL 2018

Party's Ref. No. : WDFC / CTP-11 / SITE / 20180404 / 649 dated 24/04/2018.

Our Reference : Bill No.66445 for Rs.6,490/- Receipt No.00403

Test samples : of CPCC Chemicals & CPCC Coated Bars. Sub: Dedicated Freight Corridor
Project (JNPT - Vaitarana Section of Western Corridor Phase - 2), Civil, Building
and Track Work Package. Source Name: JSW Steel Limited. Project Name: CTP-
11 JNPT - Vaitarana. Location: Taleja Building Grade of Steel - FE-500D

Results:

No.	Tests	Results	
		Primer	Sealant
A	CPCC Chemicals		
1	Color	Strawberry Red	Olive Green
2	pH	8.3	9.4
3	Density at 25°C	0.992	1.328
4	Chloride Content	Nil	Nil
5	Solid Contents (%w/w)	48.6	48.9
B	CPCC Coated Bars		
1	Uniformity	The coating is uniform in thickness & shows no evidence of defects of cracks, peeling or bulging no rust spots are visible to naked eye	
2	Adhesion of coating	No cracking or disbanding observed	
3	Impact Resistance of coating	No shattering or cracking of coating observed	
4	Resistance to 2V impressed voltage	No evolution of hydrogen gas at end of one hour	
5	Abrasion Resistance	Weight loss: 42mg Maximum permissible loss: 100 mg permitted. Passes	
6	Chemical Resistance: The rods were immersed in 3M NaOH saturated Ca(OH) ₂ , sea water & distilled water for 4 days at ambient temperature.	Good - No evidence of blistering, softening, peeling or rusting is observed.	
7	Average Thickness of Coating		
	08 mm Dia	162 microns	
	10 mm Dia	158 microns	
	12 mm Dia	164 microns	
	16 mm Dia	160 microns	
	20 mm Dia	159 microns	
	25 mm Dia	166 microns	

Note: The test results are concerned only with the supplied specimens.

Testing Officer

Head of Department

Director



DEDICATED FREIGHT CORRIDOR CORPORATION OF INDIA LIMITED
ORIENTAL CONSULTANTS GLOBAL CONSORTIUM
EXPRESS FREIGHT RAILWAY CONSORTIUM
DFCC PROJECT, CTP-11 (JNPT -VAITARANA SECTION)
REQUEST FOR INSPECTION (RFI)



Contract agreement no. HQ/EN/PWC/PHASE-II PKG-11/D&B/9/EFRC dated 10-Nov-2016- For JNPT-Vaitarana section of Western Dedicated Freight Corridor. (Phase-2). (Civil, Building & Track Works Contract Package - 11; ICB No. CTP-11)

Employer : Dedicated Freight Corridor Corporation of India Ltd.
 Engineer : PMC-2R (OCG Consortium)
 Contractor : Express Freight Railway Consortium

RFI No. EFRC/TPL/CTP-11/ Lab/1273

Date of Submission : 08/09/2018

Date of Inspection Request : 10/09/2018

Inspection Time requested : 11:00

Location: Kaxanjade

Cost Centre No. (If Any) :

Description of Work: Sampling of primer & seal coat for CPCC Coating.

Inspection Remarks of the Engineer's/ Employer's Representative:

The primer and seal coat sample were collected from Kaxanjade Plant, (CTP-11) for 3rd party testing of M/s. Mayur Coating.

Please Tick the below



Approval for Commencement of Work



Remedial Works Required as above but no further approval required



Remedial Works Required & Re-submit RFI

	Contractor	Engineer	Employer	S&T Clearance	Electrical Clearance
Signature					
Date	08/09/2018	08/09/2018			
Name	Devidhar Singh	Sagar Nigam			
Designation	A.C. Engineer	PMC-2R			
Remarks		10-9-18			

**DEDICATED FREIGHT CORRIDOR CORPORATION OF INDIA LIMITED
ORIENTAL CONSULTANTS GLOBAL CONSORTIUM
EXPRESS FREIGHT RAILWAY CONSORTIUM**

**DFCC PROJECT, CTP-11 (JNPT -VAITARANA SECTION)
REQUEST FOR INSPECTION (RFI)**

Contract agreement no. HQ/EN/PWC/PHASE-II PKG-11/D&B/9/EFRC dated 10-Nov-2016- For JNPT-Vaitarana section of Western Dedicated Freight Corridor. (Phase-2). (Civil, Building & Track Works Contract Package - 11, ICB No. CTP-11),

Employer : Dedicated Freight Corridor Corporation of India Ltd.
Engineer : PMC-2R (OCG Consortium)
Contractor : Express Freight Railway Consortium

RFI No. EFRC/TPL/CTP-11/Lab/ 1324

Date of Submission : 25/09/2018

Date of Inspection Request : 26/09/2018

Inspection Time requested : 4:00

Location: Ch 18+500 Korumjale

Cost Centre No. (If Any) :

Description of Work:

Sampling of GPC Coated bars.

Inspection Remarks of the Engineer's/ Employer's Representative:

As per CA. Part IV, clause no 9.26.2. "Batchwise Corrosion"
Sampling of 8mm, 10mm & 12mm ϕ have done from Korumjale for 3rd party testing.

Please Tick the below





Approval for Commencement of Work



Remedial Works Required as above but no further approval required



Remedial Works Required & Re-submit RFI

	Contractor	Engineer	Employer	S&T Clearance	Electrical Clearance
Signature					
Date	25/09/2018	26/09/18			
Name	Deviendra Singh	V. M. S. R.			
Designation	D.O. Engineer	26-9-18			
Remarks					



V J T I
Veerinatala Jijabal Technological Institute
(Central Technological Institute, Maharashtra State, India)
H. R. Mahajan Marg, Matunga, Mumbai 400019
Tel.No. +91 22 24198100 Fax: +91 22 24102874
www.vjti.ac.in

TECHNICAL & APPLIED CHEMISTRY DEPARTMENT

TECHNICAL TEST REPORT ON TEST SAMPLES CLAIMED CPCC COATED BAR

No. TST / 4 / Chem / 4999 / 2018 / 11 / 09

15th November, 2018

16 NOV 2018

Tested for : Express Freight Railway Consortium,
Dedicated Freight Corridor Project
(JNPT - Vaitarana Section of Western Corridor Phase - 2),
Civil, Building and Track Works Contract Package - CTP - 11.

Party's Ref. No. : GIT / TPL / KAR / 02 dated 27/09/2018.

Our Reference : Bill No.66536 for Rs.9,088/- Receipt No.

Test samples : of CPCC Coated Bars. Sub: Dedicated Freight Corridor Project (JNPT - Vaitarana Section of Western Corridor Phase - 2), Civil, Building and Track Work Package - CTP - 11, Source Name: SAIL, Grade of Steel FE-500D. Project Name: CTP-11 JNPT - Vaitarana. Location: Karanjade. Contractor: ERFC.

Results:

No.	Tests	Results
1	Uniformity	The coating is uniform in thickness & shows no evidence of defects of cracks, peeling or bulging no rust spots are visible to naked eye.
2	Adhesion of coating	No cracking or disbanding observed.
3	Impact Resistance of coating	No shattering or cracking of coating observed.
4	Resistance to 2V impressed voltage	No evolution of hydrogen gas at end of one hour.
5	Abrasion Resistance	Weight loss 40mg. Maximum permissible loss 100 mg permitted - Passes
6	Chemical Resistance: The rods were immersed in 3M NaOH saturated $\text{Ca}(\text{OH})_2$, sea water & distilled water for 4days at ambient temperature.	Good - No evidence of blistering, softening, peeling or rusting is observed.
7	Average Thickness of Coating : 08 mm Dia 10 mm Dia 12 mm Dia	167 microns 164 microns 160 microns

Note: The test results are concerned only with the supplied specimens.

Testing Officer

Head of Department

Director



**V J T I****Veermata Jijabai Technological Institute**

(Central Technological Institute, Maharashtra State, INDIA)

11 R. Mahagani Marg, Matunga, Mumbai 400010

Tel No : 91 22 24198100 Fax: 91 22 24102874

www.vjti.ac.in

TECHNICAL & APPLIED CHEMISTRY DEPARTMENT**TECHNICAL TEST REPORT ON TEST SAMPLES CLAIMED CPCC CHEMICALS**

No. TST / 4 / Chem / 5000 / 2018 / 11 / 10

15th November, 2018

Tested for : Express Freight Railway Consortium,
Dedicated Freight Corridor Project
(JNPT - Vaitarana Section of Western Corridor Phase - 2),
Civil, Building and Track Works Contract Package - CTP - 11.

Party's Ref. No. : Ref No.01 Letter dated 10/09/2018.

Our Reference : Bill No.66536 for Rs.9,086/- Receipt No.

Test samples : of CPCC Chemicals. Sub: Dedicated Freight Corridor Project (JNPT - Vaitarana
Section of Western Corridor Phase - 2), Civil, Building and Track Work Package -
CTP - 11. Source Name: Mayur Coatings, Grade of Steel: FE-500D. Project Name:
CTP-11 JNPT - Vaitarana. Location: RR Corporate, near Katai Naka, Kalyan Shil
Phata Dombivali.

Results:

No.	Tests	Results	
		Primer	Sealant
1	Color	Strawberry Red	Olive Green
2	pH	8.3	9.4
3	Density at 25°C	0.996	1.329
4	Chloride Content	Nil	Nil
5	Solid Contents (%w/w)	48.1	48.9

Note: The test results are concerned only with the supplied specimens.

Testing Officer

Head of Department

Director



Express Freight Railway Consortium

Dedicated Freight Corridor Project (JNPT- Vaitarana Section of Western Corridor Phase-2)
Civil, Building and Track Works Contract Package – CTP-11

Ref: WDFC/ CTP-11/ SITE/20190318/2198

19th Mar 2019

To,
The Engineer's Assistant
OCG Consortium, ZMT-1, PMC-2R
1st Floor, Proviso Complex,
Above Getwel Chemist, Sector-35E,
Kharghar, Navi Mumbai- 410210

Kind Attn: - Mr. Sunil Kumar Darade (Dy. CRE/ZMT-1/PMC-2R)

Sub: Dedicated Freight Corridor Project (JNPT – Vaitarana Section of Western Corridor Phase-2), Civil, Building and track work Package – **Third Party Test Reports for CPCC coated reinforcement bars & primer + sealant coat chemicals**


Ref: 1) Our letter no. WDFC/CTP-11/SITE/20181204/1555 dated 05.12.2018
2) Your letter no. L/OCGC/DFCC/ZMT-1/CTP-11/1902/953 dated 13.02.2019

Dear Sir,

With reference to your above referred letter, we are submitting herewith the test results of bond strength on CPCC Coated reinforcement bars in accordance with Clause no .9.26.2 of Contract Agreement, Part-III for your kind perusal and ready reference.

Assuring our best services always.

Regards



Rajesh Ojha
(Contractor's Representative)

Cc to: -

- (1) Mr. Katsuyuki Saito, Project Director, OCG Consortium (Engineer)
- (2) Mr. Rajeev Tyagi, Chief General Manager (South)/ DFCCIL/ Mumbai.



GLOBAL LAB

A World of Quality Testing & Calibration

Format No: POT / 01

Rev No-00

TEST REPORT ISSUED BY : LOCATION-01: VASAI LAB (TEST)

TEST REPORT NO.

TEST REPORT DATE

TEST REPORT

SAMPLE TESTED BY / AT : LOCATION-01: VASAI LAB (TEST)

: TRL-13285/TR-281650/01

: 13-03-2019

NAME OF CUSTOMER :

M/s. TATA PROJECTS LIMITED

R R Corporate Vaibhav Nagar Katol Naka

Kalyan Shil Road, Dombivli (E), Maharashtra

PROJECT / SITE ADDRESS :

Dedicated Freight Corridor Project

(JNPT-Vaitarana Section of Western Corridor Phase-2),

Civil Building and Track Work Package.

QUANTITY

DATE OF RECEIPT

CUSTOMER REF. NO

CONDITION OF SAMPLE ON RECEIPT

SOURCE OF SAMPLE

TEST METHOD

: 03 Nos.

: 25-02-2019

: Letter Dated : 25/02/2019

: Satisfactory

: M-20 Mix, Bond Strength (25mm)

: IS 2770 (Part:1)

BOND TEST IN REINFORCED CONCRETE

Grade of Concrete : M-20

Average compressive strength (N/mm²) : 26.7

Dia. Of Rebar (mm) : 25

Grade of Rebar : NA

Date Of Casting : 05-03-2019

Date of Testing : 12-03-2019

Age of Testing : 7

Temperature (deg. C) : 30.4

Sr. No.	ID Mark	Bond Stress, N/mm ²			Remarks
		at slip 0.025 mm at free end	at slip 0.25 mm at free end	at slip 2.5 mm at free end	
1	M-20 Mix for Bond Strength for 25 mm Dia bar	0.99	5.39	10.21	The Loading is continued and readings of movement Is recorded at a minimum slippage of 2.5 mm at Free end.
2		1.01	5.27	10.07	The Loading is continued and readings of movement is recorded at a minimum slippage of 2.5 mm at Free end.
3		0.87	4.78	10.22	The Loading is continued and readings of movement is recorded at a minimum slippage of 2.5 mm at Free end.
Average stress (N/mm ²)		0.95	5.15	10.17	

NOTE:

- Sample/s was/were not drawn by laboratory.
- The Reported result/s are valid only to the sample submitted to the laboratory.
- No part of the report, except in full, shall be reproduced without written consent of the laboratory.
- The report is valid only when Global Lab hologram is available on the report.



(Authorised Signatory)



GLOBAL LAB

A World of Quality Testing & Calibration

Format No: POT / 01

Rev No 00

TEST REPORT ISSUED BY : LOCATION-01: VASAI LAB (TEST)
TEST REPORT NO.
TEST REPORT DATE

TEST REPORT

SAMPLE TESTED BY / AT : LOCATION-01: VASAI LAB (TEST)
: T&L-13285/TR-281650/02
: 13-03-2019

NAME OF CUSTOMER :

M/s. TATA PROJECTS LIMITED
R R Corporate Vaibhav Nagari Katai Naka
Kalyan Shil Road, Dombivali (E), Maharashtra

PROJECT / SITE ADDRESS :

Dedicated Freight Corridor Project
UNPT -Vaitarana Section of Western Corridor Phase-2),
Civil Building and Truck Work Package.

QUANTITY

: 03 Nos.

DATE OF RECEIPT

: 25-02-2019

CUSTOMER REF. NO

: Letter Dated : 25/02/2019

CONDITION OF SAMPLE ON RECEIPT

: Satisfactory

SOURCE OF SAMPLE

: M-20 Mix, Bond Strength (12 mm)

TEST METHOD

: IS 2770 (Part-1)

BOND TEST IN REINFORCED CONCRETE

Grade of Concrete : M-20

Date Of Casting : 09-03-2019

Average compressive strength (N/mm²) : 31.41

Date of Testing : 16-03-2019

Dia. Of Rebar (mm) : 12

Age of Testing : 7

Grade of Rebar : NA

Temperature (deg. C) : 30.8

Sr. No.	ID Mark	Bond Stress, N/mm ²			Remarks
		at slip 0.025 mm at free end	at slip 0.25 mm at free end	at slip 2.5 mm at free end	
1	M-20 Mix for Bond Strength for 12 mm Dia bar	0.69	2.62	5.72	The Loading is continued and readings of movement is recorded at a minimum slippage of 2.5 mm at Free end.
2		0.50	3.05	7.34	The Loading is continued and readings of movement is recorded at a minimum slippage of 2.5 mm at Free end.
3		0.15	1.19	6.04	The Loading is continued and readings of movement is recorded at a minimum slippage of 2.5 mm at Free end.
Average stress (N/mm ²)		0.45	2.29	6.37	

NOTE:

- Sample/s was/were not drawn by laboratory.
- The Reported result/s is/are valid only to the sample submitted to the laboratory.
- No part of the report, except in full, shall be reproduced without written consent of the laboratory.
- The report is valid only when Global Lab hologram is available on the report.



(Authorised Signatory)



डेडीकेटेड फ्रेट कोरीडोर

No.2024/HQ/ADMIN/RTI-1150-1151

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ़ इंडिया लि.

भारत सरकार (रेल मंत्रालय) का उपक्रम

Dedicated Freight Corridor Corporation of India Ltd.

A Government of India (Ministry of Railways) Enterprise

New Delhi: 25.04.2025

Chief General Manager,
DFCCIL, Mumbai-S

Subject: Providing information w.r.t. Original RTI Applications received under the RTI Act 2005 from Shri Shiv Prasad Yadav.

Reference: 1.RTI applications (No.1150&1151) dated 02.12.2024 of Sh. Shiv Prasad Yadav which was received in this office on 12.12.2024.

2. CGM/Mumbai(S)'s letters No.MUM(S)/EN/RTI/604 dated 09.01.2025.
3. CGM/Mumbai(S)'s letters No.MUM(S)/EN/RTI/604 dated 11.01.2025.
4. CGM/Mumbai(S)'s letters No.MUM(S)/EN/RTI/604 dated 21.02.2025.
5. CGM/Mumbai(S)'s letters No.MUM(S)/EN/RTI/604 dated 07.03.2025.

The RTI application as referred to above has not been dealt with in the desired manner resulting in first appeal and visit of the applicant to corporate office to lodge complaint against such reply.

The RTI application dated 2.12.2024 sent to Mumbai on mail dated 12.12.2024. The first response which was nothing, but a late and inappropriate reply was received on 09.01.2025 (that too after a reminder was issued) indicating that information sought does not pertain to DFCCIL but related to third party. The response being inappropriate the matter was back referred to the unit on 09.01.2025 urging for providing information with revised response because the first point in the application clearly pertains to DFCCIL. However, an interim reply was sent to the applicant citing the position that the matter pertains to third party and information is being obtained from the party concerned.

The unit sent a revised reply on 11.01.2025 maintaining the same position as earlier given but addressing the two RTI applications as both are on same issues. Though the response was not in order the same was sent to applicant. The reply has been appealed against by the applicant through first appeal dated 6th Feb, 2025 and the same was referred to the unit on 12th Feb, 2025. Finally the third party concerned sent a reply rejecting the application without indicating the relevant section of RTI Act, 2020.

It is seen that the observation given by the third party are partly incorrect to the extent that it has tried to insulate the company/consortium from the purview of RTI Act and giving undesirable observations regarding

- (1) The objective of the applicant in making such RTI application.
- (2) Secondly, it has rejected the application on the ground that the disclosure of commercial confidence and trade secrets would harm the competitive positions of contractors and thirdly,
- (3) it says the application does not serve larger public interest.

It is a fact that the Private Parties are not covered under the RTI Act, 2005. But the Private Parties are liable to provide information regarding the subjects/works/tasks/responsibilities assigned to them under any arrangement if, for that work/subjects/tasks they are paid from the Public Fund by the Public Authority.

Registered Office : 5th Floor, Supreme Court Metro Station Building Complex, New Delhi- 110001, Tel.:+91-11-23454700, Fax: 011-23454701, Web:; <https://dfccil.com> CIN : U60232 DL 2006 GOI 155068

Corporate Office : DFCCIL Corporate office Complex, Sector 145, Noida, Uttar Pradesh-201306, Tel.:+91-120-2216666, Web.:



डेडीकेटेड फ्रेट कोरीडोर

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ़ इंडिया लि.

भारत सरकार (रेल मंत्रालय) का उपक्रम

Dedicated Freight Corridor Corporation of India Ltd.
A Government of India (Ministry of Railways) Enterprise

Secondly, it is not totally sound in Public Administrative parlance to point out or cherry pick the objectives behind RTI applications made by the citizens as every application has some or other objective behind it. The Act has not mandated anyone (Public Authority) to go after all such aspects.

Thirdly, the most important point worth noting here that the applicant has sought for information on the materials used and the testing report which is highly of public interest and the public at large shall have the right to know because public money is being expended.

The matter has been examined here and it is observed that the Unit shall provide information, if any, available with respect to both the points as he is asking whether DFCCIL has done any material testing or investigation on the materials used and labour used by the contractor as the responsibility of such verification solely lies on the primary employer or the Public Authority hiring services. Writing to the third-party prima-facie was not correct in this case.

In view of the above the RTI application vis-à-vis the Appeal be re-examined and a revised reply for the RTI application and a brief i.r.o. the appeal as to the action taken in this regard holds good or otherwise be sent immediately as the appellant is requesting for meeting the highest authority here.

(S.K. Panda)

AGM/Admn.(PIO)

Mob.-9717636811

E-mail: skpanda@dfcc.co.in

Copy for information to:

1. GM/Admin (Appellate Authority)
2. ED/Project

सूचना का अधिकार के अधिनियम, 2005 के नियम 19 (1) के तहत प्रथम अपील

प्रेषकअपील करनेवाले का नाम व पता

शिवप्रसाद यादव, मोबाइल नंबर - 9870912123

email- gunabkenishan@gmail.com

श्रीपत यादव चाल, गोंवदेवी रोड ,

पोयसर,कादिवली - पूर्व , मुंबई - 400101

प्रतिप्रथम अपीलीय प्राधिकारी का नाम ,पदनाम और पता

श्री गौरव शर्मा

प्रथम अपीलीय अधिकारी तथा

महाप्रबंधक प्रशासन डीएफसीसीआईएल ,

चतुर्थ मंजिल ,सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग

प्रगती मैदान,नई दिल्ली,

पिन कोड - 110001

- 1 अपील करनेवाले का संपूर्ण नाम : शिवप्रसाद यादव, मोबाइल नंबर - 9870912123
- 2 पता : श्रीपत यादव चाल, गोंवदेवी रोड ,पोयसर,कादिवली - पूर्व ,मुंबई - 400101
- 3 जनसूचना अधिकारी का विवरण : श्री राजन सदाना, प्रबंधक / प्रशासन तथा पब्लिक इंफोरमेशन आफ़ीसर
डेडीकेटेड फ़ेड कोरीडोर कोरपोरेशन ऑफ़ इंडिया लिमिटेड,रूम नंबर - 537,
5 वा मंजिल,सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग कॉम्प्लेक्स,प्रगती मैदान,
नई दिल्ली-110001
- 4 जिस आदेश/ जवाब के खिलाफ अपील किया जा रहा है उस आदेश : दिनांक 13 | 01 | 2025 का जवाब मिला है
/मिलने का विवरण (आदेश जवाब मिला है तो)
- 5 अपील दखिल करने का अंतिम दिनांक : 12 | 02 | 2025
- 6 अपील करने का कारण : श्री एस के पांडा अपर महाप्रबंधक प्रशासन (ज. सू.अ.) जनसूचना अधिकारी और सहायक जनसूचना अधिकारी
श्री परविंद कुमार ,डीएफसीसीआईएल/ मुंबई /साऊथ और श्री एस के झा जीएम/ सिविल ,डीएफसीसीआईएल/ मुंबई
/साऊथ से जानकारी मिला नहीं है। सही व सम्पूर्ण जानकारी मिलने के लिए प्रथम अपील किया गया है।
- 7 जो जानकारी मांगी गयी है उसका विवरण : दिनांक 04 | 12 | 2024 को जनसूचना अधिकारी से महाराष्ट्र के नवी मुंबई, ठाणे, पालघर
जिला के विभिन्न हिस्सों में वेस्ट्रन कोरीडोर के चल रहे कामों, जेएनपीटी से
वसई रोड रेलवे स्टेशन (पश्चिम रेलवे स्टेशन) के बीच में जारी भ्रष्टाचार निम्न
दर्ज के सामानों का उपयोग करके काम करवाया जा रहा है। जारी कामों से
संबंधित जानकारी चाहिए।
- 8 (दोन) जानकारी जिस कार्यालय या विभाग से संबंधित है उसका विवरण : पब्लिक इंफोरमेशन आफ़ीसर,डेडीकेटेड फ़ेड कोरीडोर कोरपोरेशन
ऑफ़ इंडिया लिमिटेड,रूम नंबर - 537, 5 वा मंजिल,सुप्रीम कोर्ट
मेट्रो स्टेशन बिल्डिंग कॉम्प्लेक्स,प्रगती मैदान, नई दिल्ली-110001

स्थान : मुंबई

दिनांक : 06 | 02 | 2025

अपीलकरनेवाले का हस्ताक्षर

केंद्रीय सूचना का अधिकार अधिनियम 2005 के तहत सूचना मिलने के लिए आवेदन

श्री एस के पांडा साहब

एजीएम/ एडमिन/ पब्लिक इंफोरमेशन ऑफिसर

डेडीकैटेड फेड कोरीडोर कोरपोरेशन ऑफ इंडिया लिमिटेड,

रूम नंबर - 537, 5 वा मंजिल,

सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग कॉम्प्लेक्स,

प्रगती मैदान, नई दिल्ली-110001

1	आवेदक का नाम	: शिवप्रसाद यादव पत्रकार एवं पूर्व संपादक	फोन: 9870912123 इमेल: gunahkenishan@gmail.com
2	पता	: श्रीपत यादव चान, गाँवदेवी रोड़ , पोयसर ,कादिवली (पूर्व),मुंबई - 400101	
3	जो जानकारी चाहिए उसका विवरण	महाराष्ट्र के नवी मुंबई, ठाणे, पालघर जिला के विभिन्न हिस्सों में वेस्ट्रन कोरीडोर के चल रहे कामों, जेएनपीटी से वसई रोड रेल्वे स्टेशन (पश्चिम रेल्वे स्टेशन) के बीच में जारी भ्रष्टाचार निम्न दर्जे के सामानों का उपयोग करके काम करवाया जा रहा है। जारी कामों से संबंधित जानकारी चाहिए।	
4	जिस समय की जानकारी चाहिए उसका विवरण	:	जब से रेंडर जारी हुआ से वर्तमान समय तक की जानकारी
5	वेस्ट्रन कोरीडोर के चल रहे कामों, जेएनपीटी से वसई रोड (पश्चिम रेल्वे स्टेशन) के बीच में जारी कामों में भ्रष्टाचार होने की जानकारी मिली है। निम्न दर्जे के सामानों का उपयोग और ब्लैक लिस्टेड सब कोन्टेक्टर्स/कंपनी से काम करवाया जा रहा है। मुझे CPCC, CECRI, ANTI CORROSIVE TREATMENT के काम करनेवाले ठेकेदार के द्वारा ठाणे पालघर जिलों के नालासीपाटा, कामन, खारबाओ, नागले, शिवपूर विहार, राजौली, गीखिरे तालाव के पास, जूहूचंद्र और कलगबोली के इन स्थानों पर स्टील को जंग से बचाने के लिए CPCC, CECRI, ANTI CORROSIVE TREATMENT के चल रहे कामों से संबंधित निम्नलिखित जानकारी चाहिए। अ- काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए आ- काम में उपयोग में लिया गया मटेरियल टेस्टिंग रिपोर्ट, अधिकारियों के जॉच रिपोर्ट की कॉपी चाहिए इ- काम करनेवाले मजदूर बांग्लादेशी है और फर्जी कागजातों के आधार पर आधारकार्ड बनवाकर काम कर रहे है। DFCCI ने इस मामले में कोई काम/जॉच किया है तो इसकी जानकारीदायक कॉपी दिखाए		

सूचना पोस्ट द्वारा चाहिए या व्यक्तिगत तौर पर : पोस्ट द्वारा चाहिए।

स्थान : मुंबई

दिनांक : 02/12/2024

आवेदक का हस्ताक्षर

निवेदन : सही जानकारी के अभाव में पोस्टल आर्डर में रकम प्राप्तकर्ता के स्थान को गरा नहीं गया

है। मामले में सही प्राप्तकर्ता का नाम लिखकर पोस्टल आर्डर भुनाने की कृपा करें। इस उपकार के लिए पीआईओ साहब का मैं सदा आभारी रहंगा।



डेडीकेटेड फ्रेट कोरीडोर

No. 2024/HQ/Admin/RTI-1151

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ़ इंडिया लि.

भारत सरकार (रेल मंत्रालय) का उपक्रम
Dedicated Freight Corridor Corporation of India Limited
A Govt. of India (Ministry of Railways) Enterprise

New Delhi: 13.01.2025

श्री शिवप्रसाद यादव
श्रीपत यादव चाल,
गौवदेवी रोड, पोयसर कांदिवली पूर्व,
मुंबई - 400101.
मो. न. 9870912123
ईमेल gunahkenishan@gmail.com

विषय: सूचना का अधिकार अधिनियम 2005 के अंतर्गत सूचना उपलब्ध कराना।

संदर्भ: आपका आरटीआई आवेदन 02.12.2024, जो इस कार्यालय में दिनांक 12.12.2024 को प्राप्त हुआ।

उपरोक्त आवेदन के सन्दर्भ में, संबंधित कार्यालय से प्राप्त सूचना संलग्न है।

आशा है उपरोक्त जानकारी पूर्ण और संतोषजनक है। यदि नहीं, तो आप अपीलीय प्राधिकारी को पत्र की प्राप्ति के 30 दिनों के भीतर अपील कर सकते हैं, जिसका नाम और पता इस प्रकार है;

श्री गौरव शर्मा
महाप्रबंधक / प्रशासन, DFCCIL,
चतुर्थ मंजिल, सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग,
प्रगति मैदान, नई दिल्ली - 110001

संलग्न: 01 पृष्ठ

राजन सदाना
(राजन सदाना)
प्रबंधक / प्रशा.



डेडीकेटेड फ्रेट कोरीडोर
No:MUM(S)/EN/RTI/604

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लि.
भारत सरकार (रेल मंत्रालय) का उपक्रम
Dedicated Freight Corridor Corporation of India Ltd.
A Govt. of India (Ministry of Railways) Enterprise
Date: 11/01/2025

To,
SK Panda
DFCCIL, 5th floor
Supreme Court Metro station Building complex,
New Delhi-110001

Sub: RTI application of Shri. Shivprasad Yadav, r/o Shripat Yadav Chawl, Gaondevi Road, Poisar, Kandivali (East), Mumbai - 401 101.

Ref: 1) RTI application dated 02/12/2024 received through email dated 12/12/2024-RTI-1150
2) RTI application dated 02/12/2024 received through email dated 12/12/2024-RTI-1151.

SN	Information sought	Information being provided
1	काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए	For the under considered work between the Vasai and JNPT, the contract has been awarded to M/s EFRC (Express Freight Railway Consortium) on EPC basis (Engineering Procurement & Construction), where the EPC contractor deploys its own resources/agencies for execution of the work.
2	काम में उपयोग में लिया गया मटेरियल टैस्टिंग रिपोर्ट, अधिकारियों के जाँच रिपोर्ट की कॉपी चाहिए	No record is available in the DFCCIL office regarding the details of the agencies deployed/Agency experience/ manpower deployed etc. by the M/s EFRC (Express Freight Railway Consortium).
3	काम करनेवाले मजदुर बांग्लादेशी हैं और फर्जी कागजातों के आधार पर आधारकार्ड बनवाकर काम कर रहे हैं। DFCCI ने इस मामले में कोई काम/जाँच किया है इसकी जानकारीदायक कॉपी दिया	

Encl: 1) Copy of approval of CGM/South enclosed.

(Parvind Kumar)
APO/PM(Civil-I)
DFCCIL/Mumbai/South

मुख्य महाप्रबन्धक का कार्यालय, मुंबई (दक्षिण), Chief General Manager's Office, Mumbai (South)
7th Floor, New Admin Building, Central Railway, D N Road, Mumbai - 400001
टेलीफोन : 022-22634184, टेलीफैक्स : 022-22634184, टेलीफोन : 022-22634184, टेलीफैक्स : 022-22634184
मुख्य महाप्रबन्धक का कार्यालय, नई दिल्ली, सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग कॉम्प्लेक्स, नई दिल्ली - 110001
Regd. & Corporate Office 5th Floor, Supreme Court Metro Station Building Complex, New Delhi - 110001
टेलीफोन : 91-11-23454700, फैक्स : 91-11-23454701, ई-मेल : contactdfccil@dfccil.co.in
वेब : www.dfccil.com रीजिस्ट्रेशन : U 60232 DL 2006 GOI 155068 Web: www.dfccil.com CIN : U 60232 DL 2006 GOI 155068

Tel: 91 - 11-23454700



डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इंडिया लि.

भारत सरकार (रेल मंत्रालय) का उपक्रम
Dedicated Freight Corridor Corporation of India Limited
A Govt. of India (Ministry of Railways) Enterprise

New Delhi: 10.01.2025


No. 2024/HQ/Admin/RTI-1151

श्री शिवप्रसाद यादव
श्रीपत यादव चाल,
गाँवदेवी रोड, पोयसर कांदिवली पूर्व,
मुंबई - 400101.
मो. न. 9870912123
ईमेल gunahkenishan@gmail.com

विषय: अंतरिम उत्तर।

संदर्भ: आपका आरटीआई आवेदन 02.12.2024, जो इस कार्यालय में दिनांक 12.12.2024 को प्राप्त हुआ।

आपने जो जानकारी मांगी है, वह तीसरे पक्ष से संबंधित है। जानकारी देने के लिए तीसरे पक्ष से कहा गया है, जो अभी तक प्राप्त नहीं हुई है।
तीसरे पक्ष से जानकारी प्राप्त होने पर, आपको जानकारी प्रदान की जाएगी। इस संबंध में संबंधित यूनिट से प्राप्त पत्र की प्रति संलग्न है।


(एस. के. पण्डा)

अपर महाप्रबंधक / प्रशा. (ज. सू. अ.)
9717636811



डेडीकेटेड फ्रेट कोरीडोर
No:MUM(S)/EN/RTI/604

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लि.
भारत सरकार (रेल मंत्रालय) का उपक्रम
Dedicated Freight Corridor Corporation of India Ltd.
A Govt. of India (Ministry of Railways) Enterprise
Date: 09/01/2025


To,
SK Panda
DFCCIL, 5th floor
Supreme Court Metro station Building complex,
New Delhi-110001

Sub: RTI application of Shri. Shivprasad Yadav, r/o Shripat Yadav Chawl, Gaondevi Road, Poisar, Kandivali (East), Mumbai - 401 101.

Ref: 1) RTI application dated 02/12/2024 received through email dated 12/12/2024-RTI-1150
2) RTI application dated 02/12/2024 received through email dated 12/12/2024-RTI-1151

SN	Information sought	Information being provided
1	काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए	Information sought does not pertain to DFCCIL but related to third party M/s EFRC. Letter in this regard has been sent to Engineer to provide required information.
2	काम में उपयोग में लिया गया मटेरियल टैस्टिंग रिपोर्ट, अधिकारियों के जाँच रिपोर्ट की कॉपी चाहिए	
3	काम करनेवाले मजदूर बांग्लादेशी हैं और फर्जी कागजातों के आधार पर आधारकार्ड बनवाकर काम कर रहे हैं। DFCCIL ने इस मामले में कोई काम/जाँच किया है इसकी जानकारीदायक कॉपी दिया	

Encl: 1) Copy of approval of CGM/South also enclosed.
2) Copy of letter sent to Engineer for required information.


(Parvind Kumar)
APIO
DFCCIL/Mumbai/South

मुख्य महाप्रबन्धक कार्यालय, मुंबई (दक्षिण) Chief General Manager's office, Mumbai (South)
ए वी जेड, नया प्रशासनिक भवन, नया रेलवे स्टेशन रोड, मुंबई - 400001 7th Floor, New Admin Building, Central Railway, D N Road, Mumbai - 400001
टेलीफोन : 022-22634185, टेलीफैक्स : 022-22634185, टेलीग्राफ : 022-22634185, टेलीटेल : 022-22634185
युनिट एवं कॉर्पोरेट कार्यालय: वास्तव भवन, सुप्रीम कोर्ट मेट्रो स्टेशन बिल्डिंग कॉम्प्लेक्स, नई दिल्ली - 110001
Regd & Corporate Office: 5th Floor, Supreme Court Metro Station Building Complex, New Delhi - 110001
टेलीफोन : 91-11-23454700, फैक्स : 011-23454701, ई-मेल : contactdfccil@dfccil.co.in
वेब : www.dfccil.com सीआरएन : U 60232 DL 2006 GOI 155068 Web: www.dfccil.com CIN: U 60232 DL 2006 GOI 155068



डेडीकेटेड फ्रेट कोरीडोर
No:MUM(S)/EN/RTI/604

डेडीकेटेड फ्रेट कोरीडोर कॉर्पोरेशन ऑफ इण्डिया लि.
भारत सरकार (रेल मंत्रालय) का उपक्रम
Dedicated Freight Corridor Corporation of India Ltd.
A Govt. of India (Ministry of Railways) Enterprise

जाचक क्र. 1192 Date: 07/01/2025
दि.: 09/01/2025 08

To,
Dy.CRE,OCGC/ZMT-1,
PMC-2R,Survey NO:-127,Khutari Village,
Near Talaja Railway Station,
Opp,Hotel Rutika,SEC-38,Taloja,Navl
Mumbai :-410208.

Sub: RTI application of Shri. Shivprasad Yadav, r/o Shripat Yadav Chawl, Gaondevi Road, Poisar, Kandivali (East), Mumbai – 401 101.

Ref: 1) RTI application dated 02/12/2024 received through email dated 12/12/2024.
2) RTI application dated 02/12/2024 received through email dated 12/12/2024.

SN	Information sought	Information being provided
1	काम करनेवाले ठेकेदार के लायसंस की कॉपी, वर्क एक्सपीरियंस की कॉपी चाहिए	Information sought does not pertain to DFCCIL but related to third party M/s EFRC.
2	काम में उपयोग में लिया गया मटेरियल टेस्टिंग रिपोर्ट, अधिकारियों के जाँच रिपोर्ट की कॉपी चाहिए	
3	काम करनेवाले मजदुर बांग्लादेशी है और फर्जी कागजातो के आधार पर आधारकार्ड बनवाकर काम कर रहे है। DFCCI ने इस मामले में कोई काम/जाँच किया है इसकी जानकारीदायक कॉपी दिजाए	

It is requested to provide the required details sought vide referred RTI application.

(SK Jha)
GM/Civil
DFCCIL/Mumbai/South