

No. 2019/HQ/Admin/RTI-310/277/451/499

New Delhi: 23.08.2019

Shri Rajendra Verma
House No.652/11 Old, Opposite to HMT Colony,
Sundar Nagar,
Byavar Road, Ajmer
Rajasthan.


Sub:	Disposal of Appeals on common point.
Ref:	1. Appeal dated 24-05-19 received in this office on 30-5-19.
	2. Appeal dated 25-05-19 received in this office on 28-5-19.
	3. Appeal dated 02-08-19 received in this office on 08-08-19 through Railway Board vide letter No. 2018/Infra/15/50 dated 6-8-19.
	4. Appeal dated 22-07-19 received in this office on 24-7-19.

Your above appeals have been examined and the following comments are offered;

You have submitted four RTI applications asking for information on a common point i.e, ***what is the distance from both side of the DFCCIL's track where vibration due to heavy freight train movement won't affect the livelihoods of the families settled. Or any advisory issued by any offices concerned with this vibration/safety norms etc. You have asked to provide copies of relevant documents***

In this regard it is stated that the CPIO has taken enough effort to ascertain the reply to your question both from the corporate office and the concerned CPM/CGM office. It is found by him that no information is available in this regard. Accordingly, he has sent the reply to you which is based on the position available in this office.

Hope you appreciate the position. Your above appeals thus stand disposed of.


23/08/2019
(SATISH KOTHARI)
GGM/ADMIN (Appellate authority)